

**SILVERA PAIN RELIEF PATCH- silvera pain relief patch patch**

**Home Aide Diagnostics, Inc.**

**Reference Label Set Id: 08c94237-533e-40ae-e054-00144ff88e88**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).*

-----

**SILVERA PAIN RELIEF PATCH**

This product may cause allergic reactions in some individuals.

**DRUG FACTS**



## Drug Facts

### Active Ingredients

	Purpose
Capsaicin 0.0375% -----	Topical analgesic
Menthol 5% -----	External Analgesic
Lidocaine 1% -----	Topical analgesic

**Uses** For temporary relief of pain associated with minor cuts, scrapes and minor skin irritations.

### WARNINGS

#### FOR EXTERNAL USE ONLY.

- Use only as directed
- Do not get into eyes or on mucous membranes
- Do not apply to wounds, damaged or irritated skin
- Do not bandage or cover with any type of wrap except clothing
- Do not use with a heating pad or apply external heat
- Do not use in large quantities, particularly over raw surfaces or blistered areas

#### STOP USE AND ASK A DOCTOR IF:

- Condition worsens
- Severe skin irritation occurs
- Pain persists for more than seven days

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**If pregnant or breast-feeding,** ask a healthcare professional before use

- This product may cause allergic reaction in some individuals. Store in a cool dry place away from direct sunlight.

### DIRECTIONS

*Store below 25 degrees. Avoid direct sunlight.*

Clean and dry affected area

Remove patch from backing and apply to affected area

Use only one patch at a time and maximum of four patches daily

Leave patch on affected area for up to 8-hours

Do not use patches for longer than 5 consecutive days

Children under 12 years of age should consult a physician prior to usedaily.

### INACTIVE INGREDIENTS

water ,Pvpk-90 ,tartaric acid.NP-700,aluminium hydroxide, EDTA2Na. titanium dioxide

.Glycerin. Pvpv. alcohol borneol .camphor

Rx Only



Rx Only

# Silvera

## PAIN RELIEF PATCH

(Capsaicin 0.0375% Lidocaine 1% Menthol 5%)

NDC#: 69379-0037-17

Qty 15 Patches

Distributed by:  
Home Aide Diagnostics, Inc.  
1072 S. Powertine Road  
Deerfield Beach, FL 33442  
1 (800) 915-0116  
www.homeaide.us  
Made in China



**Rx Only**  
Lot#: \_\_\_\_\_  
Exp Date: \_\_\_\_\_



Distributed by:  
Home Aide Diagnostics, Inc.  
1072 S. Powertine Road  
Deerfield Beach, FL 33442  
1 (800) 915-0116  
www.homeaide.us



**Rx Only**

**Drug Facts**

**Active Ingredients**  
Capsaicin 0.0375%  
Lidocaine 1%  
Menthol 5%  
Topical Analgesic

**Warnings**  
Use for temporary relief of pain associated with minor cuts, scrapes and minor skin irritations.  
Topical Analgesic

**FOR EXTERNAL USE ONLY**

- Use only as directed
- Do not get into eyes or on mucous membranes
- Do not apply to wounds, damaged or irritated skin
- Do not bandage or cover with any type of wrap except clothing
- Do not use with a heating pad or apply external heat
- Do not use in large quantities, particularly over raw surfaces or blistered areas

**STOP USE AND ASK A DOCTOR IF:**

- Condition worsens
- Severe skin reaction occurs
- Pain persists for more than seven days

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**If pregnant or breast-feeding,** ask a healthcare professional before use.

**Directions**  
• This product may cause allergic reaction in some individuals. Store in a cool dry place away from direct sunlight.

**Directions**  
Store below 25 degrees. Avoid direct sunlight.  
Clean and dry affected area.  
Remove patch from backing and apply to affected area.  
Use only one patch at a time and maximum of four patches daily.  
Leave patch on affected area for up to 8 hours.  
Do not use patches for longer than 5 consecutive days.  
Children under 12 years of age should consult a physician prior to use daily.

**INGREDIENTS**  
Water, Poly-90, Lactic acid NP-700, Aluminum hydroxide, EDTA/Na, titanium dioxide, Glycerin, P-991, alcohol benzoil, camphor.



## SILVERA PAIN RELIEF PATCH

silvera pain relief patch patch

### Product Information

Product Type

HUMAN PRESCRIPTION DRUG

Item Code (Source)

NDC:69379-037

<b>Route of Administration</b>		TOPICAL		
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
Lidocaine (UNII: 98PI200987) (Lidocaine - UNII:98PI200987)		Lidocaine	1 g in 100 g	
Capsaicin (UNII: S07O44R1ZM) (Capsaicin - UNII:S07O44R1ZM)		Capsaicin	.0375 g in 100 g	
Menthol (UNII: L7T10EIP3A) (Menthol - UNII:L7T10EIP3A)		Menthol	5 g in 100 g	
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:69379-037-16	15 in 1 BOX	11/18/2014	12/01/2014
1		3 in 1 PACKAGE		
1		100 g in 1 PATCH; Type 3: Prefilled Biologic Delivery Device/System (syringe, patch, etc.)		
2	NDC:69379-037-15	100 g in 1 PACKAGE; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)	12/18/2014	12/22/2014
3	NDC:69379-037-17	5 in 1 BOX	12/18/2014	
3		3 in 1 PACKAGE		
3		100 g in 1 PATCH; Type 3: Prefilled Biologic Delivery Device/System (syringe, patch, etc.)		
<b>Marketing Information</b>				
<b>Marketing Category</b>		<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other			11/18/2014	

**Labeler** - Home Aide Diagnostics, Inc. (783518983)

Revised: 12/2014

Home Aide Diagnostics, Inc.