

**CHILDRENS MYLICON ALL IN ONE TUMMY RELIEF FOR KIDS- antacid and antigas liquid**  
**Infirst Healthcare Inc.**

-----  
**Children's Mylicon All-in-One Tummy Relief for Kids**

***Drug Facts***

***Active ingredients (in each 5 mL dose)***

Calcium carbonate 400 mg

Simethicone 40 mg

***Purpose***

Antacid

Antigas

***Uses***

relieves:

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms
- pressure and bloating commonly referred to as gas
- overindulgence in food and drink

***Warnings***

**Ask a doctor or pharmacist before use if**

your child is presently taking a prescription drug. Antacids may interact with certain prescription drugs.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a poison control center right away at 1-800-222-1222

***Directions***

- shake well before use
- measure with dosing cup provided
- follow directions based on age/weight below or as directed by a doctor

- repeat as needed
- do not use the maximum dosage for more than two weeks except under the advice and supervision of a doctor
- clean dosing cup after use
- mL = milliliter

<b>Age</b>	<b>Weight</b>	<b>Dosage (mL)</b>
under 2 yrs	under 24 lbs	ask a doctor
2-5 yrs	24-47 lbs	5 mL. Not more than 15 mL in 24 hours.
6-11 yrs	48-95 lbs	10 mL. Not more than 30 mL in 24 hours.

***Other information***

- **each 5 mL dose contains:**calcium 160 mg, sodium 3 mg
- store between 20-25°C (68-77°F)
- do not freeze

***Inactive ingredients***

benzyl alcohol, carboxymethylcellulose sodium, D&C red 28, flavor, glycerin, microcrystalline cellulose, purified water, sodium carbonate, sorbitol, sucralose, xanthan gum

***Questions or comments?***

***call 1-855-848-3284 (English & Spanish)***

**Package/Label Principal Display Panel**



**FROM THE MAKERS OF THE #1 PEDIATRICIAN RECOMMENDED INFANT GAS BRAND**

**new!**

**Children's MYLICON**®

Antacid/Antigas

**All-in-One Tummy Relief for Kids**

Multi-symptom relief of upset tummies due to bloating, gas, and discomfort from acid indigestion and overeating.

Bubble Gum Flavor

4 FL OZ (120 mL)

24 Doses

Ages 2-11

**Important:**Keep this carton for future reference on full labeling

**TAMPER EVIDENT:**do not use if printed safety seal under cap is broken or missing

New great-tasting Children’s Mylicon All-in-One Tummy Relief liquid works on contact to quickly soothe upset tummies due to bloating, gas, and discomfort from acid indigestion and overeating.

Children’s Mylicon All-in-One Tummy Relief is a multi-purpose solution to help treat more causes of tummy aches and discomfort..

Children’s Mylicon combines the antigas medicine pediatricians recommend most with a soothing antacid for more complete, all-in-one relief for kids ages 2-11.

Gluten Free

No Saccharin

No Botanicals

Please visit us @ mylicon.com

Manufactured for: Infirst Healthcare Inc., Westport, CT 06880

©2021 Infirst Healthcare Inc.

**Children’s MYLICON®**  
Antacid/Antigas  
**All-in-One Tummy Relief for Kids**

Multi-symptom relief of upset tummies due to bloating, gas, and discomfort from acid indigestion and overeating.

♥ Ages 2-11

4 FLOZ (120 mL)

Bubble Gum Flavor

♥ New great-tasting Children’s Mylicon All-in-One Tummy Relief liquid works on contact to quickly soothe upset tummies due to bloating, gas, and discomfort from acid indigestion and overeating.

⦿ Children’s Mylicon combines the antigas medicine pediatricians recommend most with a soothing antacid for more complete, all-in-one relief for kids ages 2-11.

✔ **Gluten Free**  
✔ **No Saccharin or Botanicals**

**SEE CARTON FOR FULL LABELING**

Please visit us @ [mylicon.com](http://mylicon.com)  
Manufactured for:  
Infirst Healthcare Inc.  
Westport, CT 06880  
©2021 Infirst Healthcare Inc.

**Active ingredients (in each 5 mL dose)** Purposes  
Calcium carbonate 400 mg..... Antacid  
Simethicone 40 mg..... Antigas  
**Warnings: Ask a doctor or pharmacist before use if** your child is presently taking a prescription drug.  
Antacids may interact with certain prescription drugs.  
**Keep out of reach of children.**  
In case of overdose, get medical help or contact a poison control center right away at 1-800-222-1222 **Directions:** •shake well before use •measure with dosing cup provided •follow directions based on age/weight below or as directed by a doctor •repeat as needed •do not use the maximum dosage for more than two weeks except under the advice and supervision of a doctor •clean dosing cup after use •mL = milliliter  
**Questions or comments? call 1-855-848-3284 (English & Spanish)**

Age	Weight	Dosage (mL)
under 2 yrs	under 24 lbs	ask a doctor
2-5 yrs	24-47 lbs	5 mL. Not more than 15 mL in 24 hours.
6-11 yrs	48-95 lbs	10 mL. Not more than 30 mL in 24 hours.

**Other information:**  
•store between 20-25° C (68-77° F)  
•do not freeze

**Inactive ingredients:** benzyl alcohol, carboxymethylcellulose sodium, D&C red 28, flavor, glycerin, microcrystalline cellulose, purified water, sodium carbonate, sorbitol, sucralose, xanthan gum

**Lot:**  
**Exp:**

**Children’s MYLICON®**

Antacid/Antigas

**All-in-One Tummy Relief for Kids**

Multi-symptom relief of upset tummies due to bloating, gas, and discomfort from acid indigestion and overeating.

Bubble Gum Flavor

Ages 2-11

4 FL OZ (120 mL)

New great-tasting Children's Mylicon All-in-One Tummy Relief liquid works on contact to quickly soothe upset tummies due to bloating, gas, and discomfort from acid indigestion and overeating.

Children's Mylicon combines the antigas medicine pediatricians recommend most with a soothing antacid for more complete, all-in-one relief for kids ages 2-11.

Gluten Free

No Saccharin or Botanicals

SEE CARTON FOR FULL LABELING

Please visit us @ [mylicon.com](http://mylicon.com)

Manufactured for:

Infirst Healthcare Inc.

Westport, CT 06880

©2021 Infirst Healthcare Inc.

## CHILDRENS MYLICON ALL IN ONE TUMMY RELIEF FOR KIDS

antacid and antigas liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62372-410
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB, CARBONATE ION - UNII:7UJQ5OPE7D)	CALCIUM CARBONATE	400 mg in 5 mL
<b>DIMETHICONE</b> (UNII: 92RU3N3Y10) (DIMETHICONE - UNII:92RU3N3Y10)	DIMETHICONE	40 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED</b> (UNII: K679OBS311)	
<b>D&amp;C RED NO. 28</b> (UNII: 7671P0Y5NH)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CARBONATE</b> (UNII: 45P3261C7T)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

### Product Characteristics

<b>Color</b>	pink	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BUBBLE GUM	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62372-410-04	1 in 1 CARTON	11/24/2021	
1		120 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M002	11/24/2021	

**Labeler** - Infirst Healthcare Inc. (079159739)

Revised: 1/2024

Infirst Healthcare Inc.