VICHY LABORATOIRES CAPITAL SOLEIL 50 DAILY ANTIAGING FACE SUNSCREEN BROAD SPECTRUM SPF 50 WATER RESISTANT 80 MINUTES-avobenzone, homosalate, octisalate and octocrylene lotion L'Oreal USA Products Inc

Drug Facts

Active ingredients

Avobenzone 3%

Homosalate 10%

Octisalate 5%

Octocrylene 7%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable until dry.

Keep away from flames and heat.

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, cyclopentasiloxane, alcohol denat., silica, dicaprylyl ether, styrene/acrylates copolymer, PEG-30 dipolyhydroxystearate, dimethicone, cyclohexasiloxane, polymethylsilsesquioxane, glycerin, nylon-12, butylene glycol, caprylyl glycol, citric acid, dicaprylyl carbonate, disodium EDTA, disteardimonium hectorite, fragrance, isostearyl alcohol, lauryl PEG/PPG-18/18 methicone, p-anisic acid, PEG-8 laurate, phenoxyethanol, poly c10-30 alkyl acrylate, potassium sorbate, propylene carbonate, sodium benzoate, sodium chloride, sodium dodecylbenzenesulfonate, tocopherol, vitis vinifera (grape) fruit extract

Questions or comments?

Call toll free 1-877-378-4249

Monday - Friday (9 a.m. to 5 p.m. EST)



CAPITAL SOLEIL

DAILY ANTI-AGING* FACE SUNSCREEN

BROAD SPECTRUM SPF 50

Shake well before use

TOP BACK

TOP FRONT BORATOIRES

CAPITAL SOLEIL

damage. UVB rays mainly cause burning while UVA rays can cause an atteration to the skin structure leading to wrinkles, loss of firmness and the appearance of age spots. To help protect against both UVB and UVA rays, it is important to use a sunscreen that provides broad spectrum UVA+UVB protection. Scientific research shows that topically applied antioxidants on the skin help to protect from harmful free radicals, that lead to the signs of photo aging. Although antioxidants do not replace the need for sunscreen, they enhance the protective value of a well-formulated sunscreen.

Why use UVA + UVB Protection?

Unprotected exposure to the su can lead to UV-Induced ski

of a well-formulated sunscreen.

Capital Soleil Daily Anti-Aging* Face Sunscreen provides broad spectrum SPF 50 protection and spectrum SFF optotection and tights skin-aging free radicals. It contains a unique antioxidant complex (Vitamin E & Grape Extract), effective UV filters, and Victy 15 Mineral-Rich Water to help protect your skin to keep it looking healthy and beautiful. This easily absorbed, non-sticky, lightweight formula is water resistant (80 minutes) with a fragrance for an

enhanced experience
"When used as directed with other sun protection measures.

Oxybenzone-Free Paraben-Free Suitable for Sensitive Skin Allergy-Tested For All Skin Types Dermatologist Tested for Safety Non-corredogenio

Easily Absorbed Non-sticky

Vichy LLC New York, NY 10001 www.vichyusa.com Made in USA of US and/or Imported Ingredients 3612622103990

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 5%	Sunscreen
Ostoonilana 70/	Cuparaan

Uses

- . helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by sun

Warnings

For external use only

Flammable until dry. Keep away from flames and

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- + shake well before use
- apply liberally 15 minutes before sun exposure
- · reapply:
- + after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

 Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. 2 p.m.
- · wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- . protect the product in this container from excessive heat and direct sun
- store at 68-77°F (20-25°C)

Inactive ingredients

water, cyclopentasiloxane, alcohol denat., silica,

Drug Facts (continued)

5

dicaprykl ether, styrene/acrylates copolymer, PEG-30 dipolyhydroxystearate, dimethicone, cytolohasalioxane, polymethylaliseaquicaane, glyberin, ryfori-12, buylene glybor, caprykl glycol, citic add, dicaprykl acthorate, discodium EDTA, disteardimonium hectorite, fragrance, isossteavil alcolo, lauryl PEG/PPG-18/18 methicone, p-anisic add PEG-8 laurate, phenoxyethanol, poly CT0-30 alkyl acrylate, podasslum sorbate, propleme carborate, acudium Petrozate, sodium chloric sodium dodecyleparatesulforate, tocopherol, vitis vinitera (grape) fruit extract.

Questions or comments? Call toll free 1-877-378-4249 Mond

DAILY ANTI-AGING* FACE SUNSCREEN

Easily Absorbed, Non-sticky, 9 WATER RESISTANT (80 MINUTES)

UVA/UVB

SPF 50







CAPITAL SOLEIL

DAILY ANTI-AGING* FACE SUNSCREEN

BROAD SPECTRUM SPF 50

Shake well before use

TOP BACK

TOP FRONT BORATOIRES

Unprotected exposure to the su can lead to UV-induced ski damage UVB rays mainly cause burning while UVA rays can cause an alteration to the skin structure leading to wrinkles, loss of timmess and the appearance of dispessors. To help protect against both UVB and UVA rays, it is important to use a sunscreen that provides broad spectrum UVA-UVB protection. Settleffice research shows that topically applied antioxidants on the skin help to protect from harmful free radicals, that lead to the signs of photo aging. Although antioxidants do not replace the need for sunscreen, they enhance the protective value.

Why use UVA + UVB Protection?

of a well-formulated sunscreen.

Capital Soleil Daily Anti-Aging* Face Sunscreen provides broad spectrum SPF 50 protection and spectrum SFF optotection and tights skin-aging free radicals. It contains a unique antioxidant complex (Vitamin E & Grape Extract), effective UV filters, and Victy 15 Mineral-Rich Water to help protect your skin to keep it looking healthy and beautiful. This easily absorbed, non-sticky, lightweight formula is water resistant (80 minutes) with a fragrance for an

enhanced experience
"When used as directed with other sun protection measures.

Oxybenzone-Free Paraben-Free Suitable for Sensitive Skin Allergy-Tested For All Skin Types Dermatologist Tested for Safety Non-corredogenio

> Easily Absorbed Non-sticky

Vichy LLC New York, NY 10001 www.vichyusa.com Made in USA of US and/or Imported Ingredients 3612622103990

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7%	Sunscreen

Uses

- · helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by sun

Warnings

For external use only

Flammable until dry. Keep away from flames and

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- + shake well before use
- apply liberally 15 minutes before sun exposure
- · reapply:
- + after 80 minutes of swimming or sweating
- immediately after towel drying
- + at least every 2 hours

 Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. 2 p.m.
- · wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- . protect the product in this container from excessive heat and direct sun
- store at 68-77°F (20-25°C)

Inactive ingredients

water, cyclopentasiloxane, alcohol denat., silica,

Drug Facts (continued)

5

dicaprykl ether, styrene/acrylates copolymer, PEG-30 dipolyhydroxystearate, dimethicone, cytolohasalioxane, polymethylaliseaquicaane, glyberin, ryfori-12, buylene glybor, caprykl glycol, citic add, dicaprykl acthorate, discodium EDTA, disteardimonium hectorite, fragrance, isossteavil alcolo, lauryl PEG/PPG-18/18 methicone, p-anisic add PEG-8 laurate, phenoxyethanol, poly CT0-30 alkyl acrylate, podasslum sorbate, propleme carborate, acudium Petrozate, sodium chloric sodium dodecyleparatesulforate, tocopherol, vitis vinitera (grape) fruit extract.

Questions or comments Call toll free 1-877-378-4249 Mor

comments?

9

DAILY ANTI-AGING* FACE SUNSCREEN

CAPITAL SOLEIL

Easily Absorbed, Non-sticky,

WATER RESISTANT (80 MINUTES)

50 ml

UVA/UVB

SPF 50





VICHY LABORATOIRES CAPITAL SOLEIL 50 DAILY ANTIAGING FACE SUNSCREEN BROAD SPECTRUM SPF 50 WATER RESISTANT 80 MINUTES

avobenzone, homosalate, octisalate and octocrylene lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-054
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	30 mg in 1 mL		
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL		
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL		
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	70 mg in 1 mL		

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCIOR)	
ALCOHOL (UNII: 3K9958V90M)	
SILICON DIOXIDE (UNII: ETJ7Z 6XBU4)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
STYRENE/ACRYLAMIDE COPOLYMER (500000 MW) (UNII: 5Z4DPO246A)	
PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO)	
DIMETHICONE (UNII: 92RU3N3Y10)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ISOSTEARYL ALCOHOL (UNII: Q6130CQ44Y)	
LAURYL PEG/PPG-18/18 METHICONE (UNII: ZJ5S27D9NX)	
P-ANISIC ACID (UNII: 4SB6Y7DMM3)	
PEG-8 LAURATE (UNII: 76208IWA10)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM DODECYLBENZENESULFONATE (UNII: 554127163Y)	
TOCOPHEROL (UNII: ROZB2556P8)	

WINE GRAPE (UNII: 3GOV20705G)

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:49967-054- 01	1 in 1 CARTON	05/01/2020		
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product			
2	NDC:49967-054- 02	1 in 1 CARTON	05/01/2020	05/01/2020	
2		50 mL in 1 TUBE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2020	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment			
Name	Address	ID/FEI	Business Operations
L'Oreal USA, Inc.		185931458	analysis (49967-054)

Establishment			
Name	Address	ID/FEI	Business Operations
Goodier Cosmetics		007317209	manufacture(49967-054)

Revised: 12/2023 L'Oreal USA Products Inc