### EQUATE BEAUTY ULTRA LIGHT SUNSCREEN SPF 70- avobenzone, homosalate,octisalate,octocrylene,oxybenzone stick Walmart Stores Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **Equate Beauty Ultra Light Sunscreen SPF 70 Stick**

#### **Active ingredients**

Avobenzone 3%,

Homosalate 15%,

Octisalate 5%,

Octocrylene 10%,

Oxybenzone 3%

#### **Purpose**

Sunscreen

#### Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

#### For external use only

#### Do not use

• on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove.

#### When using this product

keep out of eyes. Rinse with water to remove.

#### Stop use and ask a doctor if

rash occurs.

#### Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- apply liberally 15 minutes before sun exposure reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

#### Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

#### **Inactive ingredients**

adipic adic/diglycol crosspolymer, beeswax, BHT, butyloctyl salicylate, C12-15 alkyl benzoate, caprylyl glycol, dimethicone, fragrance, neopentyl glycol diethylhexanoate, neopentyl glycol diisostearate, octydodecyl neopentanoate, ozokerite, paraffin, polyethylene, silica

Satisfaction guaranteed – For questions or comments please call 1-888-287-1915.

#### DISTRIBUTED BY: Wal-Mart Stores, Inc., Bentonville, AR 72716

No parabens separately added to preserve this product

## Drug Facts Active ingredients Avobenzone 3%, Homosalate 15%, Octisalate 5%, Octocrylene 10%,

Oxybenzone 3%

Purpose Sunscreen



Domestic Ingredients

PEEL HERE

"This product is not manufactured or distributed by Johnson and Johnson Corporation, owner of the registered trademarks Neutrogena® and Neutrogena Ultra Sheer®.

#### Drug Facts (continued)

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

Do not use . on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- apply liberally 15 minutes before sun exposure
- · reapply:
  - . after 80 minutes of swimming or sweating
  - · immediately after towel drying
  - · at least every 2 hours
- . children under 6 months of age: ask a doctor

0.25" Hinge Area

#### Drug Facts (continued)

- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

#### Other information

- · protect this product from excessive heat and direct sun
- · may stain or damage some fabrics, materials or surfaces

#### Inactive ingredients

adipic adic/diglycol crosspolymer, beeswax, butyloctyl salicylate, C12-15 alkyl benzoate, caprylyl glycol, dimethicone, fragrance, neopentyl glycol diethylhexanoate, neopentyl glycol disostearate, octydodecyl neopentanoate, ozokerite, paraffin, polyethylene, silica











#### Drug Facts (continued)

Uses • helps prevent sunbum • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

#### For external use only

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- apply liberally 15 minutes before sun exposure
- reapply:
  - · after 80 minutes of swimming or sweating
  - · immediately after towel drying
- at least every 2 hours
- children under 6 months of age: ask a doctor

# HINGE AREA

#### Drug Facts (continued)

- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

#### Other information

- protect this product from excessive heat and direct sun
- · may stain or damage some fabrics, materials or surfaces

#### Inactive ingredients

adipic adic/diglycol crosspolymer, beeswax, BHT, butyloctyl salicylate, C12-15 alkyl benzoate, caprylyl glycol, dimethicone, fragrance, neopentyl glycol diethylhexanoate, neopentyl glycol disostearate, octydodecyl neopentanoate, ozokerite, paraffin, polyethylene, silica





#### Drug Facts (continued) Uses . helps prevent sunburn . if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun For external use only Do not use . on damaged or broken skin. When using this product . keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if . rash occurs. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. Directions apply liberally and evenly 15 minutes before sun exposure · ensure complete coverage to the area above the lip, nose, and toos of ears . after 80 minutes of swimming or sweating · immediately after towel drying

· at least every 2 hours

#### Drug Facts (continued)

- . Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - · limit time in the sun, especially from 10 a.m. - 2 p.m.
  - · wear long-sleeve shirts, pants, hats, and sunglasses
- · children under 6 months: ask a doctor

#### Other information

- · protect this product from excessive heat and direct sun
- · may stain or damage some fabrics, materials or surfaces

Inactive ingredients adicic acid/dighod crosspolymer, beeswax, BHT, bubylochy salicytate, C12-15 alkyl benzoate, caprylyl glycol, dimethicone, fragrance, neopentyl glycol diethylhexanoate neopentyl glycol diisostearate, octytodecyl neopentanoate ozokerite, paraffin, polyethylene, silica

Questions or comments?

Call toll free 1-888-287-1915

#### **EQUATE BEAUTY ULTRA LIGHT SUNSCREEN SPF 70**

avobenzone, homosalate, octisalate, octocrylene, oxybenzone stick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-859
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	150 mg in 1 g	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g	
OXYBENZONE (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y)	OXYBENZ ONE	30 mg in 1 g	

Inactive Ingredients		
Ingredient Name	Strength	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)		
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)		
CERESIN (UNII: Q1LS2UJO3A)		
ADIPIC ACID/DIGLYCOL CROSSPOLYMER (20000 MPA.S) (UNII: R9TPS68K19)		
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)		
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)		
CAPRYLYL GLYCOL (UNII: 00YIU5438U)		
DIMETHICONE (UNII: 92RU3N3Y1O)		
NEOPENTYL GLYCOL DIETHYLHEXANOATE (UNII: U68ZV6W62C)		
NEOPENTYL GLYCOL DIISOSTEARATE (UNII: 4M60Q34JWW)		
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)		
PARAFFIN (UNII: 1900E3H2ZE)		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
WHITE WAX (UNII: 7G1J5DA97F)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-859- 36	42 g in 1 TUBE; Type 0: Not a Combination Product	12/06/2016	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	12/06/2016		

#### Labeler - Walmart Stores Inc. (051957769)

Revised: 7/2021 Walmart Stores Inc.