

2 TRANSFORM- fucus vesiculosus, chelidonium majus, kali phosphoricum, lycopodium clavatum, natrum muriaticum, quercus glandium spiritus, quercus robur, nux vomica, phytolacca decandra, ornithogalum umbellatum, agnus castus, berberis aquifolium, berberis vulgaris, saccharum officinale, solidago virgaurea, calcarea carbonica, carbo vegetabilis, magnesia phosphorica, natrum phosphoricum, sinapis arvensis, flos, ubidecarenonum, graphites, hypophysis suis, placenta totalis suis, hypothalamus (bovine) liquid

2 Transform

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Drug Facts:

ACTIVE INGREDIENTS:

Fucus Vesiculosus 4X, Chelidonium Majus 6X, Kali Phosphoricum 6X, Lycopodium Clavatum 6X, Natrum Muriaticum 6X, Quercus Glandium Spiritus 6X, Quercus Robur 6X, Nux Vomica 6X, 12X, 30X, Phytolacca Decandra 6X, 12X, 30X, Ornithogalum Umbellatum 8X, Agnus Castus 8X, 12X, 30X, 60X, 200X, Berberis Aquifolium 8X, 12X, 30X, 60X, 200X, Berberis Vulgaris 8X, 12X, 30X, 60X, 200X, Saccharum Officinale 8X, 12X, 30X, 60X, 200X, Solidago Virgaurea 12X, Calcarea Carbonica 12X, Carbo Vegetabilis 12X, Magnesia Phosphorica 12X, Natrum Phosphoricum 12X, Sinapis Arvensis, Flos 12X, Ubidecarenonum 12X, Graphites 12X, 30X, Hypophysis Suis 12X, 30X, 60X, Placenta Totalis Suis 12X, 30X, 60X, Hypothalamus (Bovine) 16X, 30X, 60X.

INDICATIONS:

For diet and inflammation support.

WARNINGS:

Keep out of reach of children. In case of overdose, contact physician or Poison Control Center right away.

If pregnant or breast-feeding, ask a health professional before use.

Tamper seal: "Sealed for Your Protection." Do not use if seal is broken or missing.

KEEP OUT OF REACH OF CHILDREN:

Keep out of reach of children. In case of overdose, contact physician or Poison Control Center right away.

DIRECTIONS:

.50ml or 15 drops three times a day. Let rest under the tongue for 60-120 seconds,

then swallow. Avoid eating or drinking 15 minutes before and after taking drops. Consult a physician for use in children under 12 years of age.

INDICATIONS:

For diet and inflammation support.

INACTIVE INGREDIENTS:

Coptis (Root), Demineralized water, Ethanol (20%), L-Arginine, L-Cysteine, L-Leucine, L-Proline, L-Serine, L-Threonine, L-Valine.

QUESTIONS:

Dist. by: 2 Transform

170 US Route 1, Suite 110

Falmouth, ME 04105 1-800-540-5906

PACKAGE LABEL DISPLAY:

2Transform

Homeopathic Drops

Weight Management

Support

2fl.oz. (60 ml)

*Transform Your Health...
Transform Your Life*

WARNINGS:

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

INDICATIONS:

For diet and inflammation support.

This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

LOT:

Dist. by: 2 Transform
170 US Route 1, Suite 110
Falmouth, ME 04105 1-800-540-5906

2Transform

Homeopathic Drops

Weight Management
Support

2fl.oz. (60 ml) 20% Ethanol

ACTIVE INGREDIENTS:

Fucus 4X, Chelidonium maj 6X, Kali phos 6X, Lycopodium 6X, Nat mur 6X, Quercus gland sp 6X, Quercus rob 6X, Nux vom 6X, 12X, 30X, Phytolacca 6X, 12X, 30X, Ornithogalum 8X, Agnus 8X, 12X, 30X, 60X, 200X, Berber aqu 8X, 12X, 30X, 60X, 200X, Berber vulg 8X, 12X, 30X, 60X, 200X, Saccharum off 8X, 12X, 30X, 60X, 200X, Solidago 8X, 12X, 30X, 60X, 200X, Calc carb 12X, Carbo veg 12X, Mag phos 12X, Nat phos 12X, Sinapis arv, flos 12X, Ubidecarenum 12X, Graphites 12X, 30X, Hypophysis suis 12X, 30X, 60X, Placenta totalis suis 12X, 30X, 60X, Hypothalamus 16X, 30X, 60X.

INACTIVE INGREDIENTS:

Coptis (Root), Demineralized water, Ethanol (20%), L-Arginine, L-Cysteine, L-Leucine, L-Proline, L-Serine, L-Threonine, L-Valine.

DIRECTIONS:

.50ml or 15 drops three times a day. Let rest under the tongue for 60-120 seconds, then swallow. Avoid eating or drinking 15 minutes before and after taking drops. Consult a physician for use in children under 12 years of age.

2 TRANSFORM

fucus vesiculosus, chelidonium majus, kali phosphoricum, lycopodium clavatum, natrum

muriaticum, quercus glandium spiritus, quercus robur, nux vomica, phytolacca decandra, ornithogalum umbellatum, agnus castus, berberis aquifolium, berberis vulgaris, saccharum officinale, solidago virgaurea, calcarea carbonica, carbo vegetabilis, magnesia phosphorica, natrum phosphoricum, sinapis arvensis, flos, ubidecarenonum, graphites, hypophysis suis, placenta totalis suis, hypothalamus (bovine) liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72940-0001
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FUCUS VESICULOSUS (UNII: 535G2ABX9M) (FUCUS VESICULOSUS - UNII:535G2ABX9M)	FUCUS VESICULOSUS	4 [hp_X] in 1 mL
CHELIDONIUM MAJUS (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII:7E889U5RNN)	CHELIDONIUM MAJUS	6 [hp_X] in 1 mL
DIBASIC POTASSIUM PHOSPHATE (UNII: CI71S98N1Z) (PHOSPHATE ION - UNII:NK08V8K8HR)	DIBASIC POTASSIUM PHOSPHATE	6 [hp_X] in 1 mL
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	6 [hp_X] in 1 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	SODIUM CHLORIDE	6 [hp_X] in 1 mL
QUERCUS ROBUR NUT (UNII: Q7MU1F4GLY) (QUERCUS ROBUR NUT - UNII:Q7MU1F4GLY)	QUERCUS ROBUR NUT	6 [hp_X] in 1 mL
QUERCUS ROBUR TWIG BARK (UNII: 2JFK226947) (QUERCUS ROBUR TWIG BARK - UNII:2JFK226947)	QUERCUS ROBUR TWIG BARK	6 [hp_X] in 1 mL
STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	6 [hp_X] in 1 mL
PHYTOLACCA AMERICANA ROOT (UNII: 11E6VI8VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6VI8VEG)	PHYTOLACCA AMERICANA ROOT	6 [hp_X] in 1 mL
ORNITHOGALUM UMBELLATUM (UNII: 9NS3M2Y78S) (ORNITHOGALUM UMBELLATUM - UNII:9NS3M2Y78S)	ORNITHOGALUM UMBELLATUM	8 [hp_X] in 1 mL
CHASTE TREE FRUIT (UNII: 433OSF3U8A) (CHASTE TREE - UNII:433OSF3U8A)	CHASTE TREE FRUIT	8 [hp_X] in 1 mL
BERBERIS AQUIFOLIUM ROOT BARK (UNII: VZJ9F3C3SB) (BERBERIS AQUIFOLIUM ROOT BARK - UNII:VZJ9F3C3SB)	BERBERIS AQUIFOLIUM ROOT BARK	8 [hp_X] in 1 mL
BERBERIS VULGARIS ROOT BARK (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U)	BERBERIS VULGARIS ROOT BARK	8 [hp_X] in 1 mL
SUCROSE (UNII: C151H8M554) (SUCROSE - UNII:C151H8M554)	SUCROSE	8 [hp_X] in 1 mL
SOLIDAGO VIRGAUREA FLOWERING TOP (UNII: 5405K23S50) (SOLIDAGO VIRGAUREA FLOWERING TOP - UNII:5405K23S50)	SOLIDAGO VIRGAUREA FLOWERING TOP	8 [hp_X] in 1 mL
OYSTER SHELL CALCIUM CARBONATE, CRUDE (UNII: 2E32821G6I) (OYSTER SHELL CALCIUM CARBONATE, CRUDE - UNII:2E32821G6I)	OYSTER SHELL CALCIUM CARBONATE, CRUDE	12 [hp_X] in 1 mL
ACTIVATED CHARCOAL (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10)	ACTIVATED CHARCOAL	12 [hp_X] in 1 mL
MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE (UNII: HF539G9L3Q) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE	12 [hp_X] in 1 mL
SODIUM PHOSPHATE, DIBASIC, HEPTAHYDRATE (UNII: 70WT22SF4B) (PHOSPHATE ION - UNII:NK08V8K8HR)	SODIUM PHOSPHATE, DIBASIC, HEPTAHYDRATE	12 [hp_X] in 1 mL
SINAPIS ARVENSIS FLOWERING/FRUITING TOP (UNII: WWX61E1ZAK) (SINAPIS ARVENSIS FLOWERING/FRUITING TOP - UNII:WWX61E1ZAK)	SINAPIS ARVENSIS FLOWERING/FRUITING TOP	12 [hp_X] in 1 mL
UBIDECARENONE (UNII: EJ27X76M46) (UBIDECARENONE - UNII:EJ27X76M46)	UBIDECARENONE	12 [hp_X] in 1 mL

GRAPHITE (UNII: 4QQN74LH4O) (GRAPHITE - UNII:4QQN74LH4O)	GRAPHITE	12 [hp_X] in 1 mL
SUS SCROFA PITUITARY GLAND (UNII: L0PFEMQ1DT) (SUS SCROFA PITUITARY GLAND - UNII:L0PFEMQ1DT)	SUS SCROFA PITUITARY GLAND	12 [hp_X] in 1 mL
SUS SCROFA PLACENTA (UNII: C8CV8867O8) (SUS SCROFA PLACENTA - UNII:C8CV8867O8)	SUS SCROFA PLACENTA	12 [hp_X] in 1 mL
BOS TAURUS HYPOTHALAMUS (UNII: S6G2NLH4Y7) (BOS TAURUS HYPOTHALAMUS - UNII:S6G2NLH4Y7)	BOS TAURUS HYPOTHALAMUS	16 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
COPTIS CHINENSIS ROOT (UNII: CXS4LJR7EL)	
ARGININE (UNII: 94ZLA3W45F)	
CYSTEINE (UNII: K848JZ4886)	
LEUCINE (UNII: GMW67QNF9C)	
PROLINE (UNII: 9DLQ4CIU6V)	
SERINE (UNII: 452VLY9402)	
THREONINE (UNII: 2ZD004190S)	
VALINE (UNII: HG18B9YRS7)	
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72940-0001-1	60 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	05/13/2019	01/14/2025

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/13/2019	01/14/2025

Labeler - 2 Transform (116971852)

Registrant - Apotheca Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(72940-0001) , api manufacture(72940-0001) , label(72940-0001) , pack(72940-0001)