

**ERBORIAN CC RED CORRECT- erborian cc red correct spf 25- octinoxate, octisalate, titanium dioxide, zinc oxide cream cream  
Kolmask Co., Ld.**

-----  
Drug Facts

Active ingredients

Ethylhexyl methoxycinnamate 6%

Ethylhexyl salicylate 2%

Titanium Dioxide 2.34%

Zinc oxide 3.84%

Sunscreen

For sunscreen use:

Apply liberally 15 minutes before sun exposure.

Reapply at least every 2 hours

Use a water resistant sunscreen if swimming or sweating

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

Limit time in the sun, especially from 10 a.m. - 2 p.m.

Wear long-sleeved shirts, pants, hats and sunglasses

Children under 6 months of age: Ask a doctor.

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if

rash occurs

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

Apply liberally 15 minutes before sun exposure.

Reapply at least every 2 hours

Use a water resistant sunscreen if swimming or sweating

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

Limit time in the sun, especially from 10 a.m. - 2 p.m.

Wear long-sleeved shirts, pants, hats and sunglasses

Children under 6 months of age: Ask a doctor.

Aqua/water - Cyclomethicone - Dipropylene Glycol - Glycerin - Peg-10 Dimethicone - Methyl Trimethicone - CI 77891/titanium Dioxide - C12-15 Alkyl Benzoate - Dimethicone - Vinyl Dimethicone/methicone Silsesquioxane Crosspolymer - Disteardimonium Hectorite - Magnesium Sulfate - Butylene Glycol - Centella Asiatica Extract - Talc - Dimethicone/Vinyl Dimethicone Crosspolymer - Aluminum Hydroxide - Trihydroxystearin - Phenoxyethanol - Mica - Methicone - Palmitic Acid - Stearic acid - Ethylhexylglycerin - Tocopheryl Acetate - Polyester-1 - Silica Dimethyl Silylate - Triethoxycaprylylsilane - Parfum/Fragrance - Hexyl Cinnamal - Alpha-Isomethyl Ionone - Linalool - Citronellol - Geraniol - Eugenol - Limonene - CI 77492/iron Oxides - CI 77288/chromium Oxide Greens - CI 77491/iron Oxides - CI77499/iron Oxides

Call toll free 1-888-975-2162

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

Limit time in the sun, especially from 10 a.m. - 2 p.m.

Wear long-sleeved shirts, pants, hats and sunglasses

Children under 6 months of age: Ask a doctor.

**Drug Facts (continued)**

**Inactive ingredients**

- Aqua/water -
- Cyclomethicone -
- Dipropylene Glycol -
- Glycerin - Peg-10
- Dimethicone - Methyl
- Trimethicone - CI
- 77891/titanium
- Dioxide - C12-15 Alkyl
- Benzoate -
- Dimethicone - Vinyl
- Dimethicone/
- methicone
- Silsesquioxane
- Crosspolymer -
- Disteardimonium
- Hectorite -
- Magnesium Sulfate -
- Butylene Glycol -
- Centella Asiatica
- Extract - Talc -
- Dimethicone/vinyl
- Dimethicone
- Crosspolymer -
- Aluminum Hydroxide -
- Trihydroxystearin -
- Phenoxyethanol -
- Mica - Methicone -

**erborian**  
KOREAN SKIN THERAPY  
PARIS · SEOUL

**CC RED CORRECT**  
À LA CENTELLA ASIATICA

**AUTOMATIC PERFECTOR**  
**SOOTHING EFFECT**  
**EVEN COMPLEXION**  
**BROAD SPECTRUM**

The Korean secret to a visibly perfect complexion lies in high-tech, multi-use formulas that help to improve the appearance of your skin. CC RED CORRECT is a versatile, illuminating formula: it contains green pigments to automatically help correct redness and encapsulated pigments to conceal other imperfections. CC RED CORRECT adjusts to your skin tone and helps to enhance your complexion with its perfect color-correcting effect. The fine, green-colored

**Drug Facts**

**Active ingredients..... Purpose**

- Ethylhexyl methoxycinnamate 6%.....Sunscreen
- Ethylhexyl salicylate 2%.....Sunscreen
- Titanium dioxide 2.34%.....Sunscreen
- Zinc oxide 3.84%.....Sunscreen

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** ■ on damaged or broken skin

**When using this product** ■ keep out of eyes. Rinse with water to remove

**Stop use and ask a doctor if** ■ rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

For sunscreen use:

- Apply liberally 15 minutes before sun

Palmitic Acid - Stearic Acid - Ethylhexylglycerin - Tocopheryl Acetate - Polyester-1 - Silica Dimethyl Silylate - Triethoxycaprylylsilane - Parfum/fragrance - Hexyl Cinnamal - Alpha-isomethyl Ionone - Linalool - Citronellol - Geraniol - Eugenol - Limonene - CI 77492/iron Oxides - CI 77288/chromium Oxide Greens - CI 77491/iron Oxides - CI 77499/iron Oxides

**Questions or comments?**

Call toll free  
1-888-975-2162

**SPF 25 SUNSCREEN**

Redness corrector



15 ML NET WT. 0.5 OZ.

...green pigments, green colored formula transforms on contact with your skin, to immediately even out the appearance of redness and other imperfections.

Enriched with Centella asiatica, CC RED CORRECT helps to deliver radiance and hydration, while also providing a beautifying effect. Complexion irregularities are less visible, your skin looks perfect, feels soothed, and is visibly more beautiful. [Apply a fine layer to the face, like a day cream or as a makeup base.]

Tested under dermatological supervision. Non-comedogenic.

www.verborean.com  
Made in South Korea  
M&L - 108 rue de Richelieu - Paris - France

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses
  - Children under 6 months of age: Ask a doctor

**Other information**

- Protect the product in this container from excessive heat and direct sun



**erborian**  
KOREAN SKIN THERAPY  
PARIS · SEOUL

**CC RED CORRECT**  
À LA CENTELLA ASIATICA

AUTOMATIC PERFECTOR  
SOOTHING EFFECT

The Korean secret to a visibly perfect complexion lies in high-tech, multi-use formulas that help to improve the appearance of your skin. CC RED CORRECT is a versatile, illuminating formula: it contains green pigments to automatically help correct redness and encapsulated pigments to conceal other imperfections. CC RED CORRECT adjusts to your

**Drug Facts (continued)**

**Other information**

- Protect the product in this container from excessive heat and direct sun

**Inactive ingredients**

Aqua/water - Cyclomethicone - Dipropylene Glycol - Glycerin - Peg-10 Dimethicone - Methyl

**Drug Facts**

**Active ingredients Purpose**

Ethylhexyl methoxycinnamate 6%.....Sunscreen  
Ethylhexyl salicylate 2%..Sunscreen  
Titanium dioxide 2.34%..Sunscreen  
Zinc oxide 3.84%.....Sunscreen

**Uses**

Irimethicone - CI 77891/titanium Dioxide - C12-15 Alkyl Benzoate - Dimethicone - Vinyl Dimethicone/methicone Silsesquioxane Crosspolymer - Distearidimonium Hectorite - Magnesium Sulfate - Butylene Glycol - Centella Asiatica Extract - Talc - Dimethicone/vinyl Dimethicone Crosspolymer - Aluminum Hydroxide - Trihydroxystearin - Phenoxylethanol - Mica - Methicone - Palmitic Acid - Stearic Acid - Ethylhexylglycerin - Tocopheryl Acetate - Polyester-1 - Silica Dimethyl Silylate - Triethoxycaprylylsilane - Parfum/fragrance - Hexyl Cinnamal - Alpha-isomethyl Ionone - Linalool - Citronellol - Geraniol - Eugenol - Limonene - CI 77492/iron Oxides - CI 77288/chromium Oxide Greens - CI 77491/iron Oxides - CI 77499/iron Oxides

**Questions Or Comments?**

Call Toll Free  
1-888-975-2162

**SOOTHING EFFECT  
EVEN COMPLEXION**

**BROAD SPECTRUM  
SPF 25 SUNSCREEN**

Redness corrector



45 ML  
NET WT. 1.5 OZ.

skin tone and helps to enhance your complexion with its perfect color-correcting effect. The fine, green-colored formula transforms on contact with your skin, to immediately even out the appearance of redness and other imperfections. Enriched with Centella asiatica, **CC RED CORRECT** helps to deliver radiance and hydration, while also providing a beautifying effect. Complexion irregularities are less visible, your skin looks perfect, feels soothed, and is visibly more beautiful. [Apply a fine layer to the face, like a day cream or as a makeup base.] Tested under dermatological supervision. Non-comedogenic.

www.erborian.com  
Made in South Korea  
M&L - 108 rue de Richelieu - Paris - France

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** ■ on damaged or broken skin

**When using this product** ■ keep out of eyes. Rinse with water to remove

**Stop use and ask a doctor if**

■ rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating

**■ Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. -2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months of age: Ask a doctor

6AA30215



**ERBORIAN CC RED CORRECT**

erborian cc red correct spf 25- octinoxate, octisalate, titanium dioxide, zinc oxide cream cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83573-100
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	23.4 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	38.4 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	20 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER</b> (UNII: 9NH1UDD2RR)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>MAGNESIUM SULFATE, UNSPECIFIED FORM</b> (UNII: DE08037SAB)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	
<b>POLYESTER-10</b> (UNII: 212N9O2MMZ)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>.BETA.-CITRONELLOL, (R)-</b> (UNII: P01OUT964K)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	
<b>EUGENOL</b> (UNII: 3T8H1794QW)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>CHROMIC OXIDE</b> (UNII: X5Z09SU859)	
<b>CENTELLA ASIATICA</b> (UNII: 7M867G6T1U)	
<b>TRIHYDROXYSTEARIN</b> (UNII: 06YD7896S3)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>GERANIOL</b> (UNII: L837108USY)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE</b> (UNII: NMQ347994Z)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>ISOMETHYL-.ALPHA.-IONONE</b> (UNII: 9XP4LC555B)	
<b>METHYL TRIMETHICONE</b> (UNII: S73ZQI0GXM)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>METHICONE (20 CST)</b> (UNII: 6777U11MKT)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83573-100-15	1 in 1 BOX	11/13/2023	
1	NDC:83573-100-14	15 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:83573-100-45	1 in 1 BOX	11/13/2023	
2	NDC:83573-100-44	45 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/13/2023	

**Labeler** - Kolmask Co., Ld. (694790696)

Revised: 11/2023

Kolmask Co., Ld.