

TENSION HEADACHE RELIEF- acetaminophen, caffeine tablet
GREENBRIER INTERNATIONAL, INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Assured 44-428

Active ingredients (in each caplet)

Acetaminophen 500 mg
(formulated with 65 mg caffeine)

Purpose

Pain reliever

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - muscular aches

Warnings

Liver warning: This product contains acetaminophen. The maximum daily dose of this product is 6 caplets (3,000 mg) in 24 hours. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

Caffeine warning: The recommended dose of this product contains about as much **caffeine** as a cup of coffee. Limit the use of **caffeine**-containing medications, foods, or beverages while taking this product because too much **caffeine** may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- new symptoms occur
- painful area is red or swollen
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not use more than directed**
- adults and children 12 years and over: take 2 caplets every 6 hours. Do not take more than 6 caplets in 24 hours.
- children under 12 years: ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, crospovidone, D&C red #27 aluminum lake, FD&C blue #2 aluminum lake, FD&C yellow #6 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, sodium starch glycolate, stearic acid, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

Assured™

**COMPARE TO ACTIVE INGREDIENTS OF
EXCEDRIN® TENSION HEADACHE***

Tension Headache Relief

- **Acetaminophen** 500 mg
- Caffeine 65 mg
- Pain Reliever / Pain reliever aid*

Actual Size

24 caplets

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING**

*This product is not manufactured or distributed by Novartis Consumer Health, Inc., owner of the registered trademark Excedrin[®] Tension Headache.

50844 REV0615D42808

**DISTRIBUTED BY
GREENBRIER INTERNATIONAL, INC.
500 VOLVO PARKWAY
CHESAPEAKE, VA 23320**

ITEM# 125703

DISTRIBUTED BY
GREENBRIER INTERNATIONAL, INC.
500 VOLVO PARKWAY
CHESAPEAKE, VA 23320

COMPARE TO ACTIVE INGREDIENTS OF
EXCEDRIN® TENSION HEADACHE*

ASSURED

Tension Headache Relief

● Acetaminophen 500 mg
Caffeine 65 mg
Pain Reliever / Pain reliever aid



Actual Size

24 caplets

TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING



Drug Facts

KEEP OUTER PACKAGE
FOR COMPLETE PRODUCT
INFORMATION

Active ingredients (in each caplet)

Acetaminophen 500 mg Pain reliever
(formulated with 65 mg caffeine)

Purpose

Uses

Temporarily relieves minor aches and pains
due to: ■ headache ■ muscular aches

Warnings

Liver warning: This product contains
acetaminophen. The maximum daily dose of this
product is 6 caplets (3,000 mg) in 24 hours.
Severe liver damage may occur if you take:
■ more than 4,000 mg of acetaminophen in
24 hours
■ with other drugs containing acetaminophen
■ 3 or more alcoholic drinks every day while
using this product
Allergy alert: Acetaminophen may cause severe
skin reactions. Symptoms may include:
■ hives ■ rash ■ skin reddening
If a skin reaction occurs, stop use and seek
medical help right away.

Drug Facts (continued)

Caffeine warning: The recommended dose of this
product contains about as much caffeine as a cup
of coffee. Limit the use of caffeine-containing
medications, foods, or beverages while taking this
product because too much caffeine may cause
nervousness, irritability, sleeplessness, and,
occasionally, rapid heartbeat.

Do not use

■ with any other drug containing acetaminophen
(prescription or nonprescription). If you are not
sure whether a drug contains acetaminophen,
ask a doctor or pharmacist.
■ if you are allergic to acetaminophen

Ask a doctor before use if you have liver disease,
ask a doctor or pharmacist before use if you are
taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- new symptoms occur
 - painful area is red or swollen
 - pain gets worse or lasts for more than 10 days
 - fever gets worse or lasts for more than 3 days
- These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health
professional before use.

Keep out of reach of children. In case of
accidental overdose, get medical help or contact a
Poison Control Center (1-800-222-1222) right
away. Prompt medical attention is critical for



B-0316-428-08-R
REV/0615D42808



Assured 44-428

TENSION HEADACHE RELIEF

acetaminophen, caffeine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:33992-0428
--------------	----------------	--------------------	----------------

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	65 mg

Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 27 (UNII: 2LRS185U6K)	
TALC (UNII: 7SEV7J4R1U)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
POVIDONE (UNII: FZ989GH94E)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
STARCH, CORN (UNII: O8232NY3SJ)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	RED	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	44;428
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:33992-0428-8	1 in 1 CARTON	01/17/2007	
1		24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:33992-0428-5	1 in 1 CARTON	01/17/2007	
2		50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part343	01/17/2007	

Labeler - GREENBRIER INTERNATIONAL, INC. (610322518)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(33992-0428)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(33992-0428)

Revised: 9/2016

GREENBRIER INTERNATIONAL, INC.