

**RITE AID RYSHI FACIAL MIST SUNSCREEN BROAD SPECTRUM SPF 30-  
avobenzone, homosalate, octisalate, octocrylene spray**

**Rite Aid**

-----  
**Rite Aid Ryshi Facial Mist Sunscreen Broad Spectrum SPF 30**

***Active ingredients***

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 2.5%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

**FLAMMABLE:**

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

**Do not use**

- on damaged or broken skin.

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

- rash occurs.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## □ **Directions**

- shake bottle vigorously before each use.
- apply liberally and evenly 15 minutes before sun exposure.
- hold bottle 6-8 inches away from face, pull hair back, close eyes, tuck lips, then spray at least 7-10 times in a circle to ensure complete coverage. Keep eyes closed for about 3 seconds after application.
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
  - children under 6 months of age: Ask a doctor
  - **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
    - limit time in the sun, especially from 10 a.m. - 2 p.m.
    - wear long-sleeved shirts, pants, hats, and sunglasses

## **Other information**

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces
- may temporarily sting

## **Inactive ingredients**

acrylates/octylacrylamide copolymer, aloe barbadensis leaf juice, butyloctyl salicylate, caprylic/capric triglyceride, fragrance, glycerin, isododecane, panthenol, SD alcohol 40-B, silica silylate, tocopherol.

## **Label**



# FACIAL MIST SUNSCREEN

## 30

BROAD SPECTRUM SPF 30

WATER RESISTANT  
(80 MINUTES)

WITH PROVITAMIN B5  
& VITAMIN E

# RYSHI™

3.4 FL OZ (100 mL)

Ryshi™ Facial Mist Sunscreen provides water-resistant, broad-spectrum UVA & UVB sun protection. This easy-on, paraben free\*, lightweight mist can be used prior to applying makeup and is designed for sensitive skin.



### Drug Facts

#### Active ingredients

Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 2.5% ..... Sunscreen

#### Purpose

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

#### Flammable:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

**Do not use** • on damaged or broken skin.

**When using this product** • keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** • rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • shake bottle vigorously before each use • apply liberally and evenly 15 minutes before sun exposure • holding bottle 6-8" away from face, pull hair back, close eyes, tuck in lips, then spray at least 7-10 times in a circle to ensure complete coverage. Keep eyes closed for about 3 seconds after application.

• reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: Ask a doctor  
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

**Other information** • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces • may temporarily sting

**Inactive ingredients** acrylates/octylacrylamide copolymer, aloe barbadensis leaf juice, butyloctyl salicylate, caprylic/capric triglyceride, fragrance, glycerin, isododecane, panthenol, SD alcohol 40-B, silica silylate, tocopherol.

DISTRIBUTED BY: RITE AID, 200 NEWBERRY COMMONS, ETTERS, PA 17319

www.riteaid.com

**TIME TO SHINE GUARANTEE**

\*No parabens separately added to preserve this product. IF YOU ARE NOT SATISFIED, WE WILL HAPPILY REFUND YOUR MONEY

## RITE AID RYSHI FACIAL MIST SUNSCREEN BROAD SPECTRUM SPF 30

avobenzone, homosalate, octisalate, octocrylene spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-0026
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	25 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
.ALPHA.-TOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
GLYCERIN (UNII: PDC6A3C0OX)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PANTHENOL (UNII: WW9CM0067Z)	
ISODODECANE (UNII: A8289P68Y2)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0026-1	100 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	01/11/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/11/2023	

**Labeler** - Rite Aid (014578892)

Revised: 11/2023

Rite Aid