RING RELIEF- potassium sulfate, salicylic acid, silicon dioxide, calcium sulfate anhydrous, quinine sulfate, allylthiourea tablet, multilayer TRP Company

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Ring Relief

Homeopathic Purpose

Kali Sulphuricum	6x	Chirping, Crackling, Humming
Salicylicum Acidum	6x,12x	Roaring, Ringing, Buzzing
Silicea	6x	Pain, Discomfort
Calcarea Sulphuricum	ı 6x	Inner Ear Problems
Chininum Sulphuricum	n12x	Hardness of Hearing
Thiosinaminum	6x,12x	k Eardrum Problems

Active Ingredients

Kali Sulphuricum	6x
Salicylicum Acidum	6x,12x
Silicea	6x
Calcarea Sulphuricum	6x
Chininum Sulphuricum	12x
Thiosinaminum	6x,12x
Citrus Bioflavonoids	300 mg
Ginkgo	30 mg
Thiamine	0.5 mg
Riboflavin	0.5 mg
Niacinamide	10 mg
Pantothenic Acid	2.5 mg
Pyridoxine	0.5 mg
Cyanocobalamin	200 mcg
Biotin	100 mcg
Folic Acid	200 mcg
Inositol	37.5 mg
Zinc Picolinate	7.5 mg
Ascorbic Acid	150 mg

Inactive Ingredients

Sucrose Lactose Microcrystalline cellulose Clear coating Stearic Acid
Croscarmellose Sodium
Silicon Dioxide
Magnesium Stearate
Sucralose

Uses

According to homeopathic indications these ingredients provide temporary relief from symptoms of Tinnitus such as:

- Ringing
- Buzzing
- Noises in ears
- Pain and Discomfort

Warnings

- Consult with your doctor prior to use if you are currently taking blood thinning medications or if you are a pregnant or nursing.
- Initial worsening of symptoms may occur.
- If symptoms persist or worsen, consult your doctor.

Keep this and all medicines out of reach of children.

Do not use

If tamper evident seal is broken.

Stop Use and See A Doctor If

You experience ear pain or prolonged worsening of symptoms.

Directions

Take 1 caplet, morning and evening, 5 minutes before or 20 minutes after a meal. Let the homeopathic external shell dissolve in your mouth until the sweetness is gone (approx. 20-40 seconds), then swallow the remaining vitamin enriched core with water. For faster results take 1 caplet 3 times per day. For best results, use for at least 6 months. After desired results are achieved, reduce dosing to 1 caplet 2 times per day.

Other Information

Tinnitus may be a symptom of a more serious health condition and your doctor should be consulted for proper diagnosis. Over the counter drugs like aspirin or drugs such as caffeine and tobacco can aggravate tinnitus. For maximum results, and especially if earwax build up is an issue, use caplets with Ring Relief Ear Drops.

TRP Company 1575 Delucchi Lane #115 Reno, NV 89502 888-969-6855 www.trpcompany.com

Drug Facts

Silicea 6x	Pain, Discomfort
Calcarea Sulphuricum 6x	Inner Ear Problems
Chininum Sulphuricum 12x	
Thiosinaminum 6x, 12x	

NSes:
According to homeopathic indications these ingredients provide temporary relief from symptoms of Thinibus such as:
- Ringling
- Noises in ears
- Pain and Discomfort

Warnings:
Consult with your doctor prior to use if you are currently taking blood
thinking medications; or if you are a pregnant or nursing, hitsial woosening
of symptoms may occur. If symptoms persist or worsen, consult your
doctor. Keep this and all medicines out of reach of children.
Do Not Use:

Do Not Use: I tamper evident seel is broken. Stop Use and See A Doctor It: You experience ear pain or prolonged worsening of symptoms.

Directions:
Tale 1 capit, morning and evening, 5 minutes before or 20 minutes after a meal. Let the homesquathic outer cooling dissake in your mouth until the executives is game gapper. 20-40 seconds, then evenione the morning valuation excheded once with vester for bather results but capit-13 times por day. For best results, use for at least 6 morning. After desired results are achieved, resulce dissipation to 1 capit-2 times per day.

designed results are achieved, resource ones per visions. Other Information:

Trobbs may be a symptom of a more serious health condition and your doubter should be consulted for proper dispossible. Over the constraint of the serious of the constraint of the constraint of the serious of the constraint of the constraint of the constraint of the serious of the constraint of the co

Inactive Ingredients: Sucrose/Lactose coating base.

Supplement Facts

Serving Size: 2 Caplets Servings Per Container: 30


	Quantity	RDA
Bioflavinoids (Lemon bioflavonoids complex with Eriodictyol Glycoside)	600 mg	++
Ginkgo Biloba Standartzed To 24% Flavone Glycosides and 6% Terpene	60 mg	++
Lactones High B Complex contains:		
B-1 Thiamin	1 mg	83%
B-2 Riboflavin	1 mg	77%
B-3 Niacinamide	20 mg	125%
B-5 Pantothenic Acid	5 mg	100%
B-6 Pyridoxine	1 mg	59%
B-12 Cyanocobalamin	400 mcg	167%
Biotin	200 mcg	667%
Folic Acid	400 mcg	100%
Inosital	75 mg	++
Zinc Picolinate	15 mg	136%
Vit-C (as Ascorbic Acid)	300 mg	333%


++ Daily Value not established.
Other ingredients: Microcrystalline cellulose, clear coating, stearic acid, croscamelose sodium, silico dixxide, magnesium stearate (vegetable based), sucralose. Does not contain Artificial Colorings.

This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Patent Pending © 2009 Company, Inc.
All rights reserved to TRP Company, Inc.
Inc.
Manufactured exclusively for:
Remo, WV, 89502
889-909-9855

Part No. 100 Per More Teached products go to:
www.inpcompany.com





- Ringing, Buzzing and Noises in Ears
 Pain and Discomfort
- Hardness of Hearing
 Inner Ear Problems

- Tinnitus*

*Tinnitus is the unexplained sound of noise in "Tinnitus is the unexplained sound of noise in your ears. Often referred to as "iniging in the ears," the sounds can range from very faint to a loud disturbing roar. Common causes include exposure to loud noises, age-related hearing loss, and earwax blockage. Anyone experiencing tinnitus should see a doctor to determine if a specific treatment is needed or to make sure that it is not a sign of a serious underlying condition.

serious underlying condition.

The Ring Relief dual delivery caplet not only

The Ring Relief dual delivery caplet not only stimulates the body's natural ability to alleviate the symptoms of timitus, it also provides the necessary nutrients to carry out the process. The oral homeopathic external shell is best absorbed through the mouth, while its vitamin enriched core should be absorbed via the digestive tract. (see directions)



Directions:
Take 1 caplet, morning and evening, 5 minutes before or 20 minutes after a meal.

Let the homeopathic external shell dissolve in your mouth until the sweetness is gone (approx. 20-40 seconds), then swallow the remaining vitamin enriched core with water.

For faster results take 1 caplet 3 times per day.

For best results, use for at least 6 months. After desired results are achieved rective design to 1.

desired results are achieved, reduce dosing to 1 caplet 2 times per day. For maximum results, and especially if earwax build up is an issue, use caplets with Ring Relief® Ear Drops.





60 Caplets

Drug Facts

Jnner Ear Problem

Uses:
According to homeopathic indications these ingredients provide temporary relief from symptoms of Tinnitus such as:
• Ringing
• Ringing
• Noises in ears
• Pain and Discomfort

Warnings: Consult with your doctor prior to use if you are currently taking blood thinning medications; or if you are a pregnant or nursing, infliat worsening of symptoms may occur. If symptoms persist or worsen, consult your doctor. Keep this and all medicines out of reach of children.

Do Not Use:

Other Information:
Tinnius may be a symptom of a more serious health condition and your obour should be consulted for proper diagnosis. Over the counter drugs like aspirin or drugs such as caffeine and tobacco can appraise

Inactive Ingredients: Sucrose/Lactose coating base

Supplement Facts

	Quantity	RDA
Bioflavinoids (Lemon bioflavonoids complex with Eriodictyol Glycoside)	600 mg	++
Ginkgo Biloba, Standarized To 24% Flavone Glycosides and 6%	60 mg	++
Terpene Lactones		
High B Complex contains: B-1 Thiamin		0.00
	1 mg	83%
B-2 Riboflavin	1 mg	77%
B-3 Niacinamide	20 mg	125%
B-5 Pantothenic Acid	5 mg	100%
B-6 Pyridoxine	1 mg	59%
B-12 Cvanocobalamin	400 mcg	167%
Biotin	200 mcg	667%
Folic Acid	400 mcg	100%
Inositol	75 mg	++
Zinc Picolinate		
	15 mg	136%
Vit-C (as Ascorbic Acid)	300 mg	333%

++ Daily Value not established.
Other ingredients: Microcrystalline cellulose, clear coating, stearic acid, croscarmellose sodium, silicon dioxide, magnesium stearate (vegetable based), sucralose. Does not contain artificial colorants.

This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.





- Ringing, Buzzing and Noises in Ears
- Pain and Discomfort
- · Hardness of Hearing Inner Far Problems
- Tinnitus*

*Tinnitus is the unexplained sound of noise in your ears. Often referred to as "ringing in the ears," the sounds can range from very faint to a loud disturbing roar. Common causes include exposure to loud noises, age-related hearing loss, and earwax blockage.

Anyone experiencing tinnitus should see a doctor to determine if a specific treatment is needed or to make sure that it is not a sign of a service is unfairlying condition.

needed or to make sure that it is not a sign of a serious underlying condition. The Ring Relief dual delivery caplet not only stimulates the body's natural ability to alleviate the symptoms of tinnitus, it also provides the necessary nutrients to carry out the process. The oral homeopathic external shell is best absorbed through the mouth, while its vitamin erriched core should be absorbed via the digestive tract. [see directions]



Directions:
Take 1 caplet, morning and evening, 5 minutes before or 20 minutes after a meal.
Let the homeopathic external shell dissolve

in your mouth until the sweetness is gone

(approx. 20-40 seconds), then swallow the remaining vitamin enriched core with water. For faster results take 1 caplet 3 times per day. For best results, use for at least 6 months. After desired results are achieved, reduce dosing to 1 caplet 2 times per day. For maximum results, and especially if earwax build up is an issue, use caplets with Ring Relief® Ear Drops.

Total Relief Products



RING RELIEF

potassium sulfate, salicylic acid, silicon dioxide, calcium sulfate anhydrous, quinine sulfate, allylthiourea tablet, multilayer

Product Information

Route of Administration

Product Type HUMAN OTC DRUG Item Code (Source) NDC:17312-003

Oral

Active Ingredient/Active Moiety

Basis of Strength Strength **Ingredient Name**

Potassium Sulfate (UNII: 1K573LC5TV) (Potassium Cation - UNII:295O53K152)	Potassium Sulfate	6 [hp_X]
Salicylic Acid (UNII: O414PZ4LPZ) (Salicylic Acid - UNII:O414PZ4LPZ)	Salicylic Acid	6 [hp_X]
Silicon Dioxide (UNII: ETJ7Z6XBU4) (Silicon Dioxide - UNII:ETJ7Z6XBU4)	Silicon Dioxide	6 [hp_X]
Calcium Sulfate Anhydrous (UNII: E934B3V59H) (Calcium Cation - UNII:2M83C4R6ZB)	Calcium Sulfate Anhydrous	6 [hp_X]
Quinine Sulfate (UNII: KF7Z0E0Q2B) (Quinine - UNII:A7V27PHC7A)	Quinine Sulfate	12 [hp_X]
Allylthiourea (UNII: 706 IDJ 14B7) (Allylthiourea - UNII: 706 IDJ 14B7)	Allylthiourea	6 [hp_X]
Citrus Bioflavonoids (UNII: BD70459I50) (Citrus Bioflavonoids - UNII:BD70459I50)	Citrus Bioflavonoids	300 mg
Ginkgo (UNII: 19FUJ2C58T) (Ginkgo - UNII:19FUJ2C58T)	Ginkgo	30 mg
Thiamine (UNII: X66NSO3N35) (Thiamine - UNII:X66NSO3N35)	Thiamine	0.5 mg
Riboflavin (UNII: TLM2976OFR) (Riboflavin - UNII:TLM2976OFR)	Ribo fla vin	0.5 mg
Niacinamide (UNII: 25X51I8RD4) (Niacinamide - UNII:25X51I8RD4)	Niacinamide	10 mg
Pantothenic Acid (UNII: 19F5HK2737) (Pantothenic Acid - UNII:19F5HK2737)	Pantothenic Acid	2.5 mg
Pyridoxine (UNII: KV2JZ1BI6Z) (Pyridoxine - UNII:KV2JZ1BI6Z)	Pyrido xine	0.5 mg
Cyanocobalamin (UNII: P6 YC3EG204) (Cyanocobalamin - UNII:P6 YC3EG204)	Cyanocobalamin	200 ug
Biotin (UNII: 6SO6U10H04) (Biotin - UNII:6SO6U10H04)	Biotin	100 ug
Folic Acid (UNII: 935E97BOY8) (Folic Acid - UNII:935E97BOY8)	Folic Acid	200 ug
Inositol (UNII: 4L6452S749) (Inositol - UNII:4L6452S749)	Ino sito l	37.5 mg
Zinc Picolinate (UNII: ALO92031SE) (Zinc Picolinate - UNII: ALO92031SE)	Zinc Picolinate	7.5 mg
Ascorbic Acid (UNII: PQ6CK8PD0R) (Ascorbic Acid - UNII:PQ6CK8PD0R)	Ascorbic Acid	150 mg

Inactive Ingredients		
Ingredient Name	Strength	
Sucrose (UNII: C151H8M554)		
Lactose (UNII: J2B2A4N98G)		
Cellulose, Microcrystalline (UNII: OP1R32D61U)		
Stearic Acid (UNII: 4ELV7Z65AP)		
Croscarmellose Sodium (UNII: M28 OL1HH48)		
Silicon Dioxide (UNII: ETJ7Z6XBU4)		
Magnesium Stearate (UNII: 70097M6I30)		
Sucralose (UNII: 96K6UQ3ZD4)		

Product Characteristics				
Color	white	Score	no score	
Shape	OVAL (Tablet)	Size	9 mm	
Flavor		Imprint Code	None	
Contains				

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:17312-003-12	1 in 1 Package		
1	60 in 1 Bottle		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

unapproved homeopathic	06/01/2006	

Labeler - TRP Company (105185719)

Revised: 5/2012 TRP Company