LHRHA- leutenizing hormone-releasing hormone analogue injection, powder, for suspension

Western Chemical Inc.

LHRHa

Leutenizing Hormone-Releasing Hormone analogue

WARNING:

Care should be taken to avoid accidental contact or self-injection. In the event of accidental self-injection, seed medical advice immediatley. KEEP OUT OF THE REACH OF CHILDREN

CAUTION:

FOR USE IN BROODSTOCK ONLY

NOT FOR USE IN HUMANS

STORAGE:

Store below 25°C and protect from sunlight. Solutions may be frozen and used at a later date.

DIRECTIONS FOR USE:

LHRHa is packages as a powder ready to be diluted with sterile saline for injection.

LHRHa is a broad species (low specificity) spawning enhancement peptide. The peptide is intended to provide the ability to synchronize spawns and reduce waiting times and spawn failures. Fish must be sexually mature.

CLEANLINESS – Ensure that all equipment is clean, and if possible, sterilized. Always clean equipment with a disinfectant between applications.

INJECTION – Hold the fish firmly and insert the needle into the belly behind the pelvic fin, in the muscle on either side of the dorsal fin or subcutaneously. Inject LHRHa carefully, and quickly remove the needle. Gently place the fish into a container or clean aerated water.

SEDATION FOR HANDLING – If necessary sedate broodstock prior to injection. RECOVERY – After the fish has recovered from any sedation (5 to 10 minutes), return it to the breeding tank.

DOSE CALCULATION:

The dose calculated based on the weight of the fish. A general dose of LHRHa is 10-20 µg per kilogram of bodyweight. This dose may vary among finfish species and locations. Males may require a reduced dose. Ensure that an adequate ratio of males to females is induced at the same time. For most species a single dose of LHRHa is required. For other species a split dose of one quarter (primer dose) and three quarters (resolving dose) may be required. Environmental and temperature play a significant role in the

reproductive process and may affect does and timing.

DILUTION:

Using a sterile syringe and needle, add the appropriate volume of the sterile saline to the LHRHa vial. A volume of 0.1 to 0.5 ml of solution is appropriate for most species. Shake the vial to thoroughly dissolve the LHRHa.

E.g., for 20 fish weighing 5 kg each, use 1 mg vial of LHRHa. Add 10 ml sterile saline to the LHRHa, shake the vial to ensure all of the LHRHa is dissolved. Inject 0.5 ml of solution in each fish.

LHRHa 1mg_EXPORT.jpg

Product Code 13440 1 mg

LHRH Analogue

D-Ala⁶-des-Gly¹⁰LHRH ethylamide

FOR EXPORT ONLY

Lot #: 13356 Exp: 11/2023

LHRHa 5 mg_Export.jpg

Product Code 13440 5 mg

LHRH Analogue

D-Ala6-des-Gly10LHRH ethylamide

FOR EXPORT ONLY

Lot #: Exp:

LHRHa 25 mg_Export.jpg

Product Code 13440 25 mg
LHRH Analogue
D-Ala⁶-des-Gly¹⁰LHRH ethylamide
FOR EXPORT ONLY
Lot #: Exp:

LHRHA

leutenizing hormone-releasing hormone analogue injection, powder, for suspension

Product Information

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:50378-018

Route of Administration INTRAMUSCULAR

Active Ingredient/Active Moiety

rictive ingredient, retire i localy					
	Ingredient Name	Basis of Strength	Strength		
	ALARELIN ACETATE (UNII: 288L2XKV2J) (ALARELIN - UNII:NJS328SUA7)	ALARELIN ACETATE	800 ug in 1 mg		

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:50378-018-01	1 mg in 1 BOTTLE, GLASS				
2	NDC:50378-018-25	25 mg in 1 BOTTLE, GLASS				
3	NDC:50378-018-05	5 mg in 1 BOTTLE, GLASS				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
export only		07/06/2023			

Labeler - Western Chemical Inc. (085803500)

EstablishmentNameAddressID/FEIBusiness OperationsWestern Chemical Inc.085803500label, relabel, pack, repack, manufacture

Establishment					
Name	Address	ID/FEI	Business Operations		
BCN Peptides SA		468203687	api manufacture		

Revised: 7/2023 Western Chemical Inc.