

**PHILLIPS ORIGINAL MILK OF MAGNESIA- phillips original milk of
magnesia liquid
Bayer HealthCare LLC.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Phillips' Milk of Magnesia-Original

Drug Facts

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Saline laxative

Use

Use relieves occasional constipation (irregularity). This product usually produces bowel movement in ½ to 6 hours.

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed the maximum recommended daily dose in a 24 hour period
- shake well before use

- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor. Drink a full glass (8 oz) of liquid with each dose.
- for accurate dosing, only use the dosing cup provided
- mL = milliliter

adults and children 12 years and older	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- **each (15 mL) contains:** magnesium 500 mg
- store at room temperature. Avoid excessive heat above 40°C (104°F). Avoid freezing. Close cap tightly after use.

Inactive ingredients purified water, sodium hypochlorite

Questions or comments? 1-800-986-0369 (Mon – Fri 9AM – 5PM EST)

GENTLE
OVERNIGHT RELIEF

Genuine

SALINE LAXATIVE

Phillips'®



Stimulant Free
**CRAMP
FREE**

MILK OF
MAGNESIA

ORIGINAL



**#1 MILK OF MAGNESIA
BRAND**

SUGAR FREE

**PURCHASE ONLY IF NECKBAND
PRINTED WITH "Stimulant Free" IS INTACT.**

**26 FL OZ
(769 mL)**

Drug Facts

Active ingredient **Purpose**
(in each 15 mL)
 Magnesium hydroxide
 1200 mg.....Saline laxative

Use relieves occasional constipation (irregularity). This product usually produces bowel movement in ½ to 6 hours.



Dist. by:
 Bayer HealthCare LLC
 Whippany, NJ 07981

Bayer

Bayer, the Bayer Cross, Phillips' and Phillips' Milk of Magnesia design are registered trademarks of Bayer.



EXP:

Drug Facts (continued)**Warnings**

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed the maximum recommended daily dose in a 24 hour period
- shake well before use
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor. Drink a full glass (8 oz) of liquid with each dose.
- for accurate dosing, only use the dosing cup provided
- mL = milliliter

adults and children 12 years and older	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- each (15 mL) contains: magnesium 500 mg
- store at room temperature. Avoid excessive heat above 40°C (104°F). Avoid freezing. Close cap tightly after use.

Inactive ingredients purified water, sodium hypochlorite

Questions or comments? 1-800-986-0369 (Mon – Fri 9AM – 5PM EST)

0280-0030

PHILLIPS ORIGINAL MILK OF MAGNESIA

phillips original milk of magnesia liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0280-0030
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
SODIUM HYPOCHLORITE (UNII: DY38VHM50D)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0280-0030-12	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/16/2014	
2	NDC:0280-0030-26	769 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/16/2014	
3	NDC:0280-0030-04	1 in 1 CARTON	12/16/2014	
3		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	12/16/2014	

Labeler - Bayer HealthCare LLC. (112117283)

Revised: 6/2022

Bayer HealthCare LLC.