

COPPERTONE TANNING SUNSCREEN SPF 15- (to deliver) avobenzone 2%, octisalate 4.5%, octocrylene 7% aerosol
Beiersdorf Inc

Coppertone Tanning Spray SPF 15

Drug Facts

Active ingredients

(To Deliver) Avobenzone 2%, Octisalate 4.5%, Octocrylene 7%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well before each use

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- store between 20° to 25°C (68° to 77°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients

SD alcohol 40-B (49.3% v/v), isobutane, neopentyl glycol diheptanoate, polyester-27, fragrance

Questions?

1-866-288-3330

Coppertone Sunscreen Spray

Tanning 15

Moisturizes Skin for a Radiant Tan

Lightweight, non-greasy

Free of Oxybenzone, Octinoxate, Dyes & PABA

Water Resistant (80 Minutes)

Broad Spectrum SPF 15

Coppertone[®]
SUNSCREEN SPRAY



TANNING
15

**MOISTURIZES SKIN
FOR A RADIANT TAN**

Lightweight, non-greasy

Free of Oxybenzone,
Octinoxate, Dyes & PABA

Water Resistant (80 Minutes)
Broad Spectrum SPF 15

NET WT 5.5 OZ (156 g)

Broad Spectrum UVA/UVB protection. Lightweight Feel - Moisturizes all day*

| | |
|--|-----------------------------|
| Drug Facts | |
| Active ingredients (To Deliver) Avobenzone 2%, Octisalate 4.5%, Octocrylene 7% | Purpose Sunscreen |
| Use ■ helps prevent sunburn | |
| Warnings For external use only | |
| Flammable: Do not use near heat, flame, or while smoking | |
| Do not use on damaged or broken skin | |
| When using this product | |
| ■ keep away from face to avoid breathing it | |
| ■ keep out of eyes. Rinse with water to remove. | |
| ■ use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. | |
| ■ do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F. | |
| Stop use and ask a doctor if rash occurs | |
| Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions | |
| ■ shake well before each use ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ hold container 4 to 6 inches from the skin to apply ■ do not spray directly into face. Spray on hands then apply to face. ■ do not apply in windy conditions ■ use in a well-ventilated area ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: | |
| ■ limit time in the sun, especially from 10 a.m. – 2 p.m. | |
| ■ wear long-sleeve shirts, pants, hats, and sunglasses | |
| ■ children under 6 months: Ask a doctor | |
| Other information | |
| ■ protect this product from excessive heat and direct sun | |
| ■ store between 20° to 25°C (68° to 77°F) | |
| ■ may stain or damage some fabrics or surfaces | |
| Inactive ingredients SD alcohol 40-B (49.3% v/v), isobutane, neopentyl glycol diheptanoate, polyester-27, fragrance | |
| Questions? 1-866-288-3330 | |

*For sun protection, use as directed.

www.coppertone.com

Beiersdorf

Beiersdorf Inc. Stamford, CT 06901
©=reg. TM. of Beiersdorf AG,
Germany



how2recycle.info



DOT-2P M5655



10013005

COPPERTONE TANNING SUNSCREEN SPF 15

(to deliver) avobenzone 2%, octisalate 4.5%, octocrylene 7% aerosol

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:66800-5082 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------------|
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 4.5 g in 100 g |
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 2 g in 100 g |
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 7 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| FRAGRANCE FLORAL ORC0902236 (UNII: R66Z4YW3X0) | |
| POLYESTER-7 (UNII: 0841698D2F) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| ISOBUTANE (UNII: BXR49TP611) | |
| NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X) | |

Product Characteristics

| | | | |
|----------|------------------------|--------------|--|
| Color | white (White to Clear) | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:66800-5082-5 | 156 g in 1 CAN; Type 0: Not a Combination Product | 12/14/2023 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 12/14/2023 | |

Labeler - Beiersdorf Inc (001177906)

Revised: 1/2024

Beiersdorf Inc