

**I-MAX EXCELLENCE- avobenzene octinoxate oxybenzone lotion
MAXLIFE USA, INC.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACTIVE INGREDIENTS:

AVOBENZONE 2.5%

OCTINOXATE 7.5%

OXYBENZONE 5%

PURPOSE:

SUNSCREEN

USES:

HELPS PREVENT SUNBURNS. HIGHER SPF GIVES MORE SUNBURN PROTECTION.

WARNINGS

WARNINGS:

FOR EXTERNAL USE ONLY.

KEEP OUT OF REACH OF CHILDREN.

WHEN USING THIS PRODUCT

KEEP OUT OF EYES. RINSE WITH WATER TO REMOVE.

STOP USE AND ASK A DOCTOR IF

A RASH OR IRRITATION DEVELOPS AND LASTS. IF SWALLOWED, GET
MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

DIRECTIONS

APPLY TO CLEAN SKIN 15 MINUTES BEFORE SUN EXPOSURE. REAPPLY
AFTER SWIMMING, EXERCISING OR PERSPIRATION IN THE SUNLIGHT.

CHILDREN UNDER 6 MONTHS OF AGE: ASK A DOCTOR.

INACTIVE INGREDIENTS:

ALKYL BENZOATE, ACRYLATES/C10-30 ALKYL ACRYLATES CROSSPOLYMER, C12-15
GLYCERYL STEARATE, CETEARYL PHOSPHATE, ETHYLHEXYLGLYCERIN, MAGNESIUM
ALUMINUM SILICATE, PHENOXYETHANOL, PROPYLENE GLYCOL, SODIUM HYDROXIDE,
STEARETH-20, STEARYL ALCOHOL, TETRAHEXYLDECYL ASCORBATE, TOCOPHERYL
ACETATE, WATER (AQUA).

QUESTIONS? 1-323-733-7033

I-MaxTM
EXCELLENCETM

NDC 42952-101-12

SPF



SUNSCREEN
SPF 30
for
Skin Protection

2 fl oz/59 ml

Drug Facts

Active Ingredients:
Avobenzone 2.5%, Octinoxate 7.5%, Oxybenzone 5%

Purpose
Sunscreen

Uses
Helps prevent sunburns. Higher SPF gives more sunburn protection

Warnings
For external use only. Keep out of reach of children.

When using this product
keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if
A rash or irritation develops and lasts. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Apply to clean skin 15 minutes before Sun exposure. Reapply after swimming, exercising or perspiration in the sunlight. children under 6 months of age: ask a doctor

Inactive Ingredients:
Acrylates/C10-30 Alkyl Acrylates Crosspolymer, C12-15 Alkyl Benzoate, Cetearyl Phosphate, Ethylhexylglycerin, Glyceryl Stearate, Magnesium Aluminum Silicate, Phenoxyethanol, Propylene Glycol, Sodium Hydroxide, Steareth-20, Stearyl Alcohol, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Water (Aqua).


Questions? 1-323-733-7033

www.ImaxExcellence.com

Exclusively for MaxLife USA, Inc Los Angeles, CA 90006 USA

NDC 42952-101-12

SUNSCREEN
SPF 30



fortified with
Vitamins
C & E

2 oz/59 g

Drug Facts

Active ingredients:
Avobenzone 2.5%, Octinoxate 7.5%, Oxybenzone 5%

Uses:
Helps prevent sunburns. Higher SPF gives more sunburn protection

Warnings:
For external use only. Keep out of reach of children.

When using this product:
Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if:
A rash or irritation develops and lasts. If swallowed, get medical help or contact a Poison Control Center right away.

Directions:
Apply to clean skin 15 minutes before Sun exposure. Reapply after swimming, exercising or perspiration in the sunlight. Children under 6 months of age: ask a doctor

Inactive ingredients:
Acrylates/C10-30 Alkyl Acrylates Crosspolymer, C12-15 Alkyl Benzoate, Cetearyl Phosphate, Ethylhexylglycerin, Glyceryl Stearate, Magnesium Aluminum Silicate, Phenoxyethanol, Propylene Glycol, Sodium Hydroxide, Steareth-20, Stearyl Alcohol, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Water (Aqua).

Questions? 1-323-733-7033

Exclusively for MaxLife USA, Inc.

I-MAX EXCELLENCE

avobenzone octinoxate oxybenzone lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:42952-101
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2.5 g in 100 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7.5 g in 100 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CARBOMER INTERPOLYMER TYPE A (55000 CPS) (UNII: 59TL3WG5CO)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
CETYL PHOSPHATE (UNII: VT07D6X67O)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
STEARETH-20 (UNII: L0Q8IK9E08)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42952-101-12	59 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/15/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/15/2012	

Labeler - MAXLIFE USA, INC. (785111431)

Registrant - MAXLIFE USA, INC. (785111431)

Establishment

Name	Address	ID/FEI	Business Operations
CUSTOM RESEARCH LABS INC		028611598	manufacture(42952-101)

Revised: 11/2018

MAXLIFE USA, INC.