

**CUROXEN COLD SORE DAY- curoxen cold sore day ointment**  
**OrganiCare Nature's Science, LLC**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Curoxen Cold Sore Day and Night**

**Active Ingredients**

Active ingredients Purpose

CUROXEN Day:

Arnica 3X HPUS.....Pain reliever

Lemon Balm 2X HPUS .....Antiviral agent

Olive Extract (Oleuropein) 3X HPUS .....Healing agent

CUROXEN Night:

Lemon Balm 2X HPUS .....Antiviral agent

Olive Extract (Oleuropein) 3X HPUS .....Healing agent

**Ask a doctor**

Stop use and ask a doctor  your cold sore gets worse or the cold sore is not healed within 10 days

**Do Not Use**

Do not use

if you are allergic to any ingredient in this product

**Keep out of the reach of children.**

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Uses**

Uses

This product is intended to relieve symptoms associated with cold sores or fever blisters, including:

- tingling, pain, burning, and/or itching

**Questions**

Questions?

Call 512.401.3572 or visit [curoxen.com](http://curoxen.com)

Made and Distributed by OrganiCare, LLC

Austin, TX 78744, USA

## **Stop use and ask a doctor**

Stop use and ask a doctor if your cold sore gets worse or the cold sore is not healed within 10 days

## **Directions**

Directions

- Adults and children 12 years or over:
- best used at the first sign of a cold sore. Early use ensures best results
- wash hands before and after applying the ointment
- apply to affected area on face or lips

CUROXEN Day:

- use at minimum 4 times daily and then as needed
- apply generously to the affected area

CUROXEN Night:

- apply liberally before bedtime
- Children under 12 years: ask a doctor

## **When Using this Product**

When using this product

- consult a healthcare professional before using this product if this is the first time you have a cold sore or fever blister
- apply only to the affected areas
- do not use in or near the eyes
- do not share this product with anyone. This may spread the infection/virus

## **Inactive Ingredients**

Inactive ingredients

CUROXEN Day: beeswax, lysine, essential oil (natural fragrance), oxygenated olive oil

CUROXEN Night: beeswax, jojoba oil, lysine, essential oil (natural fragrance), oxygenated olive oil

## **Other Information**

Other information

- Store at 68 - 77° F (20° C - 25° C)
- If liquefied, refrigerate 10 minutes to thicken

## **Warnings**

Warnings

For external use only

There is no known cure for the cold sore virus, including CUROXEN. Nothing will prevent future outbreaks. This product will not stop the spread of viruses. Viral infections are contagious.

**DAY**

- Relieves Pain Fast
- Soothes & Protects

**NIGHT**

- Omega 3's to Aid Healing
- Helps Prevent Crusting & Scabbing

**24** Hours Relief

**Enriched with Lysine**

**2 Tube Combo Pack**



Learn more at [curoxen.com](http://curoxen.com).

**Kills 99.9% of the cold sore virus\***  
\*Laboratory testing (non-human/non-animal) Not a cure for HSV-1.



**NEW!**

# CUROXEN<sup>®</sup>

## COLD SORE

Made and Distributed by  
**OrganiCare**  
 Austin, TX  
 78744 USA

**CUROXEN<sup>®</sup>**

HOMEOPATHIC MEDICINE      2 TUBES, NET WT 0.25 OZ (7.1G) EACH, TOTAL NET WT 0.5 OZ (14.2G)

CTN10020C22

Claims based on traditional homeopathic practice and laboratory (in vitro - non-human/non-animal) testing, not accepted clinical medical evidence. Not FDA evaluated.

EXP./LOT



**Best used at first sign of tingle**

†In vitro laboratory testing (non-human/non-animal) measured to quantify reduction in viral DNA copies. (U.S. FDA) Xeno assay suspension time-to-kill procedure. OrganiCare, Inc. © 2015. See curoxen.com.

Drug Facts (cont.)	Drug Facts
<p><b>Warnings (cont.)</b></p> <p>Do not use if you are allergic to any of the ingredients. Stop use and ask a doctor if you experience any of the following symptoms: difficulty breathing, swelling of the face, lips, tongue, or throat, or if you experience dizziness, lightheadedness, or fainting.</p> <p><b>Directions</b></p> <p>Apply a thin layer to the affected area 3-4 times daily. For best results, apply immediately at the first sign of a tingle or prodrome. Do not use if you are allergic to any of the ingredients.</p> <p><b>Other information</b></p> <p>Keep out of reach of children. Store at room temperature (20°-25°C/68°-77°F). Excipients: Polyethylene Glycol 400, Polyethylene Glycol 150, Polyethylene Glycol 300, Polyethylene Glycol 600, Polyethylene Glycol 1000, Polyethylene Glycol 2000, Polyethylene Glycol 4000, Polyethylene Glycol 6000, Polyethylene Glycol 10000, Polyethylene Glycol 20000, Polyethylene Glycol 40000, Polyethylene Glycol 60000, Polyethylene Glycol 100000.</p>	<p><b>Directions</b></p> <p>Apply a thin layer to the affected area 3-4 times daily. For best results, apply immediately at the first sign of a tingle or prodrome. Do not use if you are allergic to any of the ingredients.</p> <p><b>Other information</b></p> <p>Keep out of reach of children. Store at room temperature (20°-25°C/68°-77°F). Excipients: Polyethylene Glycol 400, Polyethylene Glycol 150, Polyethylene Glycol 300, Polyethylene Glycol 600, Polyethylene Glycol 1000, Polyethylene Glycol 2000, Polyethylene Glycol 4000, Polyethylene Glycol 6000, Polyethylene Glycol 10000, Polyethylene Glycol 20000, Polyethylene Glycol 40000, Polyethylene Glycol 60000, Polyethylene Glycol 100000.</p>

**CUROXEN COLD SORE DAY**  
 curoxen cold sore day ointment

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71042-014
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>LEMON BALM OIL</b> (UNII: MJ76269K9S) (LEMON BALM OIL - UNII: MJ76269K9S)	LEMON BALM OIL	1 g in 100 g
<b>ARNICA MONTANA</b> (UNII: O80TY208Z W) (ARNICA MONTANA - UNII: O80TY208Z W)	ARNICA MONTANA	0.1 g in 100 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>OLIVE OIL</b> (UNII: 6UYK2W1W1E)	94.8 g in 100 g
<b>VETIVER OIL</b> (UNII: 9M9P32M01L)	2 g in 100 g

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:71042-014-14	1 in 1 CARTON	12/02/2021	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved homeopathic		12/02/2021	

**Labeler** - OrganiCare Nature's Science, LLC (044204745)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
OrganiCare Nature's Science, LLC		044204745	manufacture(71042-014)

Revised: 11/2023

OrganiCare Nature's Science, LLC