

**TOPICAL FUNGICIDE- benzalkonium chloride solution**  
**Aspen Veterinary**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).*

-----  
**Topical Fungicide**

**For Control of Summer Itch, Girth Itch, Ringworm**

**FOR ANIMAL USE ONLY**

**Keep Out of Reach of Children**

**INDICATIONS:**

For use on cattle, sheep, goats, horses, dogs and cats as an aid in the control of summer itch, girth itch, ringworm and other fungal problems.

**DIRECTIONS FOR USE:**

Soak affected area liberally with TOPICAL FUNGICIDE solution. Apply daily until hair begins to grow. Leave treated areas uncovered. Rinse treated areas with clear water before reapplying. Results should be apparent in a matter of days. If no improvement is noted within seven days, consult your veterinarian.

**CAUTION:**

**In case of contact with eyes or mucous membranes, flush immediately with water. Obtain medical attention for eye inflammation.**

**ACTIVE INGREDIENT:**

Benzalkonium Chloride . . . . . 0.15%

**OTHER INGREDIENTS:**

Allantoin

**WARNING:**

For external veterinary use only. Not for human use.

**NOTE:**

Efficiency is neutralized by soap or detergent residues.

## STORAGE:

Store at controlled room temperature between 15° - 30°C (59° - 86°F). Keep container tightly closed when not in use.



## NET CONTENTS:

32 fl oz (960 mL)

## Manufactured for:

Aspen Veterinary Resources,® Ltd.  
Liberty, MO 64068, USA  
www.aspenveterinaryresources.com

LX-2394FP 8/15

32 fl oz (960 mL)

**INDICATIONS:** For use on cattle, sheep, goats, horses, dogs and cats as an aid in the control of summer itch, girth itch, ringworm and other fungal problems.

**DIRECTIONS FOR USE:** Soak affected area liberally with TOPICAL FUNGICIDE solution. Apply daily until hair begins to grow. Leave treated areas uncovered. Rinse treated areas with clear water before reapplying. Results should be apparent in a matter of days. If no improvement is noted within seven days, consult your veterinarian.

**CAUTION:** In case of contact with eyes or mucous membranes, flush immediately with water. Obtain medical attention for eye inflammation.

**aspen** VETERINARY RESOURCES, LTD.

**Topical Fungicide**

For Control of Summer Itch,  
Girth Itch, Ringworm

**ACTIVE INGREDIENT:**  
Benzalkonium Chloride ..... 0.15%

**OTHER INGREDIENTS:** Allantoin

**WARNING:** For external veterinary use only. Not for human use.

**NOTE:** Efficiency is neutralized by soap or detergent residues.

**STORAGE:** Store at controlled room temperature between 15° - 30°C (59° - 86°F). Keep container tightly closed when not in use.

Manufactured for:  
Aspen Veterinary Resources,® Ltd.  
Liberty, MO 64068, USA  
www.aspenveterinaryresources.com

Lot No.      Exp. Date

**No Varnish**

**FOR ANIMAL USE ONLY**  
Keep Out of Reach of Children

**NET CONTENTS:**  
32 fl oz  
(960 mL)

TAKE TIME OBSERVE LABEL DIRECTIONS

0 99355 00240 1

## TOPICAL FUNGICIDE

benzalkonium chloride solution

### Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:46066-195
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)			BENZALKONIUM CHLORIDE	3.09 mg in 1 mL
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46066-195-32	12 in 1 CASE		
1		960 mL in 1 BOTTLE, SPRAY		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
unapproved drug other			08/15/2015	

**Labeler -** Aspen Veterinary (627265361)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
First Priority, Incorporated		179925722	manufacture, label, api manufacture

Revised: 11/2022

Aspen Veterinary