

**DR YOUNG PROTECT PREVENT 2P BLEMISH BASE- titanium dioxide, octinoxate, zinc oxide cream**

**Tdc, Co. Ltd**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**ACTIVE INGREDIENT**

Active ingredients: Titanium Dioxide 8.90%, Ethylhexyl Methoxycinnamate 6.50%, Zinc Oxide 0.90%

**INACTIVE INGREDIENT**

Inactive ingredients: Water, Cyclopentasiloxane, Cyclohexasiloxane, Glycerin, Dipropylene Glycol, Hexyl Laurate, Butylene Glycol Dicaprylate/Dicaprate, Cetyl PEG/PPG-10/1 Dimethicone, Bentonite, Chrysanthellum Morifolium Flower Extract, Magnesium Sulfate, Althaea Rosea Flower Extract, Aloe Barbadensis Leaf Extract, Butyrospermum Parkii (Shea) Butter, Centella Asiatica Extract, Silica, CI 77492, CI 77491, CI 77499, Sorbitan Isostearate, Tocopheryl Acetate, Allantoin, Ceramide 3, Methylparaben, Propylparaben, Disodium EDTA, Fragrance

**PURPOSE**

Purpose: Sunscreen

**WARNINGS**


Warning: 1) For external use only. 2) Consult a dermatologist if the first sign occurs like red spot, swelling, itching, or any allergic reactions. 3) Avoid direct contact with eyes. 4) If contact occurs, flush thoroughly with water. 5) If swallowed, get medical help or contact a Poison Control Center right away. 6) Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. Storage and cautions for handling: 1) Keep out of reach of children. 2) Keep away from high or low temperature and direct sunlight.

**DESCRIPTION**

Uses: - Ultralight, pink toned beauty balm to protect, tint, and moisturize skin - Features SPF 35 PA++ sun protection

Directions: Apply moderate amount on entire face after basic skin care.

**PACKAGE LABEL.PRINCIPAL DISPLAY PANEL**



tint, and moisturize skin

Features SPF 35 PA++ sun protection

## PURPOSE

Sunscreen

---

## Directions

Apply moderate amount on entire face after basic skin care.

---

## Warnings

1) For external use only. 2) Consult a dermatologist if the first sign occurs like red spot, swelling, itching, or any allergic reactions. 3) Avoid direct contact with eyes. 4) If contact occurs, flush thoroughly with water. 5) If swallowed, get medical help or contact a Poison Control Center right away. 6) Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

Storage and cautions for handling:

1) Keep out of reach of children. 2) Keep away from high or low temperature and direct sunlight.

Manufactured for TDC Co., Ltd.

91 Baekjegobun-ro, Songpa-gu, Seoul,  
05562, Korea

Manufactured by Biocostec Co., Ltd.

53, Dodam 5-ro, Seo-gu, Incheon, Korea

Tel: +82-32-822-0244

Fax: +82-32-822-0334

Questions

[www.dr-young.co.kr](http://www.dr-young.co.kr)

30 ml



## ACTIVE INGREDIENTS

Titanium Dioxide 8.90%

Ethylhexyl Methoxycinnamate 6.50%

Zinc Oxide 0.90%

## INACTIVE INGREDIENTS

Water, Cyclopentasiloxane, Cyclohexasiloxane, Glycerin, Dipropylene Glycol, Hexyl Laurate, Butylene Glycol Dicaprylate/Dicaprate, Cetyl PEG/PPG-10/1 Dimethicone, Bentonite, Chrysanthellum Morifolium Flower Extract, Magnesium Sulfate, Althaea Rosea Flower Extract, Aloe Barbadensis Leaf Extract, Butyrospermum Parkii (Shea) Butter, Centella Asiatica Extract, Silica, CI 77492, CI 77491, CI 77499, Sorbitan Isostearate, Tocopheryl Acetate, Allantoin, Ceramide 3, Methylparaben, Propylparaben, Disodium EDTA, Fragrance

# DR YOUNG PROTECT PREVENT 2P BLEMISH BASE

titanium dioxide, octinoxate, zinc oxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:43948-1300
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	Titanium Dioxide	2.67 g in 30 mL
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	Octinoxate	1.95 g in 30 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	0.27 g in 30 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>Water</b> (UNII: 059QF0KO0R)	
<b>Glycerin</b> (UNII: PDC6A3C0OX)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43948-1300-2	1 in 1 CARTON	10/01/2017	
1	NDC:43948-1300-1	30 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	10/01/2017	

**Labeler** - Tdc, Co. Ltd (687479378)

**Registrant** - Tdc, Co. Ltd (687479378)

## Establishment

Name	Address	ID/FEI	Business Operations
Biocostec Co., Ltd.		690407325	manufacture(43948-1300)