

BANANA BOAT- homosalate,octisalate,octocrylene,zinc oxide spray
Edgewell Personal Care Brands, LLC

Active Ingredients

Homosalate 9.0%, Octisalate 3.0%, Octocrylene 6.0%, Zinc Oxide 7.3%.

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Flammable: Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. **Intentional misuse** by deliberately concentrating and inhaling the contents can be harmful or fatal.

May stain some fabrics.

Do not use

on damaged or broken skin.

When using this product

• Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• Shake well • Hold container 4 to 6 inches from the skin to apply • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Do not spray directly into face. Spray on hands and then apply to face • Do not apply in windy conditions • Use in

a well-ventilated area • Reapply: • after 80 minutes of swimming or sweating • Immediately after towel drying • At least every 2 hours • Children under 6 months: Ask a doctor • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients:

Water, Isobutane, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Caprylic/Capric, Triglyceride, Butyloctyl Salicylate, Phenoxyethanol, Polyhydroxystearic acid, Triethoxycaprylsilane, Sodium Citrate.

Other Information

- protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

BANANA

BOAT®

baby

mineral

enriched

MINERAL ENRICHED‡ SUNSCREEN LOTION SPRAY

UVA/UVB BROAD SPECTRUM SPF 50+

50+

PEDIATRICIAN TESTED

Won't Run Into Eyes

NO OXYBENZONE & PARABENS

Water Resistant

(80 Minutes)

SHAKE WELL BEFORE USE

NET WT 6 OZ. (170 g)



baby mineral enriched

MINERAL ENRICHED† SUNSCREEN LOTION SPRAY
UVA/UVB BROAD SPECTRUM SPF 50+

50+

PEDIATRICIAN TESTED

Won't Run Into Eyes
NO OXYBENZONE & PARABENS

Water Resistant
(80 Minutes)

SHAKE WELL BEFORE USE

NET WT 6 OZ. (170 g)

SUN SAFETY DIRECTIONS

FREE FROM
Oxybenzone
Octinoxate
† See List of
Ingredients

SHAKE WELL BEFORE USE

Drug Facts

Active Ingredients	Purpose
Homosalate 9.0%, Octisalate 3.0%, Octocrylene 6.0%, Zinc Oxide 73%	Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Flammable: Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
Do not use on damaged or broken skin.
When using this product • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
May stain some fabrics.

Directions
■ Shake well ■ Hold container 4 to 6 inches from the skin to apply ■ Spray liberally and spread evenly by hand 15 minutes before sun exposure ■ Do not spray directly into face. Spray on hands and then apply to face ■ Do not apply in windy conditions ■ Use in a well-ventilated area ■ Reapply: • after 80 minutes of swimming or sweating ■ Immediately after towel drying ■ At least every 2 hours ■ Children under 6 months: Ask a doctor ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients: Water, Isobutane, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Caprylic/Capric Triglyceride, Butylacetyl Salicylate, Phenoxyethanol, Polyhydroxystearic acid, Triethoxycaprylylsilane, Sodium Citrate.


Other Information
■ protect this product from excessive heat and direct sun

Questions or comments?
Call 1-800-SafeSun, Mon-Fri

Distributed by:
EDGEWELL PERSONAL CARE BRANDS, LLC
Shelton, CT 06484
www.bananaboat.com
© 2022 Edgewell.

RECOMMENDED SKIN CANCER FOUNDATION ACTIVE

93038374 DOT 2Q M5655



BANANA BOAT

homosalate, octisalate, octocrylene, zinc oxide spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63354-264
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	3 g in 100 g

HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	9 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	6 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	7.3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
ISOBUTANE (UNII: BXR49TP611)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
WATER (UNII: 059QF0KO0R)	
ANHYDROUS TRISODIUM CITRATE (UNII: RS7A450LGA)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63354-264-34	170 g in 1 CAN; Type 0: Not a Combination Product	04/30/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/30/2020	

Labeler - Edgewell Personal Care Brands, LLC (151179769)

Revised: 11/2023

Edgewell Personal Care Brands, LLC