CHILDRENS ZYRTEC- cetirizine hydrochloride tablet, chewable A-S Medication Solutions

Children's Zyrtec Chewable Tablets 2.5mg

Drug Facts

Active ingredient (in each chewable tablet)

Cetirizine HCl 2.5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- may be taken with or without water
- chew or crush tablets completely before swallowing

children 2 to under 6 years of age	Chew and swallow 1 tablet (2.5 mg) once daily; If needed, dose can be increased to a maximum of 2 tablets (5 mg) once daily or 1 tablet (2.5 mg) every 12 hours. Do not give more than 2 tablets (5 mg) in 24 hours.
adults and children 6 years and over	Chew and swallow 2 tablets (5 mg) or 4 tablets (10 mg) once daily depending upon severity of symptoms; do not take more than 4 tablets (10 mg) in 24 hours.
adults 65 years and over	Chew and swallow 2 tablets (5 mg) once daily; do not take more than 2 tablets (5 mg) in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)
- do not use if blister unit is torn or broken

Inactive ingredients

betadex, corn starch, flavor, lactose monohydrate, magnesium stearate, mannitol, silicified microcrystalline cellulose, sucralose

Questions?

call **1-800-343-7805** (toll-free) or **215-273-8755** (collect)

HOW SUPPLIED

Product: 50090-6845

NDC: 50090-6845-0 6 TABLET, CHEWABLE in a BLISTER PACK / 4 in a CARTON

Cetirizine hydrochloride



CHILDRENS ZYRTEC

cetirizine hydrochloride tablet, chewable

D	ro	႕		ct	1.	٦f		rn	2 3	. +i	n
	щ		ш	C L		ш	u		ır	ш	41

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50090-6845(NDC:50580-790)
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
CETIRIZINE HYDROCHLORIDE (UNII: 640047KTOA) (CETIRIZINE -	CETIRIZ INE	2.5 mg		

Inactive Ingredients				
Ingredient Name	Strength			
BETADEX (UNII: JV039JZZ3A)				
STARCH, CORN (UNII: 08232NY3SJ)				
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				

MANNITOL (UNII: 30WL53L36A)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	8mm		
Flavor	GRAPE	Imprint Code	CTZ		
Contains					

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:50090- 6845-0	4 in 1 CARTON	11/29/2023				
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product					

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
NDA	NDA021621	06/21/2021			

Labeler - A-S Medication Solutions (830016429)

Establishment						
Na me	Address	ID/FEI	Business Operations			
A-S Medication Solutions		830016429	RELABEL(50090-6845)			

Revised: 12/2023 A-S Medication Solutions