PAIN RELIEF GEL-PATCH- lidocaine and menthol patch Guangzhou Liuquanmiao Import & Export Trade Co., Ltd.

Liuquanmiao, Lidocaine+Menthol Pain Relief Gel-Patch, Lidocaine 4%, Menthol 1%, 15 Patches

Active ingredients

Lidocaine 4% Purpose: Topical anesthetic

Menthol 1% Purpose: Topical analgesic

Purpose

Topical anesthetic (Lidocaine)

Topical analgesic (Menthol)

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

If pregnant or breast-feeding,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adult and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive ingredients

Dihydroxyaluminium Aminoacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Kaolin, L(+)-Tartaric Acid, Mineral oil, Polysorbate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polyacrylate, Titanium Dioxide, Water.

Questions or Comments:

sumifunofficial@gmail.com

Package label. Principal display panel



1% MENTHOL











Drug Facts

Active ingredients Purpose Lidocaine 4% Topical anesthetic Menthol 1% Topical analgesic

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders,

Warnings

For external use only

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments

• if your are allergic to any ingredients of this product

When using this product

- use only as directed
 avoid contact with the eyes, mucous membranes, or

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days



If pregnant or breast-feeding.

KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help o contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
 Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12:Consult a doctor

Inactive ingredients

Dihydroxyaluminium Aminoacetate , Edetate Disodium , Glycerin , Hydroxyacetophenone , Kaolin , L(+)-Tartaric Acid , Mineral oil , Polysorbate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol , Sodium Polyacrylate , Titanium Dioxide , Water.

Questions or Comments:

sumifunofficial@gmail.com

Guangzhou Liuquanmiao Import & Export Tn 417, Building A. No. 8, Dong Heng San Road, Zhucun, Tianhe District, Guangzhou G. . . .

Child Resistant Packaging EXP:



PAIN RELIEF GEL-PATCH

lidocaine and menthol patch

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:83602-172 Route of Administration TOPICAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987) LIDOCAINE (UNII: 98PI200987)

Inactive Ingredients			
Ingredient Name	Strength		
KAOLIN (UNII: 24H4NWX5CO)			
TARTARIC ACID (UNII: W4888I119H)			
WATER (UNII: 059QF0KO0R)			

DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05115JN12J)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
MINERAL OIL (UNII: T5L8T28FGP)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
GLYCERIN (UNII: PDC6A3C0OX)
EDETATE DISODIUM (UNII: 7FLD91C86K)
POVIDONE K90 (UNII: RDH86HJV5Z)
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)

Product Characteristics			
Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

	Packaging				
7	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
	NDC:83602-172-	15 in 1 BOX	11/28/2023		
	NDC:83602-172-	12 g in 1 PATCH; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M017	11/28/2023		

Labeler - Guangzhou Liuquanmiao Import & Export Trade Co., Ltd. (418399704)

Registrant - Guangzhou Liuquanmiao Import & Export Trade Co., Ltd. (418399704)

Establishment				
Name	Address	ID/FEI	Business Operations	
Shanghai Chuangshi Medical Technology (Group) Co., Ltd.		546872672	manufacture(83602-172) , label(83602-172)	