

WAL-FINATE- chlorpheniramine maleate tablet
Walgreen Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Walgreens 44-194

Active ingredient (in each tablet)

Chlorpheniramine maleate 4 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

to make a child sleepy.

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

adults and children 12 years of age and over	1 tablet every 4 to 6 hours. Do not take more than 6 tablets in 24 hours.
children 6 to under 12 years of age	1/2 tablet (break tablet in half) every 4 to 6 hours. Do not exceed 3 whole tablets in 24 hours.
children under 6 years of age	do not use this product in children under 6 years of age

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from excessive moisture
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, D&C yellow #10 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose

Questions or comments?

1-800-426-9391

Principal Display Panel

Walgreens

Compare to Chlor-Trimeton®

Allergy Tablets 4 Hour

active ingredient††

NDC 0363-0491-15

Wal-Finate™

4 HOUR ALLERGY

CHLORPHENIRAMINE MALEATE 4 mg /
ANTIHISTAMINE

4 HOUR

- Relief of runny nose, sneezing, itchy, watery eyes & itchy throat or nose

50

TABLETS

Actual
Size

Walgreens Pharmacist Recommended

Walgreens Pharmacist Survey

††This product is not manufactured or distributed by MSD Consumer Care, Inc., owner of the registered trademark Chlor-Trimeton®

Allergy Tablets 4 Hour.

DISTRIBUTED BY: WALGREEN CO.
 200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
 walgreens.com
 ©2018 Walgreen Co.

50844 ORG021319415

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS
 BROKEN OR MISSING**

50844 ORG021319415
 walgreens.com ©2018 Walgreen Co.
100% SATISFACTION GUARANTEED
 DISTRIBUTED BY: WALGREEN CO.
 200 WILMOT RD., DEERFIELD, IL 60015
 Chlor-Trimeton® Allergy Tablets 4 Hour.
 owner of the registered trademark
 distributed by MSD Consumer Care, Inc.,
 Walgreens Pharmacist Recommended
 †† This product is not manufactured or
 Walgreens Pharmacist Survey

Drug Facts (continued)
 If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
 adults and children 12 years of age and over: 1 tablet every 4 to 6 hours. Do not take more than 6 tablets in 24 hours.
 children 6 to under 12 years of age: 1/2 tablet (break tablet in half) every 4 to 6 hours. Do not exceed 3 whole tablets in 24 hours.
 children under 6 years of age: do not use this product in children under 6 years of age

Other information
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
 ■ protect from excessive moisture
 ■ see end flap for expiration date and lot number

Inactive ingredients corn starch, D&C yellow #10 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose

Questions or comments?
 1-800-426-9391

Drug Facts
KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Active ingredient (in each tablet)
 Chlorpheniramine maleate 4 mg

Purpose
 Antihistamine

Uses
 temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ itchy, watery eyes
 ■ runny nose
 ■ sneezing
 ■ itching of the nose or throat

Warnings
 Do not use to make a child sleepy.
 Ask a doctor before use if you have:
 ■ a breathing problem such as emphysema or chronic bronchitis
 ■ glaucoma
 ■ trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product:
 ■ drowsiness may occur
 ■ avoid alcoholic beverages
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness.
 ■ use caution when driving a motor vehicle or operating machinery
 ■ excitability may occur, especially in children

ORF0818-F

Do not print Lot & Exp Only

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

ITEM 501494 W00000-0000-0



3 11917104384 5

ORF0818-F

B-2201-194-15-H
 ORG021319415

Walgreens

Compare to Chlor-Trimeton® Allergy Tablets 4 Hour active ingredient!†

Wal-Finate™
 4 HOUR ALLERGY
 CHLORPHENIRAMINE MALEATE 4 mg / ANTIHISTAMINE

4 HOUR

• Relief of runny nose, sneezing, itchy, watery eyes & itchy throat or nose

50 TABLETS

ACTUAL SIZE



ACTUAL SIZE



Wal-Finate™
 4 HOUR ALLERGY
 CHLORPHENIRAMINE MALEATE 4 mg / ANTIHISTAMINE

4 HOUR

• Relief of runny nose, sneezing, itchy, watery eyes & itchy throat or nose

50 TABLETS

Walgreens

Compare to Chlor-Trimeton® Allergy Tablets 4 Hour active ingredient!†

NDC 0363-0491-15

ACTUAL SIZE



ACTUAL SIZE



Walgreens 44-194

WAL-FINATE

chlorpheniramine maleate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0491
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	YELLOW	Score	2 pieces
Shape	ROUND	Size	8mm
Flavor		Imprint Code	44;194
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0491-15	1 in 1 CARTON	12/19/1992	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	12/19/1992	

Labeler - Walgreen Company (008965063)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(0363-0491)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(0363-0491)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(0363-0491)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(0363-0491)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(0363-0491)

Revised: 11/2019

Walgreen Company