OXYGEN - oxygen gas Medical-Technical Gases, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

OXYGEN USP HP SL Label

OXYGEN COMPRESSED USP UN 1072 OXYGEN 2 18033 (R 04/05)

WARNING: For emergency use only when administered by properly trained personnel for Oxygen deficiency and resuscitation. For all other medical applications, RX only. Uninterrupted use of high concentrations of Oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for Oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for Oxygen service and rated for cylinder pressure. Use a back flow preventive device in piping. Close valve after each use and when empty. Cylinder pressure should not exceed 52 degrees C (125 degrees C). Use in accordance with the Material Safety Data Sheet (MSDS).

CAS: 7782-44-7 DO NOT REMOVE THIS LABEL

MED TECH Since 1961

Medical-Technical Gases, Inc.

20 Hall Street, Medford, MA 02155

TEL. 800 FINE GAS Fax (781) 395-9098

www.medtechgases.com



OXYGEN COMPRESSED USP Label

OXYGEN, COMPRESSED USP UN 1072 OXYGEN 2

WARNING: For emergency use only when administered by properly trained personnel for oxygen

deficiency and resuscitation. For all other medical applications, RX only.

CAUTION: Federal law prohibits dispensing without prescription.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for pxygen service and rated for cylinder pressure. Use a back flow preventive device in piping. Close valve after each use and when empty. Cylinder pressure should not exceed 52 degrees C (125 degrees C). Use in accordance with the Material Safety Data Sheet (MSDS).

CAS: 7782-44-7 DO NOT REMOVE THIS LABEL

MED TECH Since 1961

Medical-Technical Gases, Inc.

20 Hall Street, Medford, MA 02155

TEL. 800 FINE GAS Fax (781) 395-9098

www.medtechgases.com 40035 (R 01/05)



WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, R_X only. Caution: Federal law prohibits dispensing without prescription. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use a back flow preventive device in the piping. Close valve after each use and when empty. Cylinder temperature should not exceed 52°C (125°F). Use in accordance with the Material Safety Data Sheet (MSDS).

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.



Medical-Technical Gases, Inc.

20 Hall Street • Medford, MA 02155 Tel. 800 FINE GAS • Fax (781) 395-9098 www.medtechgases.com

40035 (R 01/05)

OXYGEN REFRIGERATED LIQUID USP Label

REFRIGERATED LIQUID

OXYGEN REFRIGERATE LIQUID USP UN1073 OXYGEN 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. DO NOT CHANGE OR FORCE FIT CONNECTIONS.

WARNING:

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications Rx only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

WARNING:

EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE.

VIGOROUSLY ACCELERATES COMBUSTION.

COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE OR IGNITION OR IMPACT.

CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease, and combustibles away.

Use only with equipment cleaned for oxygen service.

Store and use with adequate ventilation.

Do not get liquid in eyes, on skin, or clothing.

For liquid withdraw, wear face shield and gloves.

Do not drop. Use suitable hand truck for container movement.

Avoid spills. Do not walk on or roll equipment over spills.

Cylinder temperature should not exceed 52° C (125° F).

Close valve after each use and when empty.

Use a back flow preventive device in the piping.

Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 7782-44-7


DO NOT REMOVE THIS LABEL

Medical-Technical Gases, Inc.

8 Executive Park drive North Billerica, MA 01862

tel. 800 FINE-GAS Fax (781) 395-9098

MED TECH Since 1961 www.medtechgases.com R 07-12 41533 (R 10/04)



ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

DO NOT CHANGE OR FORCE FIT CONNECTIONS.

WARNING:

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **R** only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

WARNING:

EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER

PRESSURE.

VIGOROUSLY ACCELERATES COMBUSTION.

COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY

EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease, and combustibles away.

Use only with equipment cleaned for oxygen service.

Store and use with adequate ventilation.

Do not get liquid in eyes, on skin, or clothing.

For liquid withdrawal, wear face shield and gloves.

Do not drop. Use suitable hand truck for container movement.

Avoid spills. Do not walk on or roll equipment over spills.

Cylinder temperature should not exceed 52°C (125°F).

Close valve after each use and when empty.
Use a back flow preventive device in the piping.

Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID:

IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.



Medical-Technical Gases, Inc.

8 Executive Park Drive + North Billerica, MA 01862 Tel. 800 FINE GAS + Fax (781) 395-9098 www.medtechgases.com R 07-12

41533 (R 10/04)

OXYGEN

oxygen gas

Product TypeHUMAN PRESCRIPTION DRUGItem Code (Source)NDC:10736-001

Route of Administration RESPIRATORY (INHALATION)

Active Ingredient/Active Moiety

Ingredient NameBasis of StrengthStrengthOXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)OXYGEN99 L in 100 L

Packaging

1 ackaging							
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:10736-001-01	9487 L in 1 CYLINDER					
2	NDC:10736-001-02	6919 L in 1 CYLINDER					
3	NDC:10736-001-03	3596.6 L in 1 CYLINDER					
4	NDC:10736-001-04	2378.9 L in 1 CYLINDER					
5	NDC:10736-001-05	764.6 L in 1 CYLINDER					
6	NDC:10736-001-06	368.2 L in 1 CYLINDER					
7	NDC:10736-001-07	160 L in 1 DEWAR					
8	NDC:10736-001-08	240 L in 1 DEWAR					

Marketing Information

Marketing CategoryApplication Number or Monograph CitationMarketing Start DateMarketing End Dateunapproved medical gas05/29/2012

Labeler - Medical-Technical Gases, Inc. (019481373)

Registrant - Medical-Technical Gases, Inc. (019481373)

T .		• 1		
Esta	n	IIC	nm	ant
1.310				4111

Establishinent							
Name	Address	ID/FEI	Business Operations				
Medical-Technical Gases, Inc.		0 19 48 1373	manufacture (10736-001)				

Establishment								
Name	Address	ID/FEI	Business Operations					
Linde LLC		839692303	manufacture(10736-001)					

Revised: 10/2012 Medical-Technical Gases, Inc.