

CAROLINA CRUD CRUSHER- dextromethorphan hbr, guaifenesin syrup
Weeks & Leo Co., Inc.

Expectorant DM Tasty Cough Syrup

Active ingredients (in each teaspoonful (5 mL))

Dextromethorphan HBr, USP 10 mg

Guaifenesin, USP 100 mg

Purposes

Cough suppressant

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to:
- drain bronchial tubes
- make coughs more productive
- rid bronchial passageways of bothersome mucus
- temporarily relieve cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 1 week, comes back, or occurs with a fever, rash, or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take every 4 hours
- do not take more than 6 doses in 24 hours

adults and children 12 years and over
 children 6 to under 12 years
 children 2 to under 6 years
 children under 2 years

2 teaspoonfuls (10 mL)
 1 teaspoonful (5 mL)
 1/2 teaspoonful (2-1/2 mL)
 ask a doctor

Other information

- store at 20° C to 25° C (68° F 77° F)
- do not refrigerate
- to report serious side effects due to the use of this product call (515) 276-1586

Inactive ingredients

citric acid (anhydrous), FD&C red no. 40, flavor, glycerin, high fructose corn syrup, menthol, propylene glycol, purified water, sodium benzoate, sodium citrate, sucralose

Carolina Crud Crusher Expectorant DM Tasty Cough Syrup

8 fl oz (236 mL) Cough Syrup

- > Loosens & Relieves Chest Congestion
- > Cough Suppressant

Drug Facts

Active ingredients (in each teaspoonful (5 mL))

Dextromethorphan HBr, USP 10 mg Cough suppressant
 Guaifenesin, USP 100 mg Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to:
 - drain bronchial tubes
 - make coughs more productive
 - rid bronchial passageways of bothersome mucus
- temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 1 week, comes back, or occurs with a fever, rash, or headache that lasts. These could be signs of a serious condition.

Keep out of reach of children.
 In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take every 4 hours
- do not take more than 6 doses in 24 hours

adults and children 12 years and over	2 teaspoonfuls (10 mL)
children 6 to under 12 years	1 teaspoonful (5 mL)
children 2 to under 6 years	1/2 teaspoonful (2-1/2 mL)
children under 2 years	ask a doctor

Other information

- store at 20° C to 25° C (68° F to 77° F)
- do not refrigerate
- to report serious side effects due to the use of this product call (515) 276-1586

Inactive ingredients

citric acid (anhydrous), FD&C red no. 40, flavor, glycerin, high fructose corn syrup, menthol, propylene glycol, purified water, sodium benzoate, sodium citrate, sucralose

64-311-08v1.0

Distributed by:
 Crud Crusher, LLC
 4750 Main St.
 Shalotte, NC 28470
 www.crudcrusher.org

7 32363 52410 6

Carolina Crud Crusher

Expectorant DM Tasty Cough Syrup

- Loosens & Relieves Chest Congestion
- Cough Suppressant

CAROLINA CRUD CRUSHER

dextromethorphan hbr, guaifenesin syrup

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11383-311
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
GLYCERIN (UNII: PDC6A3C0OX)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
WATER (UNII: 059QF0KO0R)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
MENTHOL (UNII: L7T10EIP3A)	

Product Characteristics

Color	red (Red to Orange-red)	Score	
Shape		Size	
Flavor	PINEAPPLE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11383-311-08	236 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/01/2022	

Labeler - Weeks & Leo Co., Inc. (005290028)**Registrant** - Weeks & Leo Co., Inc. (005290028)**Establishment**

Name	Address	ID/FEI	Business Operations
Weeks & Leo Co., Inc.		005290028	manufacture(11383-311)

Revised: 11/2023

Weeks & Leo Co., Inc.