

**GIL ULTRA DIP- iodine liquid
ZECO, LLC**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Gil Ultra Dip

Idophor-Type Teat Dip for Dairy Cows

For External Use Only on Dairy Cows

WARNING! May Cause Eye Irritation. May Be Harmful If Swallowed.

Keep Out Of Reach Of Children

Use on each teat as an aid in a complete cow health care program to help reduce the spread of organisms that may cause mastitis.

Not intended to cure or help the healing of chapped or irritated teats.

In case of irritation or chapping, have cow examined by a veterinarian.

Active Ingredient

Iodine 1.00%

Inactive Ingredients

Emollient system, surfactants and buffering agents..... 99.00%

FIRST AID

EYES: Immediately flush eyes with plenty of water for at least 15 minutes occasionally lifting the upper and lower lids. Contact a physician immediately.

INGESTION: Do NOT induce vomiting. Drink large amounts of milk or water. Contact a physician immediately. Do not give anything by mouth to an unconscious person.

Precautions

- **KEEP FROM FREEZING.** If frozen, discard.
- Do NOT get in eyes or on clothing.
- Do NOT take internally.
- Do NOT allow to contaminate food. Wash thoroughly after handling.
- Keep container tightly closed when not in use.
- Store in a cool, dry, well-ventilated area out of direct sunlight.

Important

Do NOT mix with any other teat spray, dip, or product.

Use Directions

Always use fresh, undiluted product. If product becomes visibly dirty, discard contents and refill with fresh product. Do NOT reuse or return used product to original container.

- **PRE-DIP/SPRAY:** Just prior to milking, if udders are heavily soiled, wash entire udder thoroughly with **Gil Udder Wash**. Dry udder with a single-service towel to avoid milk contamination. Either spray teats with undiluted Gil Ultra Dip or fill teat cup with undiluted product. Dip each teat as far as possible into the teat cup. Wipe teat dry after dipping or spraying using a single-service towel to avoid contaminating milk.
- **POST-DIP:** Immediately after milking, submerge entire teat in undiluted product. Allow to air dry—do NOT wipe. Do NOT let cows out in freezing weather until completely dry.

ZECO, LLC • 3401 Cummings Road • Chattanooga, TN • 37419 • 423-698-1401

USE DIRECTIONS:
Always use fresh, undiluted product.
If product becomes visibly dirty, discard contents and refill with fresh product.
Do not reuse or return used product to original container.

PRE-DIP / SPRAY:

- * Just prior to milking, if udders are heavily soiled, wash entire udder thoroughly with Gil Udder Wash.
- * Dry udder with a single-service towel to avoid milk contamination.
- * Either spray teats with undiluted Gil Ultra Dip or fill teat cup with undiluted product.
- * Dip each teat as far as possible into the teat cup.
- * Wipe teat dry after dipping or spraying, using a single-service towel to avoid contaminating milk.

POST-DIP:

- * Immediately after milking, submerge entire teat in undiluted product.
- * Allow to air dry...DO NOT WIPE.
- * Do NOT let cows out into freezing weather until completely dry.

Failure to follow these directions may result in frozen teats and injured animals.

GIL ULTRA DIP
Iodophor Type

For use on cow teats as an aid in a complete healthcare program to help reduce the spread of organisms that cause mastitis.

NPE-FREE

Active ingredient: Iodine 1.00%
Inactive ingredients: Emulsifier system, surfactants and buffering agents 99.00%

PRECAUTIONS:

- KEEP OUT OF REACH OF CHILDREN
- WARNING! May cause eye irritation. May be harmful if swallowed.
- FOR INDUSTRIAL USE ONLY
- NOT FOR HUMAN USE
- Read and understand all directions before using this product.
- Do not get in eyes or on clothing.
- For external use only on dairy cows. Do not administer internally.
- Not intended to cure or help the healing of chapped or irritated teats.
- IMPORTANT! Do not mix with any other teat spray, dip, or product.
- In case of irritation or chapping, have cow examined by a veterinarian.
- For additional information, refer to the Safety Data Sheet (SDS).

ZEE COMPANY
A Member of the Vencor Group
3401 Cummings Road
Chattanooga, TN 37419
Made in USA

NET CONTENTS: 4 US Gallons (4x1 US Gal.) (15.14 L)
LOT #: _____ L5396A
EXPIRATION: _____ A1023

FIRST AID:
Contact with product can cause irritation to the eyes. Avoid contact with eyes.
EYE CONTACT: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting upper and lower lids. Remove contact lenses after the first minute. Immediately contact a physician.
INGESTION: Do not induce vomiting. Drink large amounts of milk or water. Contact a physician immediately. Do not give anything by mouth to an unconscious person.
INHALATION: Supply fresh air. If irritation persists, get medical attention.
SKIN CONTACT: Generally this product does not irritate the skin. Rinse with water for 15 minutes. If irritation persists, get medical attention.

IN CASE OF EMERGENCY CALL
CHEMTREC: 1-800-424-9300

STORAGE AND DISPOSAL:

- Thoroughly rinse all measuring devices and store out of reach of children.
- Must not dispose of together with household garbage. Do not allow product to reach sewage system.
- Disposal must be made according to official regulations.
- Avoid contact with food or feed.
- Avoid storing near heat or open flame.
- Keep container tightly closed when not in use.
- Keep from freezing. If product has frozen, discard.
- Store in cool, dry, well-ventilated area out of direct sunlight.
- Do not reuse empty container. Rinse empty container before disposing in a safe manner.

Add image transcription here...

GIL ULTRA DIP			
iodine liquid			
Product Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:86161-003
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	10000 mg in 1 L
Inactive Ingredients			
	Ingredient Name		Strength
	C12-16 PARETH-5 (UNII: R66626285W)		

ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)

GLYCERIN (UNII: PDC6A3C0OX)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86161-003-01	3.78 L in 1 JUG		
2	NDC:86161-003-02	18.9 L in 1 DRUM		
3	NDC:86161-003-03	56.7 L in 1 DRUM		
4	NDC:86161-003-04	113.4 L in 1 DRUM		
5	NDC:86161-003-05	207.9 L in 1 DRUM		
6	NDC:86161-003-06	1039.5 L in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/22/2024	

Labeler - ZECO, LLC (118545809)

Establishment

Name	Address	ID/FEI	Business Operations
ZECO, LLC		119173569	api manufacture, manufacture, label, pack

Establishment

Name	Address	ID/FEI	Business Operations
ZECO, LLC		118545809	api manufacture, manufacture, pack, label

Establishment

Name	Address	ID/FEI	Business Operations
ZECO, LLC		119124232	api manufacture, manufacture, pack, label

Establishment

Name	Address	ID/FEI	Business Operations
ZECO, LLC		119124226	api manufacture, manufacture, pack, label

Revised: 1/2024

ZECO, LLC