

VISINE RED EYE TOTAL COMFORT AND TEARS DRY EYE RELIEF-
tetrahydrozoline hcl, polyethylene glycol 400, zinc sulfate
Johnson & Johnson Consumer Inc.

Visine Red Eye Total Comfort and Tears Dry Eye Relief

VISINE® ***Red Eye Total Comfort Multi-Symptom***

Drug Facts

Active ingredient

Polyethylene glycol 400 1%

Tetrahydrozoline HCl 0.05%

Zinc sulfate 0.25%

Purpose

Lubricant

Redness reliever

Astringent

Uses

- for the temporary relief of discomfort and redness of the eye due to minor eye irritations
- relieves dryness of the eye
- for the temporary relief of burning and irritation due to exposure to wind or sun
- for protection against further irritation

Warnings

For external use only

Ask a doctor before use if you have narrow angle glaucoma.

When using this product

- some users may experience a brief tingling sensation
- pupils may become enlarged temporarily
- overuse may cause more eye redness
- remove contact lenses before using
- do not use if this solution changes color or becomes cloudy
- do not touch tip of container to any surface to avoid contamination

- replace cap after each use

Stop use and ask a doctor if

- you feel eye pain
- changes in vision occur
- redness or irritation of the eye lasts
- condition worsens or lasts more than 72 hours

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 6 years of age and over: put 1 or 2 drops in the affected eye(s) up to 4 times a day
- children under 6 years of age: consult a doctor
- children under 2 years of age: do not use

Other information

Store at 20° to 25°C (68° to 77°F)

Inactive ingredients

benzalkonium chloride, boric acid, edetate disodium, glycerin, hypromellose, purified water, sodium chloride, sodium citrate

Questions?

call toll-free **888-734-7648** or **215-273-8755** (collect)

VISINE[®] Dry Eye Relief

Drug Facts

Active ingredient

Polyethylene glycol 400 1%

Purpose

Lubricant

Uses

- for the temporary relief of burning and irritation due to dryness of the eye
- for protection against further irritation

Warnings

For external use only

When using this product

- remove contact lenses before using
- do not use if this solution changes color or becomes cloudy
- do not touch tip of container to any surface to avoid contamination
- replace cap after each use

Stop use and ask a doctor if

- you feel eye pain
- changes in vision occur
- redness or irritation of the eye lasts
- condition worsens or lasts more than 72 hours

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 6 years of age and over: put 1 or 2 drops in the affected eye(s) as needed
- children under 6 years of age: consult a doctor

Other information

Store at room temperature

Inactive ingredients

ascorbic acid, benzalkonium chloride, boric acid, dextrose, disodium phosphate, glycerin, glycine, hypromellose, magnesium chloride, potassium chloride, purified water, sodium borate, sodium chloride, sodium citrate, sodium lactate

Questions?

call toll-free **888-734-7648** or **215-273-8755** (collect)

Distributed by:

JOHNSON & JOHNSON CONSUMER INC.

Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - Kit Package

VALUE

MULTI-PACK

VISINE[®]

RED EYE

TOTAL COMFORT

MULTI-SYMP TOM

ASTRINGENT / LUBRICANT / REDNESS RELIEVER EYE DROPS

UP TO

10 HRS

COMFORT

ALL-IN ONE RELIEF

From Red, Burning,

Watery, Itchy, Dry, Gritty,

Irritated Eyes

Protects Against

Further Irritation

STERILE

Use products only

as directed.

DRY EYE

RELIEF

LUBRICANT EYE DROPS

MOISTURIZES +

SOOTHES DRY,

GRITTY EYES

Designed to Work

Like Real

Tears

1 BOTTLE: VISINE®

RED EYE TOTAL COMFORT MULTI-SYMPTOM

½ FL OZ (15 mL)

1 BOTTLE: VISINE® DRY EYE RELIEF ½ FL OZ (15 mL)

VISINE RED EYE TOTAL COMFORT AND TEARS DRY EYE RELIEF

VISINE®
RED EYE TOTAL COMFORT
RELIEF
 LUBRICANT / LUBRICANT / REDNESS RELIEVER EYE DROPS

VALUE MULTI-PACK

VISINE®

RED EYE TOTAL COMFORT
 ASTRINGENT / LUBRICANT / REDNESS RELIEVER EYE DROPS

DRY EYE RELIEF
 LUBRICANT EYE DROPS

MOISTURIZES + SOOTHES DRY, GRITTY EYES
 Designed to Work Like Real Tears

ALL-IN-ONE RELIEF
 From Red, Burning, Watery, Itchy, Dry, Gritty, Irritated Eyes
 Protects Against Further Irritation

1 BOTTLE VISINE®
 RED EYE TOTAL COMFORT MULTI-SYMP TOM
 1.2 FL OZ (35 mL)

1 BOTTLE VISINE® DRY EYE RELIEF
 1.2 FL OZ (35 mL)

STERILE
 Use as directed.

VISINE®

RED EYE TOTAL COMFORT MULTI-SYMP TOM
 ASTRINGENT / LUBRICANT / REDNESS RELIEVER EYE DROPS

Drug Facts (Continued)

Directions

- adults and children 6 years of age and over: put 1 or 2 drops in the affected eye(s) up to 4 times a day
- children under 6 years of age: consult a doctor
- children under 2 years of age: do not use

Other information

Store at 20° to 25° C (68° to 77° F)

Inactive ingredients

benzalkonium chloride, boric acid, edetate disodium, glycerin, hyromellose, purified water, sodium chloride, sodium citrate

Questions?

call toll-free 888-734-7648 or 215-273-8755 (collect)

VISINE® RED EYE TOTAL COMFORT MULTI-SYMP TOM

Drug Facts	Purpose
Active ingredientsLubricant
Polyethylene glycol 400 1%Redness reliever
Tetrahydrozoline HCl 0.05%Astringent
Zinc sulfate 0.25%	
Uses	
• for temporary relief of discomfort and redness of the eye due to minor eye irritations	
• for the temporary relief of burning and irritation due to exposure to wind or sun	
• for protection against further irritation	
Warnings	
For external use only	
Warnings For external use only	
• do not touch tip of container to any surface to avoid contamination	
• replace cap after each use	
Stop use and ask a doctor if	
• you feel eye pain	
• changes in vision occur	
• redness or irritation of the eye lasts longer than 72 hours	
• condition worsens or lasts more than 72 hours	
If pregnant or breast-feeding, ask a health professional before use.	
Keep out of reach of children.	
If swallowed, get medical help or contact a Poison Control Center right away.	

VISINE® DRY EYE RELIEF

Drug Facts	Purpose
Active ingredientsLubricant
Polyethylene glycol 400 1%	
Uses	
• for the temporary relief of burning and irritation due to dryness of the eye	
• for protection against further irritation	
Warnings	
For external use only	
Warnings	
• do not touch tip of container to any surface to avoid contamination	
• replace cap after each use	
Stop use and ask a doctor if	
• you feel eye pain	
• changes in vision occur	
• redness or irritation of the eye lasts longer than 72 hours	
• condition worsens or lasts more than 72 hours	
If pregnant or breast-feeding, ask a health professional before use.	
Keep out of reach of children.	
If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
• adults and children 6 years of age and over: put 1 or 2 drops in the affected eye(s) as needed	
• children under 6 years of age: consult a doctor	
Other information	
Store at room temperature	

Distributed by: JOHNSON & JOHNSON CONSUMER INC., Skillman, NJ 08586 © 2017 2018 www.visine.com
 VISINE® Red Eye Total Comfort Multi-Symptom® Made in Belgium
 VISINE® Dry Eye Relief. Active made in Germany



MCN-V-0596

LOT:

EXP:

tetrahydrozoline hcl, polyethylene glycol 400, zinc sulfate kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0844
---------------------	----------------	---------------------------	----------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0844-9	1 in 1 PACKAGE	06/08/2020	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE, DROPPER	15 mL
Part 2	1 BOTTLE, DROPPER	15 mL

Part 1 of 2

VISINE RED EYE TOTAL COMFORT MULTI-SYMP TOM

tetrahydrozoline hydrochloride, polyethylene glycol 400, and zinc sulfate, unspecified form solution/ drops

Product Information

Item Code (Source)	NDC:69968-0360
---------------------------	----------------

Route of Administration	OPHTHALMIC
--------------------------------	------------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TETRAHYDROZOLINE HYDROCHLORIDE (UNII: 0YZT43HS7D) (TETRAHYDROZOLINE - UNII:S9U025Y077)	TETRAHYDROZOLINE HYDROCHLORIDE	0.5 mg in 1 mL
ZINC SULFATE, UNSPECIFIED FORM (UNII: 89DS0H96TB) (ZINC CATION - UNII:13S1S8SF37)	ZINC SULFATE, UNSPECIFIED FORM	2.5 mg in 1 mL
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) (POLYETHYLENE GLYCOL 400 - UNII:B697894SGQ)	POLYETHYLENE GLYCOL 400	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BORIC ACID (UNII: R57ZHV85D4)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	

SODIUM CHLORIDE (UNII: 451W47IQ8X)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0360-1	1 in 1 CARTON		
1		15 mL in 1 BOTTLE, DROPPER; Type 4: Device Coated/Impregnated/Otherwise Combined with Drug		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	04/27/2020	

Part 2 of 2

VISINE DRY EYE RELIEF

polyethylene glycol 400 solution/ drops

Product Information

Item Code (Source)	NDC:69968-0363
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) (POLYETHYLENE GLYCOL 400 - UNII:B697894SGQ)	POLYETHYLENE GLYCOL 400	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCINE (UNII: TE7660XO1C)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
DEXTROSE (UNII: IY9XDZ35W2)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
POTASSIUM CHLORIDE (UNII: 660YQ98I10)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
BORIC ACID (UNII: R57ZHV85D4)	

MAGNESIUM CHLORIDE (UNII: 02F3473H9O)

SODIUM LACTATE (UNII: TU7HW0W0QT)

ASCORBIC ACID (UNII: PQ6CK8PD0R)

SODIUM CITRATE (UNII: 1Q73Q2JULR)

HYPROMELLOSES (UNII: 3NXW29V3WO)

SODIUM BORATE (UNII: 91MBZ8H3QO)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0363-1	1 in 1 CARTON		
1		15 mL in 1 BOTTLE, DROPPER; Type 4: Device Coated/Impregnated/Otherwise Combined with Drug		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	04/27/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	06/08/2020	

Labeler - Johnson & Johnson Consumer Inc. (118772437)

Revised: 12/2023

Johnson & Johnson Consumer Inc.