

FOLLIXIL HAIR AND BEARD GROWTH-FOAM- 5% minoxidil liquid

Matykos Beauty LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

FB-009

Minoxidil 5%

Help hair and beard growth

Don't use Follixil if you are:

- Pregnant.
- Breastfeeding.
- Having heart sensitivity.
- Super-sensitive skin.
- Having open wounds.
- Unexcited to boost your follicles and achieve bushy hair!
- Planning to do physical activities in the next hour.

If you experience any issues or side effects, such as irritation, headaches, swelling, dandruff, or itchiness, please contact us at support@folliclebooster.com for a professional consultation.

Use extreme caution and an eyebrow brush when applying over your eyebrows. If it comes into contact with your eyes, rinse thoroughly with plenty of water.

Don't use it on your eyelashes.

It should be kept in a tightly closed container away from light, heat, moisture, and children.

Use extreme caution and an eyebrow brush when applying over your eyebrows. If it comes into contact with your eyes, rinse thoroughly with plenty of water.

Don't use it on your eyelashes.

Apply 1 mL twice a day. Once in the morning and another time in the evening before bed. Use only on fully dry hair. Apply directly on top of the scalp of hair loss area.

Use Follixil every Morning and Night for a minimum of 3 months.

Prevent and Stop Hair Loss; Stimulate Hair Growth; Improve Fullness of Hair; Restore Vitality of Hair; Strengthen and Activate Hair Follicles.

Store it at room temperature between 20°C to 25°C (68°F to 77°F). It should be kept in a tightly closed container away from light, heat, moisture, and children.

Aqua (Water), Butylene Glycol, Cocami Dopropyl Bataine, Keratin Amino Acids, Biotin, Glycerin, Polygonum Multiflorum Extract, Capryloyl Silk Amimo Acid, Allantion, Ginseng Extract, 1,2-Hexanediol, Ethylhexylglycerin, Niacinamide, Caffeine



INGREDIENTS:

AQUA (WATER), BUTYLENE GLYCOL, MINOXIDIL, COCAMI DOPROPYL BATAINE, KERATIN AMINO ACIDS, BIOTIN, GLYCERIN, POLYGONUM MULTIFLORUM EXTRACT, CAPRYLOYL SILK AMINO ACID, ALLANTION GINSENG EXTRACT, 1, 2-HEXANEDIOL, ETHYLHEXYLGLYCERIN, NIACINAMIDE, CAFFEINE

www.folliclebooster.com
support@folliclebooster.com

FOLLIXIL™

Minoxidil
USP 5%
Topical Foam

Hair and Beard
Growth Foam

- Biotin
- Caffeine
- Niacinamide

60mL (2FL OZ)



 @thehairlossdude

MUST DO!

We know that most beauty products brochures are long and tedious. That's why we did our best to make ours short and sweet!

Please read them all because they are essential for your hair growth.

FollicleBooster Story *in 100 words*

Once upon a time, a young man struggled with his lousy hair genetics. He had poor beard hair coverage and thin follicle texture. He thought that God tricked him, but he didn't realize that most males have this issue. He studied everything about follicles, and realized that the products used and consistency are essential as genes. He tried to find the perfect products and information that suited his hair objectives, but he was unsuccessful. He found the perfect manufacturer and team, made the best product out there, and started his own FollicleBooster hair growth company.

0% SULFATES
ALUMINIUM
PARABENS



Matykos Beauty LLC
8 The Green, Suit A
Dover, DE
19901

MADE IN PRC





FOLLIXIL™
USP 5%
Topical Foam

Hair and Beard
Growth Foam

- Vitamin H (Biotin)
- Caffeine
- Niacinamide

60mL (2FL OZ)



-  CRUELTY-FREE
-  SULFATE-FREE
-  PARABEN-FREE
-  PG - FREE

CAUTIONS

Don't use Follixil if you are:

- ❗ Pregnant.
- ❗ Breastfeeding.
- ❗ Having heart sensitivity.
- ❗ Super-sensitive skin.
- ❗ Having open wounds.
- ❗ Unexcited to boost your follicles and achieve bushy hair!
- ❗ Planning to do physical activities in the next hour.

PRO TIPS

- 💡 Use Follixil every Morning and Night for a minimum of 3 months.
- 💡 If you experience any issues or side effects, such as irritation, headaches, swelling, dandruff, or itchiness, please contact us at support@folliclebooster.com for a professional consultation.
- 💡 Store it at room temperature between 20°C to 25°C (68°F to 77°F). It should be kept in a tightly closed container away from light, heat, moisture, and children.

FOLLIXIL HAIR AND BEARD GROWTH-FOAM

5% minoxidil liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83835-221
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
AMINO ACIDS, HAIR KERATIN (UNII: G46579QK1M)	
BUTANEDIOL (MIXED ISOMERS) (UNII: TMS4MGA0H4)	
CAFFEINE (UNII: 3G6A5W338E)	
COCAMIDOPROPYL BETAINE (UNII: 5OCF3O11KX)	
BIOTIN (UNII: 6S06U10H04)	
GLYCERIN (UNII: PDC6A3C0OX)	
NIACINAMIDE (UNII: 25X51I8RD4)	
WATER (UNII: 059QF0KO0R)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ASIAN GINSENG (UNII: CUQ3A77YXI)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
AMINO ACIDS, SILK (UNII: VOL00EX1IA)	
ALLANTOIN (UNII: 344S277G0Z)	
2,3,5,4'-TETRAHYDROXYSTILBENE-2-O-.BETA.-D-GLUCOSIDE (UNII: 54QRI6OKJ5)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83835-221-21	1 in 1 BOX	12/07/2023	
1	NDC:83835-221-02	60 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
2	NDC:83835-221-23	3 in 1 BOX	12/07/2023	
2	NDC:83835-221-02	60 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
3	NDC:83835-221-26	6 in 1 BOX	12/07/2023	
3	NDC:83835-221-02	60 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/07/2023	

Labeler - Matykos Beauty LLC (118726242)

Registrant - Matykos Beauty LLC (118726242)

Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Colif Cosmetics Co., Ltd		699427130	manufacture(83835-221)

Revised: 12/2023

Matykos Beauty LLC