

**GOODSENSE COMPLETE LICE TREATMENT KIT- piperonyl butoxide, pyrethrum extract**

**Perrigo Direct, LLC**

-----  
**GoodSense Lice Treatment Kit**

**Active ingredient**

Piperonyl butoxide 4%  
Pyrethrum extract (equivalent to 0.33% pyrethrins)

**Uses**

treats head, pubic (crab), and body lice

**Purpose**

Lice treatment

**Warnings**

**For external use only**

**Do not use**

near eyes  
inside nose, mouth, or vagina  
on lice in eyebrows or eyelashes. See a doctor if lice are present in these areas.

**Ask a doctor before use if you are**

allergic to ragweed. May cause breathing difficulty or an asthmatic attack.

**When using this product**

keep eyes tightly closed and protect eyes with a washcloth or towel  
if product gets into eyes, flush with water right away  
scalp itching or redness may occur

**Stop use and ask a doctor if**

breathing difficulty occurs  
eye irritation occurs  
skin or scalp irritation continues or infection occurs

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

**Important: Read warnings before use**

**Adults and children 2 years and over:**

### **Inspect**

check each household member with a magnifying glass in bright light for lice/nits (eggs)

look for tiny nits near scalp, beginning at back of neck and behind ears

examine small sections of hair at a time

unlike dandruff which moves when touched, nits stick to the hair

if either lice or nits are found, treat with this product

### **Treat**

apply thoroughly to DRY HAIR or other affected area. For head lice, first apply behind ears and to back of neck.

allow product to remain for 10 minutes, but no longer

use warm water to form a lather, shampoo, then thoroughly rinse

for head lice, towel dry hair and comb out tangles

### **Remove lice and their eggs (nits)**

use a fine-tooth or special lice/nit comb. Remove any remaining nits by hand (using a throw-away glove).

hair should remain slightly damp while removing nits

if hair dries during combing, dampen slightly with water

for head lice, part hair into sections. Do one section at a time starting on top of the head. Longer hair may take 1 to 2 hours.

lift a 1-to 2-inch wide strand of hair. Place comb as close to scalp as possible and comb with a firm, even motion away from scalp.

pin back each strand of hair after combing

clean comb often. Wipe nits away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back.

after combing, thoroughly recheck for lice/nits. Repeat combing if necessary.

check daily for any lice/nits that you missed

a second treatment must be done in 7 to 10 days to kill any newly hatched lice

if infestation continues, see a doctor for other treatments

**Children under 2 years:** ask a doctor

### **Other information**

do not freeze

store at controlled room temperature 20°-25°C (68°-77°F)

to report serious side effects due to the use of this product call (515) 276-1586

see package insert for additional information

### **Inactive ingredients**

ammonium laureth sulfate, fragrance, PEG-25 hydrogenated castor oil, polyquaternium-10, purified water, SD-40 alcohol

## **Additional Information**

**Hair Length** - Recommended Application for 1 Adult/Child

**Short** (ear length or shorter) Day 1: 1-2 oz; Day 7-10: 1-2oz; Total : 2-4oz

**Medium** (shoulder length) Day1: 2-3oz; Day 7-10: 2-3oz; Total: 4-6oz

**Long** (past shoulder length) Day 1: 3-4oz; Day 7-10: 3-4oz; Total: 6-8oz

**Largo del cabello** - Cantidad recomendada para 1 adulto/niño

**Corto** (hasta la oreja o más corto) Dia 1: 1-2oz; Dia7-10: 1-2oz; Total: 2-4oz

**Medio** (hasta el hombro) Dia1: 2-3oz; Dia 7-10: 2-3oz; Total: 4-6oz

**Largo** (más abajo del hombro) Dia 1: 3-4oz; Dia 7-10: 3-4oz; Total: 6-8oz

**Important:** keep this outer carton for future reference

## **Package Insert**

# 3-STEP PROCESS FOR LICE TREATMENT

See center for complete product information.

## Step 1 • Treat

Age	Sex	Directions	Notes
Infant	Male	Apply to hair from the crown of the head to the nape of the neck.	Do not use on infants under 2 years of age.
Child	Female	Apply to hair from the crown of the head to the nape of the neck.	Do not use on children under 6 years of age.
Adult	Male	Apply to hair from the crown of the head to the nape of the neck.	Do not use on adults with sensitive skin.

### Apply Lice Killing Shampoo

NOTE:  
 • Apply to dry hair.  
 • Avoid contact with eyes, nose, mouth, and ears.  
 • Do not use on children under 6 years of age.  
 • Do not use on infants under 2 years of age.

Do not use on infants under 2 years of age.  
 Do not use on children under 6 years of age.  
 Do not use on adults with sensitive skin.  
 Avoid contact with eyes, nose, mouth, and ears.  
 Do not use on children under 6 years of age.  
 Do not use on infants under 2 years of age.

## Step 2 • Remove

### Comb-out lice and eggs with fine-tooth comb and Lice & Egg Combing Spray

NOTE:  
 • Use a fine-tooth comb to remove lice and eggs.  
 • Apply Lice & Egg Combing Spray to the hair.  
 • Repeat the combing process every 2-3 days.

This product should be used AFTER Lice Killing Shampoo (Step 1). Combing is an important step to remove eggs.  
 Apply to dry hair.  
 Repeat the combing process every 2-3 days.

## Step 3 • Control

### Treat the home with Home Lice, Bedbug & Dust Mite Spray

NOTE:  
 • Use in bedrooms and living areas.  
 • Avoid contact with eyes, nose, mouth, and ears.  
 • Do not use on children under 6 years of age.

Additional Tips for Success:  
 • Wash bedding and clothing in hot water.  
 • Vacuum floors and carpets.  
 • Use a steam mop on hard surfaces.

## Did You Know?

- Lice can live for up to 30 days without a host.
- Lice eggs hatch in 6-10 days.
- Lice are most common in children under 12 years of age.
- Lice are not a health hazard.
- Lice do not spread diseases.
- Lice are not a sign of poor hygiene.
- Lice are not a sign of lice infestation.

# PROCESO DE 3 PASOS PARA EL TRATAMIENTO CONTRA PJOJOS

Consulte el envase para obtener información completa del producto.

## Fase 1 • Tratar

Edad	Sexo	Indicaciones	Notas
Infante	Varón	Aplicar al cabello desde la coronilla hasta la nuca.	No utilizar en niños menores de 2 años.
Niño	Mujer	Aplicar al cabello desde la coronilla hasta la nuca.	No utilizar en niños menores de 6 años.
Adulto	Varón	Aplicar al cabello desde la coronilla hasta la nuca.	No utilizar en adultos con piel sensible.

NOTA:  
 • Aplicar sobre el cabello seco.  
 • Evitar el contacto con los ojos, nariz, boca y oídos.  
 • No utilizar en niños menores de 6 años.  
 • No utilizar en niños menores de 2 años.

Este producto debe usarse DESPUÉS del shampoo para piojos (Step 1). El peine es un paso importante para retirar los piojos.  
 Aplicar al cabello seco.  
 Evitar el contacto con los ojos, nariz, boca y oídos.  
 No utilizar en niños menores de 6 años.  
 No utilizar en niños menores de 2 años.

## Fase 2 • Remover

### Retire piojos y huevos con un peine para piojos u otro peine de dientes finos y aerosol para retirar piojos y huevos

NOTA:  
 • Utilice un peine fino para retirar los piojos y los huevos.  
 • Aplique el aerosol para retirar piojos y huevos al cabello.  
 • Repetir el peineo cada 2-3 días.

Este producto debe usarse DESPUÉS del shampoo para piojos (Step 1). El peine es un paso importante para retirar los piojos.  
 Aplicar al cabello seco.  
 Evitar el contacto con los ojos, nariz, boca y oídos.  
 No utilizar en niños menores de 6 años.  
 No utilizar en niños menores de 2 años.

## Fase 3 • Control

### Trate su hogar con el spray contra piojos, chinches y ácaros para el hogar

NOTA:  
 • Utilice en dormitorios y salas.  
 • Evitar el contacto con los ojos, nariz, boca y oídos.  
 • No utilizar en niños menores de 6 años.

Consejos adicionales para el éxito:  
 • Lavar la ropa y la ropa de cama en agua caliente.  
 • Aspirar alfombras y alfombrillas.  
 • Usar un vaporizador en superficies duras.

# Consumer Information

## LICE KILLING SHAMPOO

## For the treatment of Head Lice, Pubic (Crab) Lice and Body Lice

## DIRECTIONS

Important: Read warnings before using this product. A second treatment must be done in 7-10 days to kill any newly hatched lice eggs (nits)

## Inspect

- examine each household member with a magnifying glass in bright light for lice/eggs (nits)
- look for tiny eggs (nits) near scalp, beginning at the back of neck and behind ears

examine small sections of hair

eggs (nits) stick to the hair

if either lice or eggs (nits) are found, treat with this product

### **Treat**

apply thoroughly to dry hair or other affected area. For head lice, first apply behind ears and to back of neck

allow product to remain for 10 minutes but no longer

use warm water to form a lather, shampoo, then thoroughly rinse

for head lice, towel dry hair and comb out tangles

### **To Remove Lice and Their Eggs (Nits)**

use a special lice/nit or fine-toothed comb (included). Remove any remaining eggs (nits) by hand, using a throwaway glove

hair should remain slightly damp while removing eggs (nits)

if hair dries during combing, dampen slightly with water

for head lice, part hair into sections. Do one section at a time starting on top of the head. Longer hair may take 1 to 2 hours

lift a 1- to 2-inch wide strand of hair. Place comb firm, even motion away from scalp  
pin back each strand of hair after combing

clean comb often. Wipe eggs (nits) away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back

after combing, thoroughly recheck for lice/eggs (nits). Repeat combing if necessary

check daily for any lice/eggs (nits) that you missed

a second treatment must be done within 7 to 10 days to kill any newly hatched lice/eggs (nits)

if infestation continues, see a doctor for other treatments

### **1. HEAD LICE**

head lice lay small white eggs (nits) on the hair shaft close to the scalp

eggs (nits) are most easily found on the back of the neck or behind the ears

disinfect hats, hair ribbons, scarves, coats, towels and bed linens by machine washing in hot water [above 54 C (130 F)], then using the hottest dryer setting for at least 20 minutes

items that cannot be washed, dry cleaned or stored may be sprayed with a product designed for this purpose

soak all combs and brushes in hot water [above 54 C (130 F)] for at least 10 minutes

vacuum all carpets, mattresses, upholstered furniture, and car seats that may have been used by affected people

## **2. PUBIC (CRAB) LICE**

pubic (crab) lice may be contracted by sexual contact

sexual partners should be treated simultaneously to avoid reinfestation

lice are very small and look like brown or grey dots on the skin

pubic (crab) lice usually cause intense itching and lay small white eggs (nits) on the hair shaft generally close to the skin surface

pubic (crab) lice may be present on the short hairs of the groin, thighs, trunk, and underarms, -and occasionally on the beard, eyelids, and mustache

disinfect underwear by machine washing in hot water [above 54 C (130 F)], then using the hottest dryer setting for at least 20 minutes

## **3. BODY LICE**

body lice and their eggs (nits) are generally found in the seams of clothing, particularly in the waistline and armpit areas

body lice feed on skin then return to clothing to lay their eggs (nits)

disinfect clothing by machine washing in hot water [above 54 C (130 F)], then using the hottest dryer setting for at least 20 minutes

do not seal clothing in a plastic bag because eggs (nits) can remain dormant for up to 30 days

**Save this insert for future reference**

**SHAKE WELL BEFORE USING**

**CHAMPÚ PARA MATAR PIOJOS**

**Para el tratamiento de piojos de cabeza, piojos púbicos (ladillas) y piojos del cuerpo**

**Para uso externo solamente.**

**No lo use**

cerca de los ojos

dentro de la nariz, boca o vagina

para piojos en las cejas o pestañas. Consulte a un doctor si hay piojos en estas áreas.

**Pregúntele a un doctor antes de usarlo si**

es alérgico a la ambrosía. Puede provocar dificultades para respirar o un ataque asmático.

**Cuando use este producto**

mantenga los ojos bien cerrados y protéjalos con una toallita o toalla

si el producto entra en los ojos, enjuáguese inmediatamente con agua

puede experimentar picazón o enrojecimiento del cuero cabelludo.

**Deje de usarlo y consulte a un doctor si**

tiene dificultad para respirar

presenta irritación de los ojos

prevalece la irritación de la piel o el cuero cabelludo o se presenta una infección.

Si está embarazada o lactando, antes de usarlo pregunte a un profesional médico.

Manténgalo fuera del alcance de los niños. Si e traga, obtenga ayuda médica o póngase en contacto de inmediato con el Centro de Control de Envenenamientos

## **INSTRUCCIONES**

**IMPORTANTE: LEA LAS ADVERTENCIAS ANTES DE USAR ESTE PRODUCTO. UN SEGUNDO TRATAMIENTO DEBE SER REALIZADO ENTRE 7 Y 10 DIAS PARA ELIMINAR LA REPRODUCCIÓN DE NUEVOS PIOJOS Y HUEVECILLOS (LIENDRES).**

### **Inspeccione**

Examine a cada uno de los integrantes de la familia bajo luz brillante con una lupa en busca de piojos o huevecillos (liendres)

usque los huevecillos (liendres) en el cabello, comenzando en la parte posterior del cuello y detrás de las orejas

examine áreas pequeñas del cabello

a diferencia de la caspa, la cual se mueve al tocarla, los huevecillos (liendres) permanecen adheridos al cabello

si encuentra piojos o huevecillos (liendres) trate las áreas afectadas con este producto.

### **Tratamiento**

aplique sobre todo el cabello seco u otras áreas afectadas. Para liendres de cabeza primero aplique detrás de las orejas y en la parte posterior del cuello

deje el producto durante 10 minutos, pero no se exceda del tiempo sugerido

use agua tibia para formar espuma, lave con champú y luego enjuague muy bien

para liendres de cabeza, seque el cabello con una toalla y desenrede con un peine.

### **Para eliminar los piojos y sus huevecillos (liendres)**

use un peine de dientes finos o un peine especial para piojos y liendres. Remueva todos las huevecillos (liendres) restantes a ano usando guantes desechables

el pelo debe permanecer húmedo mientras se remueven los huevecillos (liendres)

si el pelo se seca mientras es peinado, humidézcalo con agua

para liendres de cabeza, divida el pelo en secciones. Revise una sección a la vez comenzando por la parte de arriba de la cabeza. Si tiene pelo largo le puede tomar de 1 o 2 horas

levante mechones de una pulgada de ancho. Ponga el peine lo más cerca posible del cuero cabelludo y peine con movimientos parejos y firmes

sujete cada mechón de pelo después de peinar limpie el peine con frecuencia. Limpie los huevecillos (liendres) con un papel toalla y tirlvelas en una bolsa plástica. Cierre la bolsa y

tírela para prevenir que los piojos vuelvan a aparecer

después de peinar, vuelva a revisar para ver si encuentra piojos o huevecillos (liendres). Si fuera necesario repita el procedimiento

revise a diario para ver si aparece algún piojo o huevecillo (liendres)

se debe efectuar un segundo tratamiento a los 7 a 10 días para matar los huevecillos nuevos (liendres)

si la plaga continua se debe consultar con el doctor para hacer otros tratamiento.

### **Otra Información**

no lo congele

protéjalo del calor excesivo

vea la información adicional en el anexo del paquete

**Ingredientes Inactivos** ,lauril sulfato de amonio, lauril sulfato de amonio, fragancia, PEG-25 aceite de ricino hidrogenado, policuaternio-10, alcohol desnaturalizado SD 40-B, agua

## **1. PIOJOS DE LA CABEZA**

Los piojos de cabeza ponen huevos blancos (liendres) en los hebra del cabello cerca del cuero cabelludo. Las liendres son fáciles de encontrar en la parte posterior del cuello o detrás de las orejas.

Desinfecte los sombreros, cintas para el cabello, bufandas, abrigos, toallas y sábanas lavándolos en lavadora con agua caliente [a una temperatura de más de 54 C (130 F)], y luego séquelos en la secadora a la temperatura más alta durante un mínimo de 20 minutos.

Los artículos que no pueden ser lavados (cubrecamas, frizas, almohadas, juguetes de peluche, etc.) deben ser limpiados en seco o deben ser sellados en bolsas plásticas por 4 semanas, después sacados a la intemperie y sacudidos enérgicamente antes de ser usados otra vez.

artículos que no pueden ser lavados, limpiados en seco o guardados deben ser rociados con productos designados para este fin.

Sumerja todos los peines y cepillos en agua caliente, [por más de 54 C (130 F)] por lo menos por 10 minutos.

Limpie las alfombras, colchones, muebles tapizados y asientos del carro que pueden haber sido usados por personas infectadas.

## **2. PIOJOS PÚBLICOS (LADILLAS)**

Los piojos púbicos (ladillas) pueden adquirirse por contacto sexual.

Compañeros sexuales deben ser tratados simultáneamente para evitar contagios.

Los piojos son muy pequeños y parecen puntos cafés o grises sobre la piel.

Piojos púbicos producen picazón muy intensa y ponen huevos muy pequeños (liendres) en los mechones de pelo cerca de la superficie de la piel.



Los piojos púbicos pueden encontrarse en los pelos cortos de las ingles, muslos, tórax y axilas, y ocasionalmente pueden encontrarse en la barba, párpados y bigote.

Desinfecte la ropa interior lavándola en lavadora con agua caliente [a una temperatura de más de 54 C (130 F)], y secándola luego en la secadora a la temperatura más alta durante un mínimo de 20 minutos.

### **3. PIOJOS DE CUERPO**

Los piojos de cuerpo (y sus liendres) son generalmente encontrados en los dobladillos de la ropa, particularmente en el elástico de la cintura o en la zona de la axila.

Las liendres del cuerpo se alimentan de la piel y luego retornan a la ropa para depositar sus huevos (liendres).

Desinfecte la ropa lavándola en la lavadora en agua caliente [a una temperatura de más de 54 C (130 F)], y luego use el ciclo más caliente de la secadora por más caliente de la secadora por más de 20 minutos.

No selle la ropa dentro de una bolsa de plástico debido a que los huevecillos (liendres) pueden permanecer en estado inactivo durante un período de hasta 30 días.

**Guarde las instrucciones para futuras referencias.**

**AGÍTESE MUY BIEN ANTES DE USAR**

#### **Principal Display Panel**

GoodSense

Maximum Strength

Complete Lice Treatment Kit

Compare to RID® Lice Killing Shampoo Active Ingredients

Eliminates Lice from Your Home & Family

Safely, Effectively, and Fast

Kills head lice, pubic (crab) lice, and body lice

Shampoo 4 fl oz (118 mL)

Lice Spray Net Wt. 5 oz (142 g)

Combing Spray 2 fl oz (59 mL)

1 Metal Lice Comb

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

See back and side panels for additional information

**Lice Killing Shampoo**

**Drug Facts (continued)**

- For head lice, part hair into sections. Do one section at a time starting on top of head. Longer hair may take 1 to 2 hours.
- Rinse hair with water. Shampoo hair for 2 to 3 minutes.
- If hair is 2 to 3 inches wide strand of hair, place comb as close to scalp as possible and comb with a firm, even motion away from scalp.
- Comb each strand of hair after combing.
- Wash comb often. Wash into away with liquid and discard in a plastic bag. Seal bag and discard to prevent lice from coming back.
- After combing, thoroughly check for lice/bits. Repeat combing if necessary.
- Check daily for any lice/bits that you missed.
- A second treatment must be done in 7 to 10 days to kill any newly hatched lice.
- If infestation continues, see a doctor for other treatments.
- Children under 2 years**, ask a doctor.

**Other Information**

- Use at normal room temperature, 20 °C to 25 °C (68 °F to 77 °F).
- Store in original container. See back for additional information.

**Inactive Ingredients**

Ingredients listed below are fragrance, PEG-20 hydrogenated castor oil, polyquaternium-10, purified water, SDS-alkali adjusted.

**Questions?** 1-800-745-9100

**Lice, Bedbug & Mite Spray**

**ACTIVE INGREDIENTS\***

Piperonyl butoxide	6.50%
Pyrethrins	25.20%
<b>TOTAL</b>	<b>100.00%</b>

\*Active ingredient list. 100% total active ingredient.

**OTHER INGREDIENTS\*\***

Pyrethrin acetate, 10, 100% total active ingredient. 100.00%

**How to Use:** See directions on back of each bottle. For lice, this should be used with shampoo for 14-20 minutes. Call poison control center or doctor for treatment advice. If eye irritation occurs, flush eyes with water for 1-2 hours. After treatment, wash hair with shampoo and rinse thoroughly. Call poison control center or doctor if eye irritation continues. If bedbug/bite symptoms, call poison control center or doctor. Do not use on children under 2 years of age or on pregnant women. See back for additional information.

**KEEP THIS PRODUCT:** away from children and pets; away from heat, open flames, and sources of ignition; in a cool, dry place. Do not use if the container is damaged or the seal is broken. See back for additional information. Do not use if the product is expired. See back for additional information.

**PRECAUTIONARY STATEMENTS**

Hazard to Humans: Irritant.

CAUTION: Hazard if inhaled through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using a toilet.

**Lice, Bedbug & Mite Spray (continued)**

**PHYSICAL OR CHEMICAL HAZARDS**

Contains under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Burnover temperature above 100 °C (212 °F) may occur heating.

**HAZARD STATEMENTS**

H315 Causes skin irritation. H335 May cause respiratory irritation.

**RECOMMENDED LABEL STATEMENTS**

Prevent eye contact. Do not breathe dust. Do not get into eyes. Wash thoroughly with soap and water. Do not use on children under 2 years of age. Do not use on pregnant women.

**Other Information**

Use at normal room temperature, 20 °C to 25 °C (68 °F to 77 °F).
- Store in original container. See back for additional information.

**Inactive Ingredients**

Ingredients listed below are fragrance, PEG-20 hydrogenated castor oil, polyquaternium-10, purified water, SDS-alkali adjusted.

**Questions?** 1-800-745-9100

**Lice & Egg Combing Spray**

**Use:** Detangles hair to make lice and egg combout easier.

**Warning:** For external use only. Keep out of the reach of children. Avoid contact with eyes. If product gets into eyes, rinse with water.

**Directions:**

- Use AFTER shampooing with Lice Killing Shampoo and rinsing hair with water.
- Towel dry hair. Apply a small amount of Lice & Egg Combing Spray and use any white-toothed comb to remove any tangles.
- Using the enclosed professional Lice Comb, comb out the lice, eggs and nits one small section at a time.
- Use more spray as needed to detangle hair during the comb-out process.
- After you have combed the entire head, rinse hair thoroughly with warm water. Dislodge combs with hot water (120°F).
- See insert for additional comb-out instructions.

**Ingredients:**

Water, glycerol, propylene glycol, polyquaternium-20, cetyltrimethylammonium chloride, arachidonic acid, triethylamine, carboxymethyl hydroxyethylcellulose, methylparaben, hydroxyphenylacetone, fragrance.

**Important note:** To the extent permitted by applicable State law, Bayer assures all users of use, storage or handling of this material not in strict accordance with directions given herein.

**Caution:** Do not use on children under 2 years of age.

**Keep this out of reach of children.**

**MADE IN THE USA**

Manufactured for: Perrigo Direct, Inc.  
Parsippany, NJ 07054  
www.PerrigoDirect.com  
24927-274200

GoodSense® is a registered trademark of L. Perrigo Company.

**Distributed by:**  
Perrigo Ltd.  
2015W Kline Rd.  
Shrewsbury, MA 01545



**PAPER BOX**

**Batch Code:** Exp Date:

**Lice Killing Shampoo**

**Drug Facts**

Active Ingredients	Purposes
Piperonyl butoxide 4%.....	Lice Treatment
Pyrethrins extract (equivalent to 0.33% pyrethrins).....	Lice Treatment

**Use:** treats head, pubic lice, and body lice

**Warnings**

For external use only

**Do not use**

- near eyes
- inside nose, mouth, or vagina
- on face in eyes or eyebrows. See a doctor if lice are present in those areas.

**Ask a doctor before use if you are**

- pregnant or nursing. May cause breathing difficulty or an asthma attack.

**When using this product**

- keep eyes tightly closed and protect eyes with a washcloth or towel
- if product gets in eyes, flush with water right away
- skin itching or redness may occur

**Stop use and ask a doctor if**

- irritation occurs
- eye irritation occurs
- skin or scalp irritation continues or reoccurs

**Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-232-2222) right away.**

**Directions**

- Important:** Read warnings before use
- Adults and children 2 years and over:**
  - check each household member with a magnifying glass or bright light for lice/bite eggs
  - look for tiny nits, near scalp, beginning at back of neck and behind ears
  - combed strands of hair at a time
  - use a fine-tooth or special lice/knit comb. Remove any remaining nits by hand using a fine-toothed comb.
- Infants and children under 2 years:**
  - comb hair thoroughly to dry hair or other affected area. For head lice, first apply behind ears and to back of neck.
  - use product to remain for 10 minutes, but no longer than 15 minutes until hair is better shampoo, then thoroughly rinse
- Remove lice and their eggs (nits):**
  - use a fine-tooth or special lice/knit comb. Remove any remaining nits by hand using a fine-toothed comb.
  - hair should remain gently damp while removing nits
  - hair clips during combing, dampen slightly with water



**Step 1: Lice Killing Shampoo**  
• Shampoo kills head, pubic (crab) and body lice

**Step 2: Combing Spray**  
• Hair spray & comb gently remove lice eggs & nits

**Step 3: Lice, Bedbug & Mite Spray**  
• Spray kills lice, bedbugs and mites on bedding & furniture

**GOODSENSE®**

**Maximum Strength**

# Complete Lice Treatment Kit

**Eliminates Lice From Your Home & Family Safely, Effectively and Fast**

**Kills Head Lice, Pubic (Crab) Lice, and Body Lice**

**4 Piece Kit Includes:**

- Lice Treatment Shampoo: 4 fl oz (118 mL)
- Lice, Bedbug & Mite Spray: Net Wt. 5oz (142 g)
- Combing Spray: 2 fl oz (59 mL)
- 1 Metal Lice Comb

**Compare to active ingredients of RID® Lice Killing Shampoo\***

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

See back and side panels for additional information.

# GOODSENSE COMPLETE LICE TREATMENT KIT

piperonyl butoxide, pyrethrum extract kit

Product Information	
<b>Product Type</b>	HUMAN OTC DRUG
<b>Item Code (Source)</b>	NDC:50804-255

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50804-255-01	1 in 1 CARTON; Type 0: Not a Combination Product	10/01/2023	

Quantity of Parts		
Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	118 mL
Part 2	1 BOTTLE, SPRAY	59 mL

# Part 1 of 2

## GOODSENSE LICE KILLING

piperonyl butoxide, pyrethrum extract shampoo

### Product Information

<b>Item Code (Source)</b>	NDC:50804-253
<b>Route of Administration</b>	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>PIPERONYL BUTOXIDE</b> (UNII: LWK91TU9AH) (PIPERONYL BUTOXIDE - UNII:LWK91TU9AH)	PIPERONYL BUTOXIDE	4 g in 100 mL
<b>PYRETHRUM EXTRACT</b> (UNII: ZUM06L90GV) (PYRETHRUM EXTRACT - UNII:ZUM06L90GV)	PYRETHRUM EXTRACT	0.33 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>AMMONIUM LAURETH-2 SULFATE</b> (UNII: 69804Z48G6)	
<b>POLYQUATERNIUM-10 (400 MP.A.S AT 2%)</b> (UNII: HB1401PQFS)	
<b>PEG-25 HYDROGENATED CASTOR OIL</b> (UNII: 0ZNO9PJ9J)	

### Product Characteristics

<b>Color</b>	yellow	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M031	12/09/2020	

### Part 2 of 2

**COMBING SPRAY**  
hair not applicable

## Product Information

Route of Administration TOPICAL

## Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
INGR	<b>AMODIMETHICONE (800 CST)</b> (UNII: 363Z2T48P7)	
INGR	<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
INGR	<b>TRIDECETH-12</b> (UNII: YFY3KG5Y7O)	
INGR	<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
INGR	<b>CETRIMONIUM CHLORIDE</b> (UNII: UC9PE95IBP)	
INGR	<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
INGR	<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
INGR	<b>METHYLCHLOROISOTHIAZOLINONE/METHYLISOTHIAZOLINONE MIXTURE</b> (UNII: 15O9QS218W)	
INGR	<b>WATER</b> (UNII: 059QF0KO0R)	

## Product Characteristics

Color	white (Milky white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic			

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M031	10/01/2023	

**Labeler** - Perrigo Direct, LLC (076059836)

**Registrant** - Weeks & Leo Co., Inc. (005290028)

**Establishment**

Name	Address	ID/FEI	Business Operations
WEEKS & LEO COMPANY, INC.		005290028	manufacture(50804-255)

Revised: 12/2023

Perrigo Direct, LLC