

NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - LIGHT 10- salicylic acid cream

NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - BUFF 09- salicylic acid cream

NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - FAIR 05- salicylic acid cream

NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - MEDIUM 15- salicylic acid cream

Johnson & Johnson Consumer Inc.

Neutrogena Skin Clearing Blemish Concealer - Fair 05

Neutrogena Skin Clearing Blemish Concealer - Buff 09

Neutrogena Skin Clearing Blemish Concealer - Light 10

Neutrogena Skin Clearing Blemish Concealer - Medium 15

Drug Facts

Active ingredient

Salicylic Acid 0.5%

Purpose

Acne medication

Use

For the treatment of acne.

Warnings

For external use only.

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- if eye contact occurs, flush thoroughly with water.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- cleanse skin thoroughly before applying this product.
- cover the entire affected area with a thin layer one to three times daily

- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Other Information

Store at room temperature.

Inactive ingredients

water, cyclopentasiloxane, dimethicone, kaolin, cyclomethicone, VP/hexadecene copolymer, synthetic Wax, cetyl PEG/PPG-10/1 dimethicone, trisiloxane, BIS-PEG/PPG-14/14 dimethicone, cyclohexasiloxane, butylene Glycol, silica, phenoxyethanol, boron nitride, polysilicone-11, quaternium-90 bentonite, sodium chloride, magnesium sulfate, propylene glycol, methylparaben, farnesol, chamomilla recutita (matricaria) flower extract, propylene carbonate, triethoxycaprylylsilane, propylparaben, aloe barbadensis leaf juice, polymethyl methacrylate, tocopheryl acetate, cocamidopropyl PG-dimonium chloride phosphate, cetyl lactate, C12-15 alkyl lactate, benzalkonium chloride, retinyl palmitate, pantothenic acid, ascorbic Acid May Contain: titanium dioxide, iron oxides

Questions?

Call toll-free **800-480-4812** or **215-273-8755** (collect) or visit www.neutrogena.com

Distributed by:

JOHNSON & JOHNSON

CONSUMER INC.

Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 1.4 g Applicator Blister Pack - Fair 05

FAIR

05

SkinClearing

blemish concealer

Don't just

cover up.


Clear up!

powered by

MICROCLEAR[®]

-----technology-----

Blemish
treatment
with
Salicylic
Acid
Conceals
and treats
blemishes
Natural-
looking
coverage
Neutrogena[®]
NET WT
0.05 OZ.
(1.4g)



PRINCIPAL DISPLAY PANEL - 1.4 g Applicator Blister Pack - Buff 09

BUFF

09

SkinClearing

blemish concealer

Don't just

cover up.

Clear up!

powered by

MICROCLEAR[®]

-----technology-----

Blemish

treatment

with

Salicylic

Acid

Conceals

and treats

blemishes

Natural-

looking

coverage

Neutrogena[®]

NET WT

0.05 OZ.

(1.4g)



PRINCIPAL DISPLAY PANEL - 1.4 g Applicator Blister Pack - Light 10

LIGHT
10
SkinClearing
blemish concealer
Don't just

cover up.

Clear up!

powered by

MICROCLEAR[®]

-----technology-----

Blemish

treatment

with

Salicylic

Acid

Conceals

and treats

blemishes

Natural-

looking

coverage

Neutrogena[®]

NET WT

0.05 OZ.

(1.4g)



Drug Facts	
Active ingredient	Purpose
Salicylic Acid 0.5%	Acne medication

Use For the treatment of acne.

Warnings
For external use only.
When using this product • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • if eye contact occurs, flush thoroughly with water.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.


Directions • cleanse skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Other information Store at room temperature.

Inactive ingredients water, cyclopentasiloxane, dimethicone, kaolin, cyclomethicone, VP/hexadecene copolymer, synthetic wax, cetyl PEG/PPG-10/1 dimethicone, trisiloxane, BIS-PEG/PPG-14/14 dimethicone, cyclohexasiloxane, butylene glycol, silica, phenoxyethanol, boron nitride, polysilicone-11, quaternium-90 bentonite, sodium chloride, magnesium sulfate, propylene glycol, methylparaben, farnesol, chamomilla recutita (matricaria) flower extract, propylene carbonate, triethoxycaprylsilane, propylparaben, aloe barbadensis leaf juice, polymethyl methacrylate, tocopheryl acetate, cocamidopropyl PG-dimonium chloride phosphate, cetyl lactate, C12-15 alkyl lactate, benzalkonium chloride, retinyl palmitate, pantothenic acid, ascorbic acid **May Contain:** titanium dioxide, iron oxides

Questions? Call toll-free 800-480-4812 or 215-273-8755 (collect) or visit www.neutrogena.com

Distributed by:
JOHNSON & JOHNSON CONSUMER INC.
 Skillman, NJ 08558 © J&JCI 2022
 Pat. www.jjcpats.com 30053190



PRINCIPAL DISPLAY PANEL - 1.4 g Applicator Blister Pack - Medium 15

MEDIUM
 15
 SkinClearing
 blemish concealer
 Don't just

cover up.

Clear up!

powered by

MICROCLEAR[®]

-----technology-----

Blemish

treatment

with

Salicylic

Acid

Conceals

and treats

blemishes

Natural-

looking

coverage

Neutrogena[®]

NET WT

0.05 OZ.

(1.4g)

MEDIUM
15

SkinClearing
blemish concealer

Don't just
cover up.
Clear up!

powered by
MICROCLEAR[®]
technology

Neutrogena[®]

Blemish
treatment
with
Salicylic
Acid

Conceals
and treats
blemishes

Natural-
looking
coverage

NET WT
0.05 OZ.
(1.4g)

Neutrogena SkinClearing[®]
blemish concealer

- Formula with MICROCLEAR[®] technology rapidly cuts through oil for fast acne relief
- Non-irritating. Won't clog pores

Application Tips: Before use, turn bottom of pen until concealer dispenses (first use may require several turns). Use sponge tip to gently apply concealer. Cover blemish and blend outwards for seamless coverage. Avoid eye area.

Drug Facts

Active ingredient	Purpose
Salicylic Acid 0.5%	Acne medication

Use For the treatment of acne.

Warnings

For external use only.

When using this product • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • if eye contact occurs, flush thoroughly with water.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • cleanse skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day.


Other information Store at room temperature.

Inactive ingredients water, cyclopentasiloxane, dimethicone, kaolin, cyclomethicone, VP/hexadecene copolymer, synthetic wax, cetyl PEG/PPG-10/1 dimethicone, trisiloxane, BIS-PEG/PPG-14/14 dimethicone, cyclohexasiloxane, butylene glycol, silica, phenoxyethanol, boron nitride, polysilicone-11, quaternium-90 bentonite, sodium chloride, magnesium sulfate, propylene glycol, methylparaben, farnesol, chamomilla recutita (matricaria) flower extract, propylene carbonate, triethoxycaprylylsilane, propylparaben, aloe barbadensis leaf juice, polymethyl methacrylate, tocopheryl acetate, cocamidopropyl PG-dimonium chloride phosphate, cetyl lactate, C12-15 alkyl lactate, benzalkonium chloride, retinyl palmitate, pantothenic acid, ascorbic acid
May Contain: titanium dioxide, iron oxides

Questions? Call toll-free
800-480-4812 or 215-273-8755
(collect) or visit www.neutrogena.com

Distributed by:
JOHNSON & JOHNSON CONSUMER INC.
Skillman, NJ 08558 © J&JCI 2022
Pat. www.jjciipats.com

30053191



NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - LIGHT 10

salicylic acid cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0805
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	5 mg	in 1 g
Inactive Ingredients				
	Ingredient Name		Strength	
	WATER (UNII: 059QF0KO0R)			
	VINYLPYRROLIDONE/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9)			
	PHENOXYETHANOL (UNII: HIE492ZZ3T)			
	VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)			
	ASCORBIC ACID (UNII: PQ6CK8PD0R)			
	BORON NITRIDE (UNII: 2U4T60A6YD)			
	ALOE VERA LEAF (UNII: ZY81Z83H0X)			
	TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			
	ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)			
	COCAMIDOPROPYL PG-DIMONIUM CHLORIDE PHOSPHATE (UNII: H2KVQ74JM4)			
	CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)			
	DIMETHICONE (UNII: 92RU3N3Y1O)			
	CYCLOMETHICONE (UNII: NMQ347994Z)			
	POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)			
	CETYL LACTATE (UNII: A7EVH2RK4O)			
	BIS-PEG/PPG-14/14 DIMETHICONE (UNII: X2I70H0QJE)			
	SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
	DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)			
	PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
	METHYLPARABEN (UNII: A2I8C7HI9T)			
	CHAMOMILE (UNII: FGL3685T2X)			
	TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)			
	C12-15 ALKYL LACTATE (UNII: GC844VRD7E)			
	FERROUS OXIDE (UNII: G7036X8B5H)			
	FARNESOL (UNII: EB41QIU6JL)			
	KAOLIN (UNII: 24H4NWX5CO)			
	CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)			
	BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)			
	CYCLOMETHICONE 6 (UNII: XHK3U310BA)			
	MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)			
	TRISILOXANE (UNII: 9G1ZW13R0G)			
	SODIUM CHLORIDE (UNII: 451W47IQ8X)			
	QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)			
	PROPYLENE CARBONATE (UNII: 8D08K3S51E)			
	PROPYLPARABEN (UNII: Z8IX2SC1OH)			
	PANTOTHENIC ACID (UNII: 19F5HK2737)			
	BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:60068			

1	NDC:69968-0805-1	1.4 in 1 BLISTER PACK	12/22/2023	
1		1.4 g in 1 APPLICATOR; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	12/22/2023	

NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - BUFF 09			
salicylic acid cream			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0811
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	5 mg in 1 g	
Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
VINYLPYRROLIDONE/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9)			
PHENOXYETHANOL (UNII: HIE492ZZ3T)			
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)			
ASCORBIC ACID (UNII: PQ6CK8PD0R)			
BORON NITRIDE (UNII: 2U4T60A6YD)			
ALOE VERA LEAF (UNII: ZY81Z83H0X)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)			
COCAMIDOPROPYL PG-DIMONIUM CHLORIDE PHOSPHATE (UNII: H2KVQ74JM4)			
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)			
DIMETHICONE (UNII: 92RU3N3Y1O)			
CYCLOMETHICONE (UNII: NMQ347994Z)			
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)			
CETYL LACTATE (UNII: A7EVH2RK4O)			
BIS-PEG/PPG-14/14 DIMETHICONE (UNII: X2I70H0QJE)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
METHYLPARABEN (UNII: A2I8C7HI9T)			
CHAMOMILE (UNII: FGL3685T2X)			

TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
C12-15 ALKYL LACTATE (UNII: GC844VRD7E)
FERROUS OXIDE (UNII: G7036X8B5H)
FARNESOL (UNII: EB41QIU6JL)
KAOLIN (UNII: 24H4NWX5CO)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)
TRISILOXANE (UNII: 9G1ZW13R0G)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
PROPYLPARABEN (UNII: Z8IX2SC1OH)
PANTOTHENIC ACID (UNII: 19F5HK2737)
BUTYLENE GLYCOL (UNII: 3XUS85KORA)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0811-1	1.4 in 1 BLISTER PACK	12/22/2023	
1		1.4 g in 1 APPLICATOR; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	12/22/2023	

NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - FAIR 05

salicylic acid cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0810
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	5 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength

WATER (UNII: 059QF0KO0R)	
VINYLPYRROLIDONE/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CHAMOMILE (UNII: FGL3685T2X)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
COCAMIDOPROPYL PG-DIMONIUM CHLORIDE PHOSPHATE (UNII: H2KVQ74JM4)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
CETYL LACTATE (UNII: A7EVH2RK4O)	
BIS-PEG/PPG-14/14 DIMETHICONE (UNII: X2I70H0QJE)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
C12-15 ALKYL LACTATE (UNII: GC844VRD7E)	
FERROUS OXIDE (UNII: G7036X8B5H)	
PANTOTHENIC ACID (UNII: 19F5HK2737)	
FARNESOL (UNII: EB41QIU6JL)	
KAOLIN (UNII: 24H4NWX5CO)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0810-1	1.4 in 1 BLISTER PACK	12/22/2023	
1		1.4 g in 1 APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M006	12/22/2023	

NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - MEDIUM 15

salicylic acid cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0812
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
VINYLPYRROLIDONE/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
COCAMIDOPROPYL PG-DIMONIUM CHLORIDE PHOSPHATE (UNII: H2KVQ74JM4)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
CETYL LACTATE (UNII: A7EVH2RK4O)	
BIS-PEG/PPG-14/14 DIMETHICONE (UNII: X2I70H0QJE)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CHAMOMILE (UNII: FGL3685T2X)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
C12-15 ALKYL LACTATE (UNII: GC844VRD7E)	
FERROUS OXIDE (UNII: G7036X8B5H)	
FARNESOL (UNII: EB41QIU6JL)	
KAOLIN (UNII: 24H4NWX5CO)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	

MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)

TRISILOXANE (UNII: 9G1ZW13R0G)

SODIUM CHLORIDE (UNII: 451W47IQ8X)

QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)

PROPYLENE CARBONATE (UNII: 8D08K3S51E)

PROPYLPARABEN (UNII: Z8IX2SC1OH)

PANTOTHENIC ACID (UNII: 19F5HK2737)

BUTYLENE GLYCOL (UNII: 3XUS85K0RA)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0812-1	1.4 in 1 BLISTER PACK	12/22/2023	
1		1.4 g in 1 APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	12/22/2023	

Labeler - Johnson & Johnson Consumer Inc. (118772437)

Revised: 12/2023

Johnson & Johnson Consumer Inc.