

BANANA BOAT- avobenzone, homosalate, octisalate, octocrylene aerosol, spray

Edgewell Personal Care Brands LLC

Active Ingredients

Avobenzone 3.0%, Homosalate 9.0%, Octisalate 4.5%, Octocrylene 6.0%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Flammable: Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. **Intentional misuse** by deliberately concentrating and inhaling the contents can be harmful or fatal.

May stain some fabrics.

Do not use

on damaged or broken skin.

When using this product

• Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• Shake well • hold container 4 to 6 inches from the skin to apply • spray liberally and spread evenly by hand 15 minutes before sun exposure • do not spray directly into

face. Spray on hands then apply to face • do not apply in windy conditions • use in well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor

Inactive Ingredients:

Water, Isobutane, Isohexadecane, C12-15 Alkyl Benzoate, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, Myrica Cerifera (Bayberry) Fruit Wax, Ethylhexyl Methoxycrylene, Sodium Chloride, Glycerin, Phenoxyethanol, Caprylyl Glycol, Sodium Citrate.

Other Information

- protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

Principal Display Panel

BANANA
BOAT®
KIDS
SPORT
SUNSCREEN LOTION SPRAY
UVA/UVB BROAD SPECTRUM SPF 50+
50+
PROTECTS
FROM UP TO 98%
OF BURNING RAYS
tear free
Water Resistant
(80 Minutes)
SHAKE WELL BEFORE USE
NET WT 6 OZ. (170 g)



PROTECTS FROM UP TO 98% OF BURNING RAYS

tear free

Water Resistant (80 Minutes)

SHAKE WELL BEFORE USE

NET WT 6 OZ. (170 g)

SUN SAFETY DIRECTIONS

 Apply Liberally
 Wait 15 min.
 2 HR.
 Cover Up!

SHAKE WELL BEFORE USE About 4 applications per 170g can

Drug Facts

Active Ingredients	Purpose
Avobenzone 3.0%, Homosalate 9.0%, Octisalate 4.5%, Octocrylene 6.0%	Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.

Flammable: Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use on damaged or broken skin.

When using this product: • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
May stain some fabrics.

Directions

■ Shake well ■ hold container 4 to 6 inches from the skin to apply ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ do not spray directly into face. Spray on hands then apply to face ■ do not apply in windy conditions ■ use in well-ventilated area ■ reapply: • after 90 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients: Water, Isobutane, Isohexadecane, C12-15 Alkyl Benzoate, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, Myrica Cerifera (Bayberry) Fruit Wax, Ethylhexyl Methoxycrylene, Sodium Chloride, Glycerin, Phenoxyethanol, Caprylyl Glycol, Sodium Citrate.

Other Information
■ protect this product from excessive heat and direct sun

Questions or comments?
Call 1-800-SafeSun, Mon-Fri

Distributed by:
EDGEWELL PERSONAL CARE BRANDS, LLC
Shelton, CT 06484
www.bananaboat.com
© 2023 Edgewell.



93041358 DOT 2Q M5655



0 79656 01806 6

BONUS
33% MORE
8 OZ
VS
6 OZ
BANANA
BOAT®
KIDS
SPORT
SUNSCREEN LOTION SPRAY
UVA/UVB BROAD SPECTRUM SPF 50+
50+

PROTECTS
 FROM UP TO 98%
 OF BURNING RAYS
 tear free
 Water Resistant
 (80 Minutes)
 SHAKE WELL BEFORE USE
 NET WT 8 OZ. (227 g)

BONUS 33% MORE
 8 OZ VS 6 OZ

BANANA BOAT
 Kids Sport

SUNSCREEN LOTION SPRAY
 UVA/UVB BROAD SPECTRUM SPF 50+

50+

PROTECTS FROM UP TO 98% OF BURNING RAYS

tear free

Water Resistant (80 Minutes)

SHAKE WELL BEFORE USE

NET WT 8 OZ. (227 g)

SUN SAFETY DIRECTIONS

Apply Liberally
 SHAKE WELL BEFORE USE

Wait 15 min.

2 HR.
 Reapply
 About 4 applications per 170g can

Cover Up!

Drug Facts

Active Ingredients	Purpose
Avobenzone 3.0%, Homosalate 9.0%, Octisalate 4.5%, Octocrylene 6.0%	Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
 For external use only.
 Flammable: Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition – No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
 Do not use on damaged or broken skin.
 When using this product • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.
 Stop use and ask a doctor if rash occurs.
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
 May stain some fabrics.

Directions
 ■ Shake well ■ hold container 4 to 6 inches from the skin to apply ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ do not spray directly into face. Spray on hands then apply to face ■ do not apply in windy conditions ■ use in well-ventilated area ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive ingredients: Water, Isobutane, Isohexadecane, C12-15 Alkyl Benzate, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, Myrica Cerifera (Bayberry) Fruit Wax, Ethylhexyl Methoxycrylene, Sodium Chloride, Glycerin, Phenoxyethanol, Caprylyl Glycol, Sodium Citrate.

Other Information
 ■ protect this product from excessive heat and direct sun

Questions or comments?
 Call 1-800-SafeSun, Mon-Fri

Distributed by:
 EDGEWELL PERSONAL CARE BRANDS, LLC
 Shelton, CT 06484
 www.bananaboat.com
 © 2023 Edgewell.

0 179656 02052 6

93041356
DOT 20 M5655

55%
 MORE
 FAMILY SIZE!
 9.5OZ VS 6OZ
 BANANA

BOAT®
KIDS
SPORT
SUNSCREEN LOTION SPRAY
UVA/UVB BROAD SPECTRUM SPF 50+
50+
PROTECTS
FROM UP TO 98%
OF BURNING RAYS
tear free
Water Resistant
(80 Minutes)
SHAKE WELL BEFORE USE
NET WT 9.5 OZ. (269 g)

**55%
MORE
FAMILY SIZE!**
9.5 OZ VS 6 OZ

**55%
MORE
FAMILY SIZE!**
9.5 OZ VS 6 OZ



**PROTECTS
FROM UP TO 98%
OF BURNING RAYS**

tear free

Water Resistant
(80 Minutes)

SHAKE WELL BEFORE USE

NET WT 9.5 OZ. (269 g)

SUN SAFETY DIRECTIONS



Apply Liberally
SHAKE WELL BEFORE USE



Wait 15 min.
SHAKE WELL BEFORE USE



2 HR.
Reapply
About 4 applications per 170g can



Cover Up!

Drug Facts

Active Ingredients	Purpose
Avoberzone 3.0%, Homosalate 8.0%, Octisalate 4.5%, Octocrylene 6.0%.....	Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Flammable: Contents under pressure. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use on damaged or broken skin.

When using this product • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
May stain some fabrics.

Directions

■ Shake well ■ hold container 4 to 6 inches from the skin to apply ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ do not spray directly into face. Spray on hands then apply to face ■ do not apply in windy conditions ■ use in well-ventilated area ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive ingredients: Water, Isobutane, Isodecane, C12-15 Alkyl Benzoate, Cetyl PEGPPG-10/1 Dimethicone, Lauryl PEG-9 Dimethicone, Myrica Cerifera (Bayberry) Fruit Wax, Ethylhexyl Methoxycrylene, Sodium Chloride, Glycerin, Phenoxethanol, Caprylyl Glycol, Sodium Citrate.

Other Information

■ protect this product from excessive heat and direct sun

Questions or comments?


Call 1-800-SafeSun, Mon-Fri

Distributed by:
EDGEWELL PERSONAL
CARE BRANDS, LLC
Shelton, CT 06484
www.bananaboat.com
© 2023 Edgewell.



93041355

DOT 2Q M5655



BUY 2 & SAVE!
BANANA
BOAT®
KIDS
SPORT
SUNSCREEN LOTION SPRAY

UVA/UVB BROAD SPECTRUM SPF 50+
 50+
 PROTECTS
 FROM UP TO 98%
 OF BURNING RAYS
 tear free
 Water Resistant
 (80 Minutes)
 SHAKE WELL BEFORE USE
 2 - 6 OZ. (170 g) CANS TOTAL NET WT. 12 OZ. (340 g)

BUY 2 & SAVE!
BUY 2 & SAVE!



BANANA BOAT
KIDS SPORT
 SUNSCREEN LOTION SPRAY
 UVA/UVB BROAD SPECTRUM SPF 50+
50+
PROTECTS FROM UP TO 98% OF BURNING RAYS
 tear free
 Water Resistant (80 Minutes)
 SHAKE WELL BEFORE USE
 2 - 6 OZ. (170 g) CANS TOTAL NET WT. 12 OZ. (340 g)

SUN SAFETY DIRECTIONS

Apply Liberally Wait 15 min. SHAKE WELL BEFORE USE
 Reapply About 4 applica Cover Up! or 170g can

Drug Facts

Active Ingredients
 Avobenzone 3.0%, Homosalate 9.0%, Octisalate 4.0%, Octocrylene 6.0% Purpose Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
 For external use only.
 Flammable: Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
 Do not use on damaged or broken skin.
 When using this product • keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.
 Stop use and ask a doctor if rash occurs.
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
 May stain some fabrics.

Directions
 ■ Shake well ■ hold container 4 to 6 inches from the skin to apply ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ do not spray directly into face. Spray on hands then apply to face ■ do not apply in windy conditions ■ use in well-ventilated area ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Other Information
 ■ protect this product from excessive heat and direct sun

Questions or comments? Call 1-800-SafeSun, Mon-Fri

Distributed by:
 EDGEWELL PERSONAL
 CARE BRANDS, LLC
 Shelton, CT 06484
 www.bananaboat.com
 © 2023 Edgewell.

Edgewell™



0 79656 02560 6
 93041393

BANANA BOAT

avobenzone, homosalate, octisalate, octocrylene aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63354-841
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	9 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	3 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	6 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
LAURYL PEG-8 DIMETHICONE (300 CPS) (UNII: ELL2U7K8T8)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
MYRICA CERIFERA FRUIT WAX (UNII: L41B20QT0M)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ISOBUTANE (UNII: BXR49TP611)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63354-841-34	170 g in 1 CAN; Type 0: Not a Combination Product	01/01/2024	
2	NDC:63354-841-36	227 g in 1 CAN; Type 0: Not a Combination Product	04/01/2024	
3	NDC:63354-841-37	269 g in 1 CAN; Type 0: Not a Combination Product	05/01/2024	
4	NDC:63354-841-38	340 g in 1 CAN; Type 0: Not a Combination Product	01/01/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2024	

Labeler - Edgewell Personal Care Brands LLC (151179769)

Revised: 12/2023

Edgewell Personal Care Brands LLC