

**ALUMINUM HYDROXIDE, MAGNESIUM HYDROXIDE AND SIMETHICONE  
SUSPENSION MAXIMUM STRENGTH- aluminum hydroxide, magnesium  
hydroxide, and simethicone suspension  
ALUMINUM HYDROXIDE, MAGNESIUM HYDROXIDE AND SIMETHICONE  
SUSPENSION- aluminum hydroxide, magnesium hydroxide, and  
simethicone suspension  
MAJOR® PHARMACEUTICALS**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Magnesium Hydroxide, Aluminum Hydroxide and Simethicone Suspension  
1,200-1,200-120 mg/30 mL,  
Magnesium Hydroxide, Aluminum Hydroxide and Simethicone Suspension  
Maximum Strength 2,400-2,400-240 mg/30 mL**

***Drug Facts***

**1,200-1,200-120 mg/30 mL**

***Active ingredients (in each 30 mL)***

***Purpose***

Aluminum hydroxide 1,200 mg (equivalent to dried gel, USP).....Antacid  
Magnesium hydroxide 1,200 mg.....Antacid  
Simethicone 120 mg.....Antigas

**2,400-2,400-240 mg/30 mL**

***Active ingredient (in each 30 mL)***

***Purpose***

Aluminum hydroxide 2,400 mg (equivalent to dried gel, USP).....Antacid  
Magnesium hydroxide 2,400 mg.....Antacid  
Simethicone 240 mg.....Antigas

**Uses**relieves • heartburn • sour stomach • acid indigestion • the symptoms referred to as gas

***Warnings***

**Ask a doctor before use if you have** • kidney disease • a magnesium restricted diet

**Ask a doctor or pharmacist before use if you are** taking another medication. This product may interact with certain medications.

**Stop use and ask a doctor if** symptoms last more than 2 weeks

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Directions • shake well before use**

**1,200-1,200-120 mg/30 mL**

<b>age</b>	<b>dose</b>
Adults and children 12 years and older	30mL, not more than 120 mL in 24 hrs
Children under 6 years of age	Do not use unless directed by a doctor

**2,400-2,400-240 mg/30 mL**

<b>age</b>	<b>dose</b>
Adults and children 12 years and older	30mL, not more than 60 mL in 24 hrs
Children under 6 years of age	Do not use unless directed by a doctor

**Other information**

**1,200-1,200-120 mg/30 mL**

- **each 30 mL contains** magnesium 510 mg and sodium 18 mg
- protect from freezing
- store at 20° to 25°C (68° to 77°F).
- do not use if lid seal is open or damaged
- retain this insert for full product information

**2,400-2,400-240 mg/30 mL**

- **each 30 mL contains** magnesium 990 mg, sodium 30 mg
- store at 20° to 25°C (68° to 77°F).
- protect from freezing
- do not use if lid seal is open or damaged
- retain this insert for full product information

**Inactive ingredients** benzyl alcohol, butylparaben, carboxy-methylcellulose sodium, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

**Questions or comments?** (855) 879-4368

**Distributed by:**

MAJOR® PHARMACEUTICALS  
Indianapolis, IN 46268

**(800) 616-2471**

Rev. 06/23

**PACKAGE LABEL.PRINCIPAL DISPLAY PANEL**

MAJOR®

NDC 0904-7325-62

Each 30 mL Contains:

Magnesium hydroxide 1,200 mg

Aluminum hydroxide 1,200 mg

Simethicone 120 mg


SHAKE WELL

Delivers 30 mL • See insert

For Institutional Use Only

MAJOR® PHARMACEUTICALS

Indianapolis, IN 46268



**PACKAGE LABEL.PRINCIPAL DISPLAY PANEL**

MAJOR®

NDC 0904-7326-62

Each 30 mL Contains:

Magnesium hydroxide 2,400 mg

Aluminum hydroxide 2,400 mg

Simethicone 240 mg


SHAKE WELL

Delivers 30 mL • See insert

For Institutional Use Only

MAJOR® PHARMACEUTICALS

Indianapolis, IN 46268



## ALUMINUM HYDROXIDE, MAGNESIUM HYDROXIDE AND SIMETHICONE SUSPENSION MAXIMUM STRENGTH

aluminum hydroxide, magnesium hydroxide, and simethicone suspension

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0904-7326
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	240 mg in 30 mL
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	2400 mg in 30 mL

<b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	2400 mg in 30 mL
---	---------------------	------------------

Inactive Ingredients	
Ingredient Name	Strength
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>BUTYLPARABEN</b> (UNII: 3QPI1U3FV8)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL SOLUTION</b> (UNII: 8KW3E207O2)	

Product Characteristics			
<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-7326-73	10 in 1 CASE	08/01/2023	
1		10 in 1 TRAY		
1	NDC:0904-7326-62	30 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	08/01/2023	

## ALUMINUM HYDROXIDE, MAGNESIUM HYDROXIDE AND SIMETHICONE SUSPENSION

aluminum hydroxide, magnesium hydroxide, and simethicone suspension

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0904-7325
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	1200 mg in 30 mL
<b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 30 mL
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	120 mg in 30 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>BUTYLPARABEN</b> (UNII: 3QPI1U3FV8)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL SOLUTION</b> (UNII: 8KW3E207O2)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	MINT	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-7325-73	10 in 1 CASE	08/01/2023	
1		10 in 1 TRAY		
1	NDC:0904-7325-62	30 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	07/05/2023	

**Labeler** - MAJOR® PHARMACEUTICALS (191427277)

