

REMIXDIL HAIR REGROWTH TREATMENT FOR WOMEN- minoxidil 2% solution

Rida LLC

Minoxidil 2% w/v

USE

Use to regrow hair on the scalp

Hair regrowth treatment

For external use only.

Flammable: Keep away from fire or flame.

Do not use if:

- Your degree of hair loss is different than shown on the side of this carton, because this product may not work for you
- You have no family history of hair loss
- Your hair loss is sudden and/or patchy
- Your hair loss is associated with childbirth
- You do not know the reason for your hair loss
- You are under 18 years of age. Do not use on babies or children
- Your scalp is red, inflamed, infected, irritated, or painful
- You use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- Do not apply on other parts of the body
- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water
- Some people have experienced changes in hair color and/or texture
- It takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- The amount of hair regrowth is different for each person. This product will not work for everyone.

Stop use and ask a doctor if

- Chest pain, rapid heart beat, faintness, or dizziness occurs. Sudden, unexplained weight gain occurs
- Your hands or feet swell
- Scalp irritation or redness occurs
- You get unwanted facial hair growth
- You do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

- apply 1mL with dropper 2 times a day directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

OTHER INFORMATION

- See hair loss pictures on the side of this carton
- Before use, read all information on carton and enclosed leaflet
- Keep the carton. It contains important information
- In clinical studies of mostly white women aged 18-45 years with moderate degrees of hair loss, the following responses to 2% minoxidil topical solution was reported: 19% of women reported moderate hair regrowth after using 2% minoxidil topical solution for 8 months (19% had moderate regrowth; 40% had minimal hair regrowth). This compares with the 7% of women reporting moderate hair regrowth after using a placebo, the liquid without minoxidil in it, for 8 months (7% had moderate regrowth; 33% had minimal regrowth).
- Store at controlled room temperature 20 °to 25 °C (68 °to 77 °F)

Alcohol, Propylene Glycol, Purified Water

Questions or comments? 1-800-641-8871

Visit website at www.rida-hair.com

Product label

1.625"

1.625"

3.0"

WOMEN'S
Remix/dii

2% MINOXIDIL TOPICAL SOLUTION, USP
HAIR REGROWTH TREATMENT

Drug Facts**Active ingredient**

Minoxidil 2% w/v

Purpose

hair regrowth treatment

Use to regrow hair on the scalp.**Warnings**

For external use only.

Flammable: Keep away from fire or flame.

Do not use it: • your amount of hair loss is different than that shown on the side of this carton, because this product may not work for you • you have no family history of hair loss • your hair loss is sudden and/or patchy • your hair loss is associated with childbirth • you do not know the reason for your hair loss • you are under 18 years of age. Do not use on babies and children • your scalp is red, inflamed, itchy, irritated or painful • you use other medicines on the scalp.

Ask a doctor before use if you have heart disease.

When using this product: • do not apply on other parts of the body • avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water • some people have experienced changes in hair color and/or texture • it takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results • the amount of hair regrowth is different for each person. This product will not work for all women.

Stop use and ask a doctor if:

- chest pain, rapid heartbeat, dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: • prime the sprayer by holding the bottle upright and pump the sprayer 5 times to ensure delivery of full spray. Do not inhale mist • **apply one ml with spray (5 sprays) 2 times a day** directly onto the scalp in the hair loss area • using more or more often will not improve results • continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again.

Other information: • see hair loss pictures on side of this carton • before use, read all information on carton and enclosed leaflet • keep the carton. It contains important information • In clinical studies of mostly white women aged 18-45 years with mild to moderate degrees of hair loss, the following response to 2% minoxidil topical solution was reported: 10% of women reported moderate hair regrowth after using 2% minoxidil topical solution for 6 months (6% had moderate regrowth, 4% had minimal regrowth). This compares with 7% of women reporting moderate hair regrowth after using placebo, the liquid without minoxidil in it, for 6 months (7% had moderate regrowth, 3% had minimal regrowth) • **store at USP controlled room temperature 20° to 25° (68° to 77°)**

Inactive ingredients: Alcohol, Propylene Glycol, Purified Water.**Questions or comments?** 1-800-641-8871• Visit Website at www.rhri-hair.com

WOMEN'S
Remix/dii

2% MINOXIDIL TOPICAL SOLUTION, USP
HAIR REGROWTH TREATMENT

This Package Contains

One 60 ml (2 fl.oz) Bottle of
Women's Remix/dii Extra
Strength (one-month supply).
With child-resistant sprayer
pump applicator.

Information leaflet with
complete directions on how to
use and obtain best results.
(Read enclosed leaflet before use)

Made in USA
Distributed by:
Rida LLC
9620 Towne Centre Dr.,
San Diego, CA 92121

Label part #
Rev. date

RHRI

Rida Hair Research Institute

WOMEN'S
Remix/dii

**2% Minoxidil
Topical Solution, USP**

- Reactivates Hair
Follicles to Stimulate
Regrowth
- Clinically Proven to
Help Regrow Hair

Topical Solution
Unscented

**HAIR REGROWTH
TREATMENT**

ONE MONTH SUPPLY

60 ml (2 fl.oz)

WOMEN'S
Remix/dii

2% MINOXIDIL TOPICAL SOLUTION, USP
HAIR REGROWTH TREATMENT

2% Minoxidil Topical Solution is for women who have a general thinning of hair on the top of the scalp as shown. 2% Minoxidil Topical Solution has been shown to regrow hair in women with the following degrees of thinning hair or hair loss.



If women have more hair loss than shown above, 2% Minoxidil Topical Solution may not work.



Do not use if you have patchy hair loss as shown above.





RHRI
Rida Hair Research Institute

WOMEN'S
Remixdil[®]

2% Minoxidil
Topical Solution, USP

- Reactivates Hair Follicles to Stimulate Regrowth
- Clinically Proven to Help Regrow Hair

Topical Solution
Unscented

HAIR REGROWTH TREATMENT

ONE MONTH SUPPLY

60 ml (2 fl.oz)

Read and keep carton and leaflet for full product information.

Active ingredient Minoxidil 2% w/v

Warnings
For external use only.

Flammable: Keep away from fire or flame.

Do not use if • you have no family history of hair loss • your hair loss is sudden and/or patchy • your hair loss is associated with childbirth • you do not know the reason for your hair loss • you are under 18 years of age. Do not use on babies and children. • your scalp is red, inflamed, infected, irritated, or painful • you use other medicines on the scalp

Ask a doctor before use if you have heart disease.

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply one mL with spray (6 sprays) 2 times a day directly onto the scalp in the hair loss area
- see carton and enclosed leaflet for complete directions
- using more or more often will not improve results
- continued use is necessary or hair loss will begin again

Other information
Store at Controlled Room Temperature 20° to 25°C (68° to 77°F).

Inactive Ingredients: Alcohol, Propylene Glycol, Purified Water

Questions? Call toll-free phone number 1-800-641-8871 or reach us online at www.rida-hair.com

For Best Results: Apply Directly to Scalp Twice Daily

Made in USA
Distributed by:
Rida LLC
9620 Towne Centre Dr.,
San Diego, CA 92121

Label part #

Rev. date

REMIXDIL HAIR REGROWTH TREATMENT FOR WOMEN

minoxidil 2% solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83004-009
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	2 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:83004-009			

1	NDC:83004-009-01	4 in 1 BOX	11/22/2023	
1		60 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
ANDA	ANDA078176		11/22/2023	

Labeler - Rida LLC (004425803)

Revised: 11/2023

Rida LLC