

SINUS PRESSURE AND PAIN- acetaminophen, phenylephrine hcl tablet
Family Dollar Services Inc

Family Wellness 44-502

Active ingredients (in each caplet)

Acetaminophen 325 mg
Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer
Nasal decongestant

Uses

- temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold:
 - minor aches and pains
 - nasal congestion
 - headache
 - sinus congestion and pressure
- promotes sinus drainage
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain

drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- heart disease
- thyroid disease
- diabetes
- liver disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not use more than directed**
- adults and children 12 years and over
 - take 2 caplets every 4 hours
 - do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER**

IS TORN OR BROKEN

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, FD&C yellow #6 aluminum lake, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide, stearic acid

Questions or comments?

1-800-426-9391

Principal display panel

FAMILY
Wellness™

**COMPARE TO THE
ACTIVE INGREDIENTS
IN SUDAFED PE® SINUS
PRESSURE + PAIN***

MAXIMUM STRENGTH
**SINUS
PRESSURE & PAIN**

Acetaminophen
Phenylephrine HCl
Pain Reliever/Fever Reducer
Nasal Decongestant

RELIEVES:
• Sinus Pressure & Congestion
• Sinus Headache

Pseudoephedrine free

24 CAPLETS

**NON
DROWSY**

ACTUAL SIZE

NDC 55319-702-08

**TAMPER EVIDENT: DO NOT USE IF
PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS
ANY SIGNS OF TAMPERING**

*This product is not manufactured or distributed by Kenvue Inc.,
owner of the registered trademark SUDAFED PE® SINUS

PRESSURE + PAIN.

50844 ORG082050208

DISTRIBUTED BY: MIDWOOD BRANDS LLC,
500 VOLVO PKWY, CHESAPEAKE, VA 23320 USA

NOT 100% SATISFIED?

Return within 30 days to the store of purchase
for a refund (with receipt) or exchange.

No print/No varnish
Lot & Exp date



SKU 903879

FAMILY Wellness™

MAXIMUM STRENGTH

SINUS PRESSURE & PAIN

**Acetaminophen
Phenylephrine HCl**
Pain Reliever/Fever Reducer
Nasal Decongestant

RELIEVES:

- Sinus Pressure & Congestion
- Sinus Headache

Pseudoephedrine free

24 CAPLETS



ACTUAL SIZE

NON-DROWSY

COMPARE TO THE ACTIVE INGREDIENTS IN SUDAFED PE® SINUS PRESSURE + PAIN

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

DISTRIBUTED BY: MIDWOOD BRANDS LLC,
500 VOLVO PKWY, CHESAPEAKE, VA 23320 USA

NOT 100% SATISFIED?

Return within 30 days to the store of purchase for a refund (with receipt) or exchange.

*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark SUDAFED PE® SINUS PRESSURE + PAIN.
50844 086082050208

Questions or comments? 1-800-426-9391

Drug Facts (continued)

Drug Facts (continued)
Uses ■ temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold: ■ minor aches and pains ■ nasal congestion ■ headache ■ sinus congestion and pressure ■ promotes sinus drainage ■ temporarily reduces fever
Drug Facts (continued)

Drug Facts
Active ingredients (in each caplet)
Acetaminophen 325 mg
Phenylephrine HCl 5 mg
Nasal decongestant
Purpose
Pain reliever/fever reducer

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

9-6500-502-08-N
086082050208

Drug Facts (continued)
When using this product do not exceed recommended dosage.
Stop use and ask a doctor if
■ nervousness, dizziness, or sleeplessness occur
■ pain or nasal congestion gets worse or lasts more than 7 days
■ fever gets worse or lasts more than 3 days
■ redness or swelling is present ■ new symptoms occur
These could be signs of a serious condition.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.
Directions ■ do not use more than directed
■ adults and children 12 years and over
■ take 2 caplets every 4 hours
■ do not take more than 10 caplets in 24 hours
■ children under 12 years: ask a doctor
Other information
■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
■ see end flap for expiration date and lot number
Inactive ingredients corn starch, croscarmellose sodium, croscopolone, FD&C yellow #6 aluminum lake, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide, stearic acid

Drug Facts (continued)
Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours
■ with other drugs containing acetaminophen
■ 3 or more alcoholic drinks every day while using this product
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ hives ■ rash
If a skin reaction occurs, stop use and seek medical help right away.
Do not use
■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
■ certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
■ if you have ever had an allergic reaction to this product or any of its ingredients
Ask a doctor before use if you have
■ heart disease ■ thyroid disease ■ diabetes
■ liver disease ■ high blood pressure
■ difficulty in urination due to enlargement of the prostate gland
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55319-702
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	orange	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	44;502
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-702-08	2 in 1 CARTON	01/04/2024	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/04/2024	

Labeler - Family Dollar Services Inc (024472631)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(55319-702) , pack(55319-702)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(55319-702)

Revised: 1/2024

Family Dollar Services Inc