

**NU-DERM SYSTEM NORMAL-DRY SKIN TRANSFORMATION- hydroquinone, octinoxate, and zinc oxide  
OMP, INC.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**NU-DERM® SYSTEM  
NORMAL DRY  
Skin Transformation Kit**

**Clear (Skin Bleaching and Corrector Cream) NDC 62032-101-36 Net wt. 2 oz. (57 g)  
Hydroquinone USP, 4% Rx Only AM+PM**

Dark spots may appear on the surface of your skin, but they actually start deep within the skin's layers. This gentle yet effective formula absorbs into the layers of your skin to deliver prescription-strength hydroquinone, helping to correct the appearance of age and sun spots for a healthier, more even complexion.

**Indications and usage**

The gradual bleaching of hyperpigmented skin conditions such as chloasma, melasma, freckles, senile lentigines, and other unwanted areas of melanin hyperpigmentation.

**Dosage and administration**

Use daily, in the morning and evening. Squeeze a small amount (approximately 1-2 pea-size amounts) onto your hand. Apply evenly to the entire face, extending to the hairline, over the ears, and ending with a feathering motion, or as directed by your physician. If no improvement is seen after three (3) months of treatment, use of this product should be discontinued. Sun exposure should be limited by using a sunscreen agent, a sun blocking agent, or protective clothing to cover bleached skin when using and after using this product in order to prevent darkening from reoccurring.

**Warnings**

Avoid contact with eyes, nose, mouth, and lips. In case of accidental contact, patient should rinse thoroughly with water and contact a physician. Sunscreen use is an essential aspect of hydroquinone therapy because even minimal sunlight exposure sustains melanocytic activity.

Contains sodium metabisulfite, a sulfite that may cause allergic-type reactions including anaphylactic symptoms and life-threatening or less severe asthmatic episodes in certain susceptible people. The overall prevalence of sulfite sensitivity in the general population is unknown and probably low. Sulfite sensitivity is seen more frequently in asthmatic than in nonasthmatic people.

Each gram of Obagi Nu-Derm Clear contains:

**Active ingredient**

Hydroquinone USP, 4% (40 mg/g)

**Inactive ingredients**

water, cetyl alcohol, glycerin, sodium lauryl sulfate, stearyl alcohol, lactic acid, tocopheryl acetate, ascorbic acid, sodium metabisulfite, disodium EDTA, methylparaben, BHT, propylparaben, saponins,

butylparaben

See enclosed Package Insert for full prescribing information.

Rx ONLY. FOR EXTERNAL USE ONLY.

**Blender® (Skin Lightener and Blending Cream) NDC 62032-100-36 Net wt. 2 oz. (57 g)  
Hydroquinone USP, 4% Rx Only PM**

A unique formula containing prescription-strength hydroquinone for the gradual lightening of sun spots, age spots, and other types of hyperpigmentation (discoloration). Specially formulated to optimize the delivery of product ingredients in the Nu-Derm System, this skin lightener helps reduce the signs of aging and correct uneven skin tone. May be used with Tretinoin Cream<sup>1</sup> or Refissa<sup>®2</sup> as prescribed by a physician.

---

<sup>1</sup> Tretinoin cream is indicated for topical application in the treatment of acne vulgaris.

<sup>2</sup> Refissa [Tretinoin Cream, USP (Emollient) 0.05%] is indicated as an adjunctive agent for use in the mitigation (palliation) of fine wrinkles, mottled hyperpigmentation, and tactile roughness of facial skin in patients who do not achieve such palliation using comprehensive skin care and sun avoidance programs. REFISSA DOES NOT ELIMINATE WRINKLES, REPAIR SUN-DAMAGED SKIN, REVERSE PHOTOAGING, or RESTORE A MORE YOUTHFUL or YOUNGER DERMAL HISTOLOGIC PATTERN.

**Indications and usage**

The gradual bleaching of hyperpigmented skin conditions such as chloasma, melasma, freckles, senile lentigines, and other unwanted areas of melanin hyperpigmentation. Specially formulated for blending purposes as part of the Obagi Nu-Derm System.

**Dosage and administration**

Use daily, in the evening. Squeeze a small amount (approximately 1-2 pea-size drops) onto your hand. Apply evenly to the entire face, or as directed by your skin care physician. If no improvement is seen after three (3) months of treatment, use of this product should be discontinued. Sun exposure should be limited by using a sunscreen agent, a sun blocking agent, or protective clothing to cover bleached skin when using and after using this product in order to prevent darkening from reoccurring.

**Warnings**

Avoid contact with eyes, nose, mouth, and lips. In case of accidental contact, patient should rinse thoroughly with water and contact a physician. Sunscreen use is an essential aspect of hydroquinone therapy because even minimal sunlight exposure sustains melanocytic activity.

Contains sodium metabisulfite, a sulfite that may cause allergic-type reactions including anaphylactic symptoms and life-threatening or less severe asthmatic episodes in certain susceptible people. The overall prevalence of sulfite sensitivity in the general population is unknown and probably low. Sulfite sensitivity is seen more frequently in asthmatic than in nonasthmatic people.

Each gram of Obagi Nu-Derm Blender contains:

**Active ingredient**

Hydroquinone USP, 4% (40 mg/g)

**Inactive ingredients**

water, glycerin, cetyl alcohol, PPG-2 myristyl ether propionate, sodium lauryl sulfate, TEA-salicylate,

lactic acid, phenyl trimethicone, tocopheryl acetate, sodium metabisulfite, ascorbic acid, methylparaben, disodium EDTA, propylparaben, saponins, BHT

See enclosed Package Insert for full prescribing information.

Rx ONLY. FOR EXTERNAL USE ONLY.

### **Travel Bag and Patient Instruction Guide**

Store at controlled room temperature 15°C–25°C (59°F–77°F).

Obagi Hydrate is a trademark, and Blender, Exfoderm, Nu-Derm, and the Obagi logo are registered trademarks, of OMP, Inc.

Refissa is a registered trademark of Spear Pharmaceuticals, Inc.

Distributed by OMP, Inc., Long Beach, CA 90806

©2012 Obagi Medical Products, Inc. All rights reserved.

obagi.com Made in USA 41706111Z 7061

### **Sun Shield Broad Spectrum SPF 50 Matte Net wt. 3 oz. (85 g)**

This sunscreen combines UVB absorption and UVA protection in an elegant matte finish that is non-comedogenic, hypoallergenic, non-acnegenic, and dermatologist tested. Sheer, PABA free, and fragrance free for all skin types.

#### ***Drug Facts***

#### **Active ingredients**

Octinoxate 7.5%

Zinc Oxide 10.5%

#### **Purpose**

Sunscreen

#### **Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

#### **Warnings**

For external use only

Do not use on damaged or broken skin

Stop use and ask a doctor if rash occurs

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating

- reapply at least every 2 hours
- children under 6 months: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.–2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

### **Inactive ingredients**

1,2 hexanediol, caprylyl glycol, cetareth-20, cetearyl alcohol, chlorphenesin, citric acid, cyclopentasiloxane, dimethicone, dimethicone crosspolymer-3, disodium EDTA, glycerin, hydrogenated palm glycerides, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, methylisothiazolinone, PEG-40 stearate, pentylene glycol, phenoxyethanol, phenyl trimethicone, polysilicone-11, polysorbate 60, potassium sorbate, sodium benzoate, sodium dihydroxycetyl phosphate, sodium polyacrylate, squalane, stearyl alcohol, tetrahexyldecyl ascorbate, tropolone, water, xanthan gum

### **Other information**

- store at controlled room temperature: 15°C–25°C (59°F–77°F)
- protect this product from excessive heat and direct sun

### **Questions or comments?**

1.800.636.7546

Monday–Friday 9 a.m.–4 p.m. Pacific Time

### **PRINCIPAL DISPLAY PANEL - Kit Carton**

NDC# 62032-520-00

**OBAGI®**


**MEDICAL**

**NU-DERM® SYSTEM**

**NORMAL DRY**

**Skin Transformation Kit**





# NU-DERM SYSTEM NORMAL-DRY SKIN TRANSFORMATION

hydroquinone, octinoxate, and zinc oxide kit

## Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:62032-520
---------------------	-------------------------	---------------------------	---------------

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-520-00	1 in 1 CARTON		

## Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE, PLASTIC	57 g
Part 2	1 BOTTLE, PLASTIC	57 g
Part 3	1 TUBE	85 g
Part 4	1 BOTTLE, PLASTIC	198 mL
Part 5	1 BOTTLE, PLASTIC	198 mL
Part 6	1 BOTTLE, PLASTIC	57 g
Part 7	1 BOTTLE, PLASTIC	48 g

## Part 1 of 7

### NU-DERM BLENDER SKIN LIGHTENER AND BLENDING

hydroquinone cream

## Product Information

<b>Item Code (Source)</b>	NDC:62032-100
---------------------------	---------------

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROQUINONE (UNII: XV74C1N1AE) (HYDROQUINONE - UNII:XV74C1N1AE)	HYDROQUINONE	40 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
PPG-2 MYRISTYL ETHER PROPIONATE (UNII: 88R97D8U8A)	
TROLAMINE SALICYLATE (UNII: H8O4040BHD)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	

CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERIN (UNII: PDC6A3C0OX)	
LACTIC ACID (UNII: 33X04XA5AT)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
WATER (UNII: 059QF0K00R)	
METHYL PARABEN (UNII: A2I8C7H9T)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	

### Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-100-36	57 g in 1 BOTTLE, PLASTIC		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved drug other		01/01/1988	

## Part 2 of 7

### NU-DERM CLEAR SKIN BLEACHING AND CORRECTOR

hydroquinone cream

### Product Information

Item Code (Source)	NDC:62032-101
Route of Administration	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROQUINONE (UNII: XV74C1N1AE) (HYDROQUINONE - UNII:XV74C1N1AE)	HYDROQUINONE	40 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BUTYLPARABEN (UNII: 3QP1U3FV8)	
STEARYL ALCOHOL (UNII: 2KR89I4HIY)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERIN (UNII: PDC6A3C0OX)	
LACTIC ACID (UNII: 33X04XA5AT)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
WATER (UNII: 059QF0K00R)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	

### Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-101-36	57 g in 1 BOTTLE, PLASTIC		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved drug other		01/01/1988	

### Part 3 of 7

**NU-DERM SUN SHIELD BROAD SPECTRUM SPF 50 MATTE SUNSCREEN**  
 octinoxate and zinc oxide lotion

### Product Information

Item Code (Source)	NDC:62032-126
Route of Administration	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	105 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THF5PC10R)	
WATER (UNII: 059QF0K00R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
XANTHAN GUM (UNII: TTV12P4NEE)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPAS AT 1%) (UNII: 86FQE96TZ4)	
SQUALANE (UNII: GW89575KF9)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PEG-40 STEARATE (UNII: ECU18C66Q7)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
STEARYL ALCOHOL (UNII: 2KR89I4HIY)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
SODIUM DIHYDROXYCETYL PHOSPHATE (UNII: YWI33EV595)	
HYDROGENATED PALM GLYCERIDES (UNII: YCZ8EM144Q)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TROPOLONE (UNII: 7L6DL16P1T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
METHYLISOTHIAZOLINONE (UNII: 229D0E1QFA)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
SODIUM POLYACRYLATE (250000 MW) (UNII: 05115JN12J)	

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-126-90	85 g in 1 TUBE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	02/21/2013	

## Part 4 of 7

### NU-DERM GENTLE CLEANSER

cleansing (cold creams, cleansing lotions, liquids, and pads) liquid

## Product Information

Route of Administration TOPICAL

## Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	WATER (UNII: 059QF0KO0R)	
INGR	GLYCERIN (UNII: PDC6A3C0OX)	
INGR	PHENOXYETHANOL (UNII: HE492ZZ3T)	
INGR	METHYL PARABEN (UNII: A2I8C7HI9T)	
INGR	PROPYL PARABEN (UNII: Z8IX2SC1OH)	
INGR	BUTYL PARABEN (UNII: 3QPIU3FV8)	
INGR	ETHYL PARABEN (UNII: 14255EXE39)	
INGR	ISOBUTYL PARABEN (UNII: 0QQJ25X58G)	
INGR	CARBOMER COPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 809Y72KV36)	
INGR	SODIUM LAUROYL OAT AMINO ACIDS (UNII: FSW2K9B9N5)	
INGR	COCAMIDOPROPYL BETAINE (UNII: 5OCF3O11KX)	
INGR	SODIUM LAURETH-3 SULFATE (UNII: BPV390UAP0)	
INGR	ALOE VERA LEAF (UNII: ZY81Z83H0X)	
INGR	GLYCERETH-7 (UNII: 3D2Y91QZ2H)	
INGR	PANTHENOL (UNII: WV9CM0O67Z)	
INGR	DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A1I8X02B)	
INGR	TROLAMINE (UNII: 9O3K93S3TK)	
INGR	SAGE (UNII: 065C5D077J)	
INGR	FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
INGR	APRICOT KERNEL OIL (UNII: 54JB35T06A)	

## Product Characteristics

Color	YELLOW	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		198 mL in 1 BOTTLE, PLASTIC		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic		01/01/1988	

**Part 5 of 7****NU-DERM TONER**

face and neck (excluding shaving preparations) liquid

**Product Information**

Route of Administration TOPICAL

**Other Ingredients**

Ingredient Kind	Ingredient Name	Quantity
INGR	WATER (UNII: 059QF0KO0R)	
INGR	GLYCERIN (UNII: PDC6A3C0OX)	
INGR	HAMAMELIS VIRGINIANA TOP WATER (UNII: NT00Y05A2V)	
INGR	SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
INGR	DMDM HYDANTOIN (UNII: BYR0546TOW)	
INGR	IODOPROPYNYL BUTYL CARBAMATE (UNII: 603P14DHEB)	
INGR	POTASSIUM ALUM (UNII: 1L24V9R23S)	
INGR	PANTHENOL (UNII: WV9CM0O67Z)	
INGR	SAGE (UNII: 065C5D077J)	
INGR	CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD)	
INGR	POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
INGR	ALLANTOIN (UNII: 344S277G0Z)	
INGR	ALOE VERA LEAF (UNII: ZY81Z83H0X)	
INGR	FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	

**Product Characteristics**

Color	BLUE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1 198 mL in 1 BOTTLE, PLASTIC

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic		01/01/1988	

## Part 6 of 7

### NU-DERM EXFODERM

face and neck (excluding shaving preparations) lotion

## Product Information

Route of Administration TOPICAL

## Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	WATER (UNII: 059QF0KO0R)	
INGR	GLYCERIN (UNII: PDC6A3C0OX)	
INGR	DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A1I8X02B)	
INGR	METHYLPARABEN (UNII: A2I8C7HI9T)	
INGR	PROPYLPARABEN (UNII: Z8IX2SC1OH)	
INGR	POLYSORBATE 60 (UNII: CAL22UVI4M)	
INGR	CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS)	
INGR	STEARETH-20 (UNII: L0Q8IK9E08)	
INGR	CANOLA OIL (UNII: 331KBJ17RK)	
INGR	ISOHEXADECANE (UNII: 918X10UF1E)	
INGR	MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
INGR	CETYL ALCOHOL (UNII: 936JST6JCN)	
INGR	FYTIC ACID (UNII: 7IGF0S7R8I)	
INGR	GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
INGR	PEG-100 STEARATE (UNII: YD01N1999R)	
INGR	DIMETHICONE (UNII: 92RU3N3Y1O)	
INGR	PEG-150 STEARATE (UNII: 7BSG7DF10Q)	
INGR	PHENOXYETHANOL (UNII: HIE492ZZ3T)	
INGR	BUTYLPARABEN (UNII: 3QPIU3FV8)	
INGR	ETHYLPARABEN (UNII: 14255EXE39)	
INGR	ISOBUTYLPARABEN (UNII: 0QQJ25X58G)	
INGR	POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
INGR	XANTHAN GUM (UNII: TTV12P4NEE)	
INGR	.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
INGR	GLYCERETH-7 (UNII: 3D2Y91QZ2H)	

## Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		57 g in 1 BOTTLE, PLASTIC		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic		01/01/1988	

### Part 7 of 7

## NU-DERM HYDRATE FACIAL MOISTURIZER

face and neck (excluding shaving preparations) lotion

### Product Information

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

### Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	WATER (UNII: 059QF0KO0R)	
INGR	GLYCERIN (UNII: PDC6A3C0OX)	
INGR	MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
INGR	SODIUM HYDROXIDE (UNII: 55X04QC32I)	
INGR	CAESALPINIA SPINOSA RESIN (UNII: WL3883U2PO)	
INGR	SHEA BUTTER (UNII: K49155WL9Y)	
INGR	GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
INGR	CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
INGR	CETYL ALCOHOL (UNII: 936JST6JCN)	
INGR	SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
INGR	DIMETHICONE (UNII: 92RU3N3Y1O)	
INGR	TOCOPHEROL (UNII: R0ZB2556P8)	
INGR	LAURETH-12 (UNII: OAH19558U1)	
INGR	PHENOXYETHANOL (UNII: HIE492ZZ3T)	
INGR	ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
INGR	STEARIC ACID (UNII: 4ELV7Z65AP)	
INGR	AVOCADO OIL (UNII: 6VNO72PFC1)	
INGR	SOY STEROL (UNII: PL360EPO9J)	
INGR	CAPRYLYL GLYCOL (UNII: 00YIU5438U)	

INGR	LEVOMENOL (UNII: 24WE03BX2T)	
INGR	HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
INGR	TETRAHYDRODIFERULOLYLMETHANE (UNII: 00U0645U03)	
INGR	PANTHENOL (UNII: WV9CM0O67Z)	
INGR	MANGIFERA INDICA SEED BUTTER (UNII: 4OXD9M35X2)	
INGR	SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
INGR	CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
INGR	ALLANTOIN (UNII: 344S277G0Z)	

### Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		48 g in 1 BOTTLE, PLASTIC		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic		11/07/2012	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved drug other		04/15/2013	

**Labeler** - OMP, INC. (790553353)

### Establishment

Name	Address	ID/FEI	Business Operations
Bay Cities Container Corporation		066229618	RELABEL(62032-520) , REPACK(62032-520)

### Establishment

Name	Address	ID/FEI	Business Operations
PURETEK CORPORATION		785961046	MANUFACTURE(62032-520) , LABEL(62032-520) , PACK(62032-520)

### Establishment

Name	Address	ID/FEI	Business Operations
Ei INC.		105803274	MANUFACTURE(62032-520) , LABEL(62032-520) , PACK(62032-520) , ANALYSIS(62032-520)

## Establishment

Name	Address	ID/FEI	Business Operations
G.S. COSMECEUTICAL USA, INC.		017014734	MANUFACTURE(62032-520)

Revised: 8/2013

OMP, INC.