

**TRIPLE ANTIBIOTIC OINTMENT, LIL DRUG STORE- triple antibiotic ointment**  
**TRIPLE ANTIBIOTIC OINTMENT, CIRCLE K- triple antibiotic ointment**  
**Lil' Drug Store products, Inc.**

-----  
**Triple Antibiotic Ointment, Lil' Drug Store ® & Circle K™**

***Drug Facts***

***Drug Facts***

***Active ingredients (in each gram)***

***Active ingredients (in each gram)***

Bacitracin Zinc 400 units

Neomycin Sulfate (equivalent to 3.5 mg Neomycin base)

Polymyxin-B Sulfate 5000 units

***Purpose***

***Purpose***

First aid antibiotic

First aid antibiotic

First aid antibiotic

***Use***

***Use***

first aid to help prevent infection in

- minor cuts
- scrapes
- burns

***Warnings***

***Warnings***

For external use only.

***Do not use***

***Do not use***

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

### **Ask a doctor before use**

**Ask a doctor before use if you have** deep or puncture wounds, animal bites, or serious burns

### **Stop use and ask a doctor if**

#### **Stop use and ask a doctor if**

- the condition persists or gets worse
- a rash or other allergic reaction develops

### **Keep out of reach of children.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### ***Directions***

#### ***Directions***

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

### ***Other information***

#### ***Other information***

- store at 20°C to 25°C (68°F to 77°F)
- do not use if tube seal under cap is broken or missing

### ***Inactive ingredients***

#### ***Inactive ingredients***

mineral oil, petrolatum, water

### ***Questions?***

#### ***Questions?***

call toll-free **1-877-507-6516 (M-F 8AM-4:30PM CST)**

**Triple Antibiotic Ointment, Lil' Drug Store<sup>®</sup> - PDP/Package**

[caduceus]

**Compare to the Active Ingredients**

**in Neosporin<sup>®</sup>**

**24 HOUR**

# Infection Protection

## Triple Antibiotic Ointment

Bacitracin Zinc, Neomycin Sulfate, Polymyxin-B Sulfate

First Aid Antibiotic Ointment

**Helps Prevent Infection in  
Minor Cuts, Scrapes and Burns**

**NET WT 0.5 oz (14.2 g)**

[Lil' Drug Store logo]

<p><small>*This product is not manufactured or distributed by JOHNSON &amp; JOHNSON CONSUMER INC., distributor of Neosporin®.</small></p>		<p>Compare to the Active Ingredients in Neosporin®</p> <p><b>24 HOUR Infection Protection</b></p> <p><b>Triple Antibiotic Ointment</b></p> <p>Bacitracin Zinc, Neomycin Sulfate, Polymyxin-B Sulfate</p> <p>First Aid Antibiotic Ointment</p>		<p>Product distributed by: Lil' Drug Store Products, Inc., 9300 Earhart Lane SW, Cedar Rapids, IA 52404 9/73101-US-09-26</p> <p><b>24 HOUR Infection Protection</b></p> <p><b>Triple Antibiotic Ointment</b></p> <p>Bacitracin Zinc, Neomycin Sulfate, Polymyxin-B Sulfate</p> <p>First Aid Antibiotic Ointment</p> <p>NET WT 0.5 oz (14.2 g)</p> <p><b>Drug Facts</b></p> <table border="1"> <tr> <td><b>Active ingredients (in each gram)</b></td> <td><b>Purpose</b></td> </tr> <tr> <td>Bacitracin Zinc 400 units.....First aid antibiotic</td> <td></td> </tr> <tr> <td>Neomycin Sulfate (equivalent to 3.5 mg Neomycin base).....First aid antibiotic</td> <td></td> </tr> <tr> <td>Polymyxin-B Sulfate 5000 units.....First aid antibiotic</td> <td></td> </tr> </table> <p><b>Use</b> first aid to help prevent infection in</p> <ul style="list-style-type: none"> <li>■ minor cuts</li> <li>■ scrapes</li> <li>■ burns</li> </ul> <p><b>Warnings</b> For external use only.</p> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>■ in the eyes</li> <li>■ over large areas of the body</li> <li>■ if you are allergic to any of the ingredients</li> <li>■ longer than 1 week unless directed by a doctor</li> </ul> <p><b>Ask a doctor before use</b> if you have deep or puncture wounds, animal bites, or serious burns</p> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>■ the condition persists or gets worse</li> <li>■ a rash or other allergic reaction develops</li> </ul>		<b>Active ingredients (in each gram)</b>	<b>Purpose</b>	Bacitracin Zinc 400 units.....First aid antibiotic		Neomycin Sulfate (equivalent to 3.5 mg Neomycin base).....First aid antibiotic		Polymyxin-B Sulfate 5000 units.....First aid antibiotic	
<b>Active ingredients (in each gram)</b>	<b>Purpose</b>												
Bacitracin Zinc 400 units.....First aid antibiotic													
Neomycin Sulfate (equivalent to 3.5 mg Neomycin base).....First aid antibiotic													
Polymyxin-B Sulfate 5000 units.....First aid antibiotic													
<p><b>Drug Facts (continued)</b></p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>■ clean the affected area</li> <li>■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily</li> <li>■ may be covered with a sterile bandage</li> </ul> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>■ store at 20°C to 25°C (68°F to 77°F)</li> <li>■ do not use if tube seal under cap is broken or missing</li> </ul> <p><b>Inactive ingredients</b> mineral oil, petrolatum, water</p> <p><b>Questions?</b> call toll-free 1-877-507-6516 (M-F 8AM-4:30PM CST)</p>		<p><b>24 HOUR Infection Protection</b></p> <p><b>Helps Prevent Infection in Minor Cuts, Scrapes and Burns</b></p> <p>NET WT 0.5 oz (14.2 g)</p> <p>Product distributed by: Lil' Drug Store Products, Inc., 9300 Earhart Lane SW, Cedar Rapids, IA 52404</p> <p>Made in China</p> <p>57310C-US-09-23</p> <p>3 66715 197310 8</p>		<p><b>Drug Facts (continued)</b></p> <ul style="list-style-type: none"> <li>■ longer than 1 week unless directed by a doctor</li> </ul> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b> ■ clean the affected area</p> <ul style="list-style-type: none"> <li>■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily</li> <li>■ may be covered with a sterile bandage</li> </ul>									

## Triple Antibiotic Ointment, Circle K™ - PDP/Package

**24 HOUR INFECTION PROTECTION  
HELPS PREVENT INFECTION IN MINOR CUTS, SCRAPES AND BURNS**

Compare to the active ingredients in Neosporin®\*

[Circle K logo]

triple antibiotic ointment

**Bacitracin Zinc, Neomycin Sulfate, Polymyxin-B Sulfate First Aid Antibiotic Ointment**

net wt 0.5 oz (14.2 g)

<p>24 HOUR INFECTION PROTECTION HELPS PREVENT INFECTION IN MINOR CUTS, SCRAPES AND BURNS Compare to the active ingredients in Neosporin®*</p> <p><b>CIRCLE K™</b></p> <p><b>triple antibiotic ointment</b></p> <p><b>CIRCLE K™</b></p> <p><b>triple antibiotic ointment</b></p> <p>Bacitracin Zinc, Neomycin Sulfate, Polymyxin-B Sulfate First Aid Antibiotic Ointment</p> <p>net wt 0.5 oz (14.2 g)</p> <p>Product manufactured for: Lil' Drug Store Products, Inc., 9300 Earhart Lane SW, Cedar Rapids, IA 52404</p> <p>Proudly distributed by Circle K Stores, Inc.</p> <p>Made in China</p> <p>5950C-US-09-23</p> <p>1 94283 65181 0</p>		<p><small>*This product is not manufactured or distributed by JOHNSON &amp; JOHNSON CONSUMER INC., distributor of Neosporin®.</small></p> <p><b>Drug Facts</b></p> <table border="1"> <tr> <td><b>Active ingredients (in each gram)</b></td> <td><b>Purpose</b></td> </tr> <tr> <td>Bacitracin Zinc 400 units.....First aid antibiotic</td> <td></td> </tr> <tr> <td>Neomycin Sulfate (equivalent to 3.5 mg Neomycin base).....First aid antibiotic</td> <td></td> </tr> <tr> <td>Polymyxin-B Sulfate 5000 units.....First aid antibiotic</td> <td></td> </tr> </table> <p><b>Use</b> first aid to help prevent infection in</p> <ul style="list-style-type: none"> <li>■ minor cuts</li> <li>■ scrapes</li> <li>■ burns</li> </ul> <p><b>Warnings</b> For external use only.</p> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>■ in the eyes</li> <li>■ over large areas of the body</li> <li>■ if you are allergic to any of the ingredients</li> <li>■ longer than 1 week unless directed by a doctor</li> </ul> <p><b>Ask a doctor before use</b> if you have deep or puncture wounds, animal bites, or serious burns</p> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>■ the condition persists or gets worse</li> <li>■ a rash or other allergic reaction develops</li> </ul>		<b>Active ingredients (in each gram)</b>	<b>Purpose</b>	Bacitracin Zinc 400 units.....First aid antibiotic		Neomycin Sulfate (equivalent to 3.5 mg Neomycin base).....First aid antibiotic		Polymyxin-B Sulfate 5000 units.....First aid antibiotic		<p><b>Drug Facts (continued)</b></p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>■ clean the affected area</li> <li>■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily</li> <li>■ may be covered with a sterile bandage</li> </ul> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>■ store at 20°C to 25°C (68°F to 77°F)</li> <li>■ do not use if tube seal under cap is broken or missing</li> </ul> <p><b>Inactive ingredients</b> mineral oil, petrolatum, water</p> <p><b>Questions?</b> call toll-free 1-877-507-6516 (M-F 8AM-4:30PM CST)</p>		<p>24 HOUR INFECTION PROTECTION HELPS PREVENT INFECTION IN MINOR CUTS, SCRAPES AND BURNS Compare to the active ingredients in Neosporin®*</p> <p><b>CIRCLE K™</b></p> <p><b>triple antibiotic ointment</b></p> <p>Bacitracin Zinc, Neomycin Sulfate, Polymyxin-B Sulfate First Aid Antibiotic Ointment</p> <p>net wt 0.5 oz (14.2 g)</p> <p><b>Drug Facts</b></p> <table border="1"> <tr> <td><b>Active ingredients (in each gram)</b></td> <td><b>Purpose</b></td> </tr> <tr> <td>Bacitracin Zinc 400 units.....First aid antibiotic</td> <td></td> </tr> <tr> <td>Neomycin Sulfate (equivalent to 3.5 mg Neomycin base).....First aid antibiotic</td> <td></td> </tr> <tr> <td>Polymyxin-B Sulfate 5000 units.....First aid antibiotic</td> <td></td> </tr> </table> <p><b>Use</b> first aid to help prevent infection in</p> <ul style="list-style-type: none"> <li>■ minor cuts</li> <li>■ scrapes</li> <li>■ burns</li> </ul> <p><b>Warnings</b> For external use only.</p> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>■ in the eyes</li> <li>■ over large areas of the body</li> <li>■ if you are allergic to any of the ingredients</li> <li>■ longer than 1 week unless directed by a doctor</li> </ul> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b> ■ clean the affected area</p> <ul style="list-style-type: none"> <li>■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily</li> <li>■ may be covered with a sterile bandage</li> </ul> <p>Product manufactured for: Lil' Drug Store Products, Inc., Cedar Rapids, IA 52404</p> <p>Proudly distributed by Circle K Stores, Inc. 5950C-US-09-23</p>		<b>Active ingredients (in each gram)</b>	<b>Purpose</b>	Bacitracin Zinc 400 units.....First aid antibiotic		Neomycin Sulfate (equivalent to 3.5 mg Neomycin base).....First aid antibiotic		Polymyxin-B Sulfate 5000 units.....First aid antibiotic	
<b>Active ingredients (in each gram)</b>	<b>Purpose</b>																						
Bacitracin Zinc 400 units.....First aid antibiotic																							
Neomycin Sulfate (equivalent to 3.5 mg Neomycin base).....First aid antibiotic																							
Polymyxin-B Sulfate 5000 units.....First aid antibiotic																							
<b>Active ingredients (in each gram)</b>	<b>Purpose</b>																						
Bacitracin Zinc 400 units.....First aid antibiotic																							
Neomycin Sulfate (equivalent to 3.5 mg Neomycin base).....First aid antibiotic																							
Polymyxin-B Sulfate 5000 units.....First aid antibiotic																							

# TRIPLE ANTIBIOTIC OINTMENT, LIL DRUG STORE

triple antibiotic ointment

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66715-9631
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ 07J96K)	POLYMYXIN B	5000 [iU] in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Product Characteristics

<b>Color</b>	white ((translucent to opaque))	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-9631-0	1 in 1 CARTON	12/28/2023	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	12/28/2023	

TRIPLE ANTIBIOTIC OINTMENT, CIRCLE K

triple antibiotic ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66715-5405
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	5000 [iU] in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>WATER</b> (UNII: 059QF0KOOR)	

### Product Characteristics

<b>Color</b>	white ((translucent to opaque))	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-5405-0	1 in 1 CARTON	12/28/2023	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	12/28/2023	

**Labeler** - Lil' Drug Store products, Inc. (093103646)

