

MUCINEX INSTASOOTHE COUGH- dextromethorphan hydrobromide lozenge
RB Health (US) LLC

MUCINEX® InstaSoothe™

Drug Facts

Active Ingredient (in each Lozenge)	Purpose
Dextromethorphan HBr 5.0 mg	Cough suppressant

Uses

Temporarily:

- relieves cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- helps reduce the intensity of coughing

Purpose:

Dextromethorphan HBr 5 mg: Cough suppressant

Warnings

Do Not Use:

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- in children under 6 years of age

Ask a doctor before use if:

- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

Stop use and ask a doctor if:

- cough lasts more than 7 days, comes back, or occurs with fever,
- rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breastfeeding:

- ask a health professional before use.

Directions

dose as follows or as directed by a doctor or dentist

adults and children 12 years of age and older	take 2 lozenges (one immediately after the other) and allow each lozenge to dissolve slowly in the mouth; may be repeated every 4 hours as needed, not to exceed 12 lozenges in any 24-hour period
children 6 to under 12 years of age	take 1 lozenge and allow product to dissolve slowly in the mouth; may be repeated every 4 hours as needed, not to exceed 6 lozenges in any 24-hour period
children under 6 years of age	do not use

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Other Information

- store at 20-25°C (68-77°F)
- protect contents from humidity
- keep lozenge in outer pack until use. Reseal outer pack after use.

Inactives

FD&C blue no. 1, FD&C red no. 40, flavors, hydrogenated starch hydrolysate, isomalt, propylene glycol, purified water, sucralose

Questions

1-866-MUCINEX (1-866-682-4639)

Dist. by: RB Health (US)
Parsippany, NJ 07054-0224
Made in India
2024 RB Health
Patents: www/reckitt.com/patents
www.mucinex.com

NDC 72854-267-20

Mucinex®
INSTASOOTHÉ™ COUGH RELIEF

Dextromethorphan HBr 5.0 mg | Cough Suppressant

3 IN 1 FORMULA

- ✓ Quiets Cough
- ✓ Lasts up to 4 hours
- ✓ Sugar Free

See back
panel for
actual size

20 MEDICATED DROPS

NDC 72854-267-20

Mucinex[®]

INSTASOOOTHE™

COUGH

+ UP TO 4 HOUR RELIEF

Dextromethorphan HBr 5.0 mg | Cough Suppressant

3 IN 1 FORMULA

- ✓ Lasts for up to 4 Hours
- ✓ Relieves Cough
- ✓ Sugar Free



See back panel for actual size

MIXED BERRY FLAVOR

20 MEDICATED DROPS

Choose from our range of Mucinex® INSTASOOTHE™ products to treat your symptoms.

POWERFUL RELIEF FOR SORE THROAT, COUGH OR BOTH

3-IN-1 FORMULAS


SOOTHING COMFORT | PAIN RELIEF | COUGH RELIEF

Drug Facts		Drug Facts (continued)	
Active Ingredient (in each lozenge) Dextromethorphan HBr 5 mg		Purpose Cough suppressant	
Uses temporarily <ul style="list-style-type: none"> relieves cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants helps reduce the intensity of coughing. 		Directions ■ dose as follows or as directed by a doctor	
Warnings Do not use <ul style="list-style-type: none"> if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. in children under 6 years of age 		adults and children 12 years of age and older	take 2 lozenges (one immediately after the other) and allow each lozenge to dissolve slowly in the mouth; may be repeated every 4 hours as needed, not to exceed 12 lozenges in any 24-hour period
Ask a doctor before use if you have <ul style="list-style-type: none"> persistent or chronic cough such as occurs with smoking, asthma, or emphysema cough that occurs with too much phlegm (mucus) 		children 6 to under 12 years of age	take 1 lozenge and allow product to dissolve slowly in the mouth; may be repeated every 4 hours as needed, not to exceed 6 lozenges in any 24-hour period
Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.		children under 6 years of age	do not use
If pregnant or breast-feeding , ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.		Other information <ul style="list-style-type: none"> store at 20-25°C (68-77°F) protect contents from humidity keep lozenge in outer pack until use. Reseal outer pack after use. 	
		Inactive ingredients FD&C blue no. 1, FD&C red no. 40, flavors, hydrogenated starch hydrolysate, isomalt, propylene glycol, purified water, sucralose	
		Questions? 1-866-MUCINEX (1-866-682-4639)	



PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org

ACTUAL SIZE



Dist. by: RB Health (US)
Parsippany, NJ
07054-0224
Made in India
©2024 RB Health
Patents:
www.reckitt.com/patents
www.mucinex.com
082123

Keep outer pack for full information.

MUCINEX INSTASOOTHE COUGH

dextromethorphan hydrobromide lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72854-267
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
ISOMALT (UNII: S870P55O2W)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
WATER (UNII: 059QF0KO0R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
HYDROGENATED STARCH HYDROLYSATE (UNII: 27F77DSJ5V)	

Product Characteristics

Color	purple	Score	no score
Shape	ROUND	Size	18mm
Flavor	BERRY	Imprint Code	S
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72854-267-20	20 in 1 BAG	04/01/2024	
1		1 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:72854-267-40	40 in 1 BAG	04/01/2024	
2		1 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/01/2024	

Labeler - RB Health (US) LLC (081049410)

