

BRUSH AND GO SPF 50 ALL SKIN TYPES BROAD SPECTRUM- titanium dioxide, octinoxate, octocrylene, octisalate, avobenzone, and oxybenzone powder
Noon Aesthetics M.R. Ltd

BRUSH & GO™ SPF 50
ALL SKIN TYPES BROAD SPECTRUM

DRUG FACTS INFORMATION

Active Ingredients / Purpose:

| | |
|------------------------------------|-----------|
| Titanium Dioxide 25% | Sunscreen |
| Ethylhexyl Methoxycinnamate 4.7% | Sunscreen |
| Octocrylene 4.5% | Sunscreen |
| Ethylhexyl Salicylate 2.7% | Sunscreen |
| Butyl Methoxydibenzoylmethane 1.5% | Sunscreen |
| Benzophenone 1.5% | Sunscreen |

Uses

Helps prevent sunburn.

Warnings

For external use only.

Do not use

- On damaged or broken skin.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- Rash or irritation develops and lasts.

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure and as needed.
- Use a water-resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF value of 15

or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m.- 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses.

Other Information

- Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Questions or comments?

Visit www.noonaesthetics.com or call toll free 1-833-666-6246

Inactive Ingredients

Mica, Methyl Methacrylate Crosspolymer, Magnesium Stearate, Silica, CI 77492, CI 77491, CI 77499, Silt (Dead Sea Mineral Mud), Aloe Barbadensis Leaf Juice, Tin Oxide, Hydrogenated Lecithin, Phenoxyethanol, BHT, Caprylyl Glycol

Developed + Dist by
noon AESTHETICS
TLV, 62153

PRINCIPAL DISPLAY PANEL - 5 mL Bottle Carton

no
on
AESTHETICS

Brush & Go™
SPF 50

BROAD-SPECTRUM

ALL SKIN TYPES

NDC 78863-3003-1

2 X 5 mL / 0.17 Fl. Oz. e

noonaesthetics.com



PROTECT

PARACEUTICAL

Mineral Powder for High Sun Protection
with Dead Sea Minerals

TONE 1



AESTHETICS

Brush & Go™
SPF 50
BROAD-SPECTRUM

ALL SKIN TYPES

NDC 78863-3003-1

2 X 5 mL / 0.17 Fl. Oz. e



Drug Facts

| Active Ingredient | Purpose |
|-------------------------------------|-----------|
| Titanium Dioxide 25% | Sunscreen |
| Ethylhexyl Methoxycinnamate 4.7% | Sunscreen |
| Octocrylene 4.5% | Sunscreen |
| Ethylhexyl Salicylate 2.7% | Sunscreen |
| Buthyl Methoxydibenzoylmethane 1.5% | Sunscreen |
| Benzophenone 1.5% | Sunscreen |

Uses

- Helps prevent sunburn.

Warnings

For external use only.

Do not use on

- damaged or broken skin.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- Rash or irritation develops and lasts.

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure and as needed.
- Use a water-resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures.**
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Drug Facts (continued)

Other Information

- Sun Alert:** Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive Ingredients

Mica, Methyl Methacrylate Crosspolymer, Magnesium Stearate, Silica, CI 77492, CI 77491, CI 77499, Silt (Dead Sea Mineral Mud), Aloe Barbadosensis Leaf Juice, Tin Oxide, Hydrogenated Lecithin, Phenoxyethanol, BHT, Capryl Glycol.

Developed + Dist by

noon
AESTHETICS

TLV, 62153 | Made in Israel
noonaesthetics.com



7 290109 192390



BRUSH AND GO SPF 50 ALL SKIN TYPES BROAD SPECTRUM

titanium dioxide, octinoxate, octocrylene, octisalate, avobenzone, and oxybenzone powder

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:78863-3003 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|-----------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 0.75 g in 5 mL |
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 0.141 g in 5 mL |
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 0.135 g in 5 mL |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 0.08 g in 5 mL |
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 0.045 g in 5 mL |
| OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y) | OXYBENZONE | 0.045 g in 5 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| MICA (UNII: V8A1AW0880) | |
| METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| ALOE VERA LEAF (UNII: ZY81Z83H0X) | |
| STANNOUS OXIDE (UNII: JB2MV9I3LS) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |

Product Characteristics

| | | | |
|-----------------|---------------------|---------------------|--|
| Color | BROWN (LIGHT BROWN) | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| | | | |
|--|--|------------------------|----------------------|
| | | Marketing Start | Marketing End |
|--|--|------------------------|----------------------|

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:78863-3003-1 | 2 in 1 CARTON | 04/01/2024 | |
| 1 | | 5 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |
| 2 | NDC:78863-3003-2 | 3 in 1 CARTON | 04/01/2024 | |
| 2 | | 5 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC monograph drug | M020 | 04/01/2024 | |

Labeler - Noon Aesthetics M.R. Ltd (600185560)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------------------------|---------|-----------|-------------------------|
| Noon Aesthetics M.R. Ltd | | 600185560 | MANUFACTURE(78863-3003) |

Revised: 3/2024

Noon Aesthetics M.R. Ltd