

**MEDIKOH BIO ACTIVE VITAL SHOT AMPOULE- niacinamide, adenosine gel
THERANOTICS CO.,LTD.**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Drug Facts

ACTIVE INGREDIENTS

Niacinamide 2.00%

Adenosine 0.04%

INACTIVE INGREDIENTS

Myrothamnus Flabellifolia Callus Culture Extract, Water, Butylene Glycol, 1,2-Hexanediol, Glycerin, Resveratrol, Chlorogenic Acids, Ferulic Acid, Sodium Hyaluronate, Nicotinoyl Tripeptide-1, sh-Decapeptide-9, sh-Pentapeptide-5, Caffeoyl Tripeptide-1, sh-Oligopeptide-1, sh-Polypeptide-1, Rhizophora Mangle Callus Culture Extract, Lavandula Angustifolia (Lavender) Flower Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract, Chamomilla Recutita (Matricaria) Flower Extract, Monarda Didyma Leaf Extract, Freesia Refracta Extract, Mentha Piperita (Peppermint) Leaf Extract, Polyglutamic Acid, Betaine, Ammonium Acryloyldimethyltaurate/VP Copolymer, Carbomer, Hydroxyethyl Urea, Citrus Aurantium Bergamia (Bergamot) Peel Oil, Allantoin, Sodium Polyacrylate, Disodium EDTA, Glyceryl Acrylate/Acrylic Acid Copolymer, Lavandula Angustifolia (Lavender) Oil, Tromethamine, Propylene Glycol, Coceth-7, PEG-40 Hydrogenated Castor Oil, PPG-1-PEG-9 Lauryl Glycol Ether, Panthenol, Ethylhexylglycerin, CI 19140, CI 42090

PURPOSE

Skin Brightening
Anti wrinkle

WARNINGS

- 1.If you experience any symptoms such as redness, swelling, or itchiness during usage or from exposure to direct sunlight after usage, suspend use and consult a physician.
2. Do not use on wounds or other areas of skin irritation.
3. Storage and handling
 - a. Keep out of reach of children.
 - b. Keep away from direct sunlight.

KEEP OUT OF REACH OF CHILDREN

KEEP OUT OF REACH OF CHILDREN

Uses

- Helps brighten skin tone and improve wrinkles to disappear
- Helps anti-oxidation process within skin and possibly hinders aging-mechanism.

Directions

- 1) After washing your face, arrange your skin texture with toner.
- 2) Open the product by removing the syringe cap
- 3) Insert the cap into the bottom of syringe and press gently. Make sure you only squeeze out a small amount of ampoule since it is highly concentrated.
- 4) Apply on entire face twice a day.

STEP 1.



After washing your face, use toner to clean up your skin.

세안후 토너로 가볍게 피부결을 정돈해 줍니다.

STEP 2.



Open the product by opening the syringe cap.

주사기 용기 끝 마개를 열어 제품을 개봉합니다.

STEP 3.



Insert the cap into the lower rubber cap and press slowly. Slightly eject the contents.

캡을 하단 고무마개에 꽂은 후 천천히 눌러 내용을 소량씩 투출합니다.

STEP 4.



Apply the entire face in small amounts in the morning and evening. (Use 0.5ml once, 1 ampoule 3-4 days / 1 ampoule for special care)

아침, 저녁 2회 완두콩 크기의 양으로 얼굴 전체를 발라줍니다. (1회 0.5ml, 1앰플로 3~4일 사용 / 스페셜 관리시 1회 1앰플 사용)

[용법·용량] 본 품 적당량을 취해 피부에 골고루 펴 바릅니다.
 [효능·효과] 피부의 주름개선에 도움을 준다, 피부의 미백에 도움을 준다.
 [사용법] 세안 후 토너로 피부결을 정돈한 다음, 적당량을 덜어 스트레치 받은 피부 부위를 중심으로 부드럽게 펴 발라 줍니다.
 [책임판매업자] 세라노닉스(사) 서울특별시 송파구 송파대로201 B동 210호(문정동, 테라타워2)
 [제조업자] 뉴비이오에프디엔씨 인천광역시 연수구 송도미래로 30 소마르빌리 A동 B07호, 509호, 511호
 [제조번호 및 사용기한] 별도표기

[사용 시 주의사항]
 1. 화상품 사용 시 또는 사용 후 시야관선에 의하여 사용부위가 붉은 반질, 부어오름 또는 가려움증 등의 이상 증상이나 부작용이 있는 경우 전문의 등과 상담할 것
 2. 상처가 있는 부위 등에는 사용을 자제할 것
 3. 보관 및 취급시의 주의사항
 가) 어린이의 손이 닿지 않는 곳에 보관할 것 나) 직사광선을 피해서 보관할 것

※ 고온 보관 시 내용물의 색상이 다소 변할 수 있으나, 바이오펜로 특성상 자연스러운 향상으로 제품의 기능화 효능에는 이상이 없으니 안심하고 사용하시면 됩니다.

본 상품에 이상이 있을 경우 경정거래 위원회 고시 "소비자분쟁해결기준"에 의해 보상해 드립니다. 소비자 상담실 : 02-6933-7489

QUESTIONS

Website: www.medikoi.com

Person in charge: jslee@theranotics.com

PACKAGE LABEL (Front)



MEDIKOI

Bio-Active Vital Shot Ampoule

Ingredients : Myrothamnus Flabellifolia Callus Culture Extract, Water, Butylene Glycol, 1,2-Hexanediol, Niacinamide, Glycerin, Resveratrol, Chlorogenic Acids, Ferulic Acid, Sodium Hyaluronate, Nicotinoyl Tripeptide-1, sh-Decapeptide-9, sh-Pentapeptide-5, Caffeoyl Tripeptide-1, sh-Oligopeptide-1, sh-Polypeptide-1, Rhizophora Mangle Callus Culture Extract, Lavandula Angustifolia (Lavender) Flower Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract, Chamomilla Recutita (Matricaria) Flower Extract, Monarda Didyma Leaf Extract, Fressia Refracta Extract, Mentha Piperita (Peppermint) Leaf Extract, Polyglutamic Acid, Betaine, Ammonium Acryloyldimethyltaurate/VP Copolymer, Carbomer, Hydroxyethyl Urea, Citrus Bergamia Peel Oil Expressed, Allantoin, Sodium Polyacrylate, Adenosine, Disodium EDTA, Glyceryl Acrylate/Acrylic Acid Copolymer, Lavandula Angustifolia (Lavender) Oil, Tromethamine, Propylene Glycol, Coceth-7, PEG-40 Hydrogenated Castor Oil, PPG-1-PEG-9 Lauryl Glycol Ether, Panthenol, Ethylhexylglycerin, CI 19140, CI 42090

3ml • 7ea

(주) 세라노닉스
 서울특별시 송파구 송파대로201 B동 210호
 TEL: 02-6933-7489
 FAX: 02-6933-7488
 www.medikoi.com

ABOUT MEDIKOI
 Dermatologic brand that specializes in anti-oxidant research on aging factor (NOX2) by introducing R&D of new drug development based on biomarker technology.
 바이오펜(가) 기반 노화 관련 R&D를 바탕으로, 노화인자 (NOX2)를 연구하는 안티에이징 전문 피부용료 브랜드

(주) 세라노닉스
 서울특별시 송파구 송파대로201 B동 210호
 TEL: 02-6933-7489
 FAX: 02-6933-7488
 www.medikoi.com

PACKAGE LABEL (Drug Facts Label)

| | |
|--|--|
| Drug Facts | |
| Active ingredients Niacinamide 2.00% Adenosine 0.04% | Purpose Skin Brightening Anti wrinkle |
| Uses ■ Helps brighten skin tone and improve wrinkles to disappear ■ Helps anti-oxidation process within skin and possibly hinders aging-mechanism. | |
| Warnings 1. If you experience any symptoms such as redness, swelling, or itchiness during usage or from exposure to direct sunlight after usage, suspend use and consult a physician. 2. Do not use on wounds or other areas of skin irritation. 3. Storage and handling a. Keep out of reach of children. b. Keep away from direct sunlight. | |
| Directions 1) After washing your face, arrange your skin texture with toner. 2) Open the product by removing the syringe cap 3) Insert the cap into the bottom of syringe and press gently. Make sure you only squeeze out a small amount of ampoule since it is highly concentrated. 4) Apply on entire face twice a day. | |
| Inactive ingredients Myrothamnus Flabellifolia Callus Culture Extract, Water, Butylene Glycol, 1,2-Hexanediol, Glycerin, Resveratrol, Chlorogenic Acids, Ferulic Acid, Sodium Hyaluronate, Nicotinoyl Tripeptide-1, sh-Decapeptide-9, sh-Pentapeptide-5, Caffeoyl Tripeptide-1, sh-Oligopeptide-1, sh-Polypeptide-1, Rhizophora Mangle Callus Culture Extract, Lavandula Angustifolia (Lavender) Flower Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract, Chamomilla Recutita (Matricaria) Flower Extract, Monarda Didyma Leaf Extract, Freesia Refracta Extract, Mentha Piperita (Peppermint) Leaf Extract, Polyglutamic Acid Betaine, Ammonium Acryloyldimethylsulfate/VP Copolymer, Carbomer, Hydroxyethyl Urea, Citrus Aurantium Bergamia (Bergamot) Peel Oil, Allantoin, Sodium Polyacrylate, Disodium EDTA, Glyceryl Acrylate/Acrylic Acid Copolymer, Lavandula Angustifolia (Lavender) Oil, Tromethamine, Propylene Glycol, Coceth-7, PEG-40 Hydrogenated Castor Oil, PEG-1-PEG-9 Lauryl Glycol Ether, Panthenol, Ethylhexylglycerin, Ci 19140, Ci 42090 | |
| Questions Website: www.medikoi.com Person in charge: jslee@theranotics.com | |
| Distributor: NUJU, Inc. 99 Gorge Road, #201 Edgewater, NJ 07020 | |
| Manufacturer: Bio FD&C Co., Ltd. A-510, Songdo BRC Smart Valley, 30 Songdomirae-ro, Yeonsu-gu, Incheon, Korea | |
| Net Wt: 3mL x 7ea / 0.91 Fl. Oz. | |

MEDIKOOII BIO ACTIVE VITAL SHOT AMPOULE

niacinamide, adenosine gel

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:72695-0011 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|------------------|
| Niacinamide (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4) | Niacinamide | 2 g in 100 mL |
| ADENOSINE (UNII: K72T3FS567) (ADENOSINE - UNII:K72T3FS567) | ADENOSINE | 0.04 g in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|------------------------------------|----------|
| Water (UNII: 059QF0KO0R) | |
| Butylene Glycol (UNII: 3XUS85K0RA) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:72695-0011-2 | 7 in 1 CARTON | 05/01/2020 | |
| 1 | NDC:72695-0011-1 | 3 mL in 1 CONTAINER; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-----------------------|--|----------------------|--------------------|
| unapproved drug other | | 05/01/2020 | |

Labeler - THERANOTICS CO.,LTD. (694963085)

Registrant - THERANOTICS CO.,LTD. (694963085)

Establishment

| Name | Address | ID/FEI | Business Operations |
|---------------------|---------|-----------|-------------------------|
| BIO-FD&C. Co., Ltd. | | 688203268 | manufacture(72695-0011) |

Revised: 5/2020

THERANOTICS CO.,LTD.