RUGBY BENZOYL PEROXIDE WASH ACNE MEDICATION- benzoyl peroxide lotion Rugby Laboratories

Rugby[®] 10% Benzoyl Peroxide Wash USP Acne Medication

Drug Facts

Active ingredient

Benzoyl peroxide USP 10%

Purpose

Acne medication

Use

for the treatment of acne

Warnings

For external use only.

Do not use if you

- have very sensitive
- are sensitive to benzoyl peroxide

When using this product

- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with eyes, lips and mouth
- avoid contact with hair or dyed fabrics, which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.
- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

Stop use and consult a doctor if

irritation becomes severe

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

Directions

- shake well
- Wet area to be cleansed
- Sensitive Test for a New User. Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow directions stated below
- one to three times daily, wet skin and cover the entire affected area with a thin layer, liberally applying to areas to be cleansed. Massage gently into skin for 10-20 seconds working into a full lather, rinse thoroughly and pat dry
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Other information

- keep tightly closed
- store at room temperature

Inactive ingredients

carbomer, cetyl alcohol, disodium EDTA, disodium laureth sulfosuccinate, glycerin, glyceryl stearate, laureth-7, magnesium aluminum silicate, PEG-100 stearate, propylene glycol, sodium coco-sulfate, sodium lauroamphoacetate, water, xanthan gum

Questions or comments?

1-800-645-2158

Distributed by: **RUGBY® LABORATORIES** 17177 N Laurel Park Drive, Suite 233 Livonia, MI 48152

PRINCIPAL DISPLAY PANEL - 148 mL Bottle Label

Rugby®

NDC 0536-1261-63

Benzoyl Peroxide Wash USP 10%

- Helps to keep skin clear
- Helps dry oily skin
- Helps clear acne pimples

5 FL OZ (148 mL)



NDC 0536-1261-63

Benzoyl Peroxide Wash USP

10%

- Helps to keep skin clear
- Helps dry oily skin
- Helps clear acne pimples

5 FL OZ (148 mL)

Drug Facts

Active ingredient
Benzoyl Peroxide USP 10% ______

Use for the treatment of acne

Warnings

For external use only.

Do not use if you . have very sensitive skin . are sensitive to benzoyl peroxide

When using this product • avoid unnecessary sun exposure and use a sunscreen • avoid contact with eyes, lips and mouth • avoid contact with hair and dyed fabrics, which may be bleached by this product • skin irritation may occur, characterized by redness, burning, liching, peeling or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time,

Stop use and consult a doctor if • irritation becomes severe

If pregnant or breast-feeding, ask a health professional before use,

Keep out of reach of children, If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

Directions • shake well • wet area to be cleansed

Sensitivity Test for a New User: Apply product sparingly to one or two small affected areas during the first 3 days. If no
discomfort occurs, follow directions stated below • one to three times daily, wet skin and cover the entire affected area with a thin
layer, liberally applying to areas to be cleansed. Massage gently into skin for 10-20 seconds working into a full lather, rinse
thoroughly and pat dry • because excessive drying of the skin may occur, start with one application daily, then gradually increase
to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to
once a day or every other day • if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop
use of both products and ask a doctor.

Other information • keep tightly closed • store at room temperature

Inactive ingredients carbomer, cetyl alcohol, disodium EDTA, disodium laureth sulfosuccinate, glycerin, glyceryl stearate, laureth-7, magnesium aluminum silicate, PEG-100 stearate, propylene glycol, sodium coco-sulfate, sodium lauroamphoacetate, water, xanthan gum

Questions or comments? 1-800-645-2158

MADE IN CANADA

Distributed by: RUGBY® LABORATORIES 17177 N Laurel Park Drive, Suite 233 Livonia, MI 48152 www.rugbylaboratories.com Rev. 12/19 R-104 Re-order No. 370814 05-3832

Acne medication

RUGBY BENZOYL PEROXIDE WASH ACNE MEDICATION

benzoyl peroxide lotion

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0536-1261

Route of Administration TOPICAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|----------------------|-------------------|
| Benzoyl Peroxide (UNII: W9WZ N9A0GM) (Benzoyl Peroxide - UNII:W9WZ N9A0GM) | Benzoyl Peroxide | 100 mg in 1 mL |

| Inactive Ingredients | |
|---|----------|
| Ingredient Name | Strength |
| CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC) | |
| Cetyl Alcohol (UNII: 936JST6JCN) | |
| Edetate Disodium (UNII: 7FLD91C86K) | |
| Disodium Laureth Sulfosuccinate (UNII: D6DH1DTN7E) | |
| Glycerin (UNII: PDC6A3C0OX) | |
| Glyceryl Monostearate (UNII: 2300U9XXE4) | |
| Laureth-7 (UNII: Z95S6G8201) | |
| Magnesium Aluminum Silicate (UNII: 6M3P64V0NC) | |
| PEG-100 Stearate (UNII: YD01N1999R) | |
| Propylene Glycol (UNII: 6DC9Q167V3) | |
| Sodium Coco-Sulfate (UNII: 3599J29ANH) | |
| Sodium Lauroamphoacetate (UNII: SLK428451L) | |
| Water (UNII: 059QF0KO0R) | |
| Xanthan Gum (UNII: TTV12P4NEE) | |

| Product Characteristics | | | |
|-------------------------|-------|--------------|--|
| Color | WHITE | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

| ı | Packaging | | | | |
|---|-----------|----------------------|---|-------------------------|-----------------------|
| | # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| | 1 | NDC:0536- 1261-63 | 148 mL in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product | 12/17/2019 | |

| Marketing Information | | | |
|-----------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC monograph drug | M006 | 12/17/2019 | |
| | | | |

Labeler - Rugby Laboratories (079246066)

Registrant - Garcoa, Inc. (036464697)

| Establishment | | | | |
|------------------------|---------|-----------|------------------------|--|
| Name | Address | ID/FEI | Business Operations | |
| Sigan Industries, Inc. | | 255106239 | MANUFACTURE(0536-1261) | |

Revised: 2/2024 Rugby Laboratories