### LIGHTNING X ANTISEPTIC- benzalkonium chloride spray Nantong Health & Beyond Hygienic Products Inc.



# FIRST AID ANTISEPTIC SPRAY

Benzalkonium Chloride 0.13% First Aid Antiseptic Treats minor cuts, scrapes and abrasions

2 FL OZ (59.1 ml)

## **Drug Facts**

#### **Active Ingredient** Benzalkonium Chloride 0.13%......

Purpose

.First aid antiseptic

**Uses** First aid to help prevent infection in minor cuts, scrapes & burns

#### Warnings

For external use only.

Flammable keep away from fire or flame

**Do not use** ■ near eyes or mucous membranes ■ on deep or puncture wounds, animal bites, or serious burns ■ over large areas of the body ■ more than one week unless directed by a doctor

**Stop use and ask a doctor** if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ clean affected area & spray 1 to 3 times daily ■ may be covered with a sterile bandage ■ not to be used on children under 12 years of age

**Inactive Ingredients** ethyl alcohol, purified

**Questions** 704.295.0299



Designed in Charlotte, NC by Lightning X Products, Inc

www.GearBags.com Manufactured In China

# FIRST AID ANTISEPTIC SPRAY

Benzalkonium Chloride 0.13% First Aid Antiseptic Treats minor cuts, scrapes and abrasions

2 FL OZ (59.1 ml)

## **Drug Facts**

### **Active Ingredient**

Benzalkonium Chloride 0.13%......First aid antiseptic

**Purpose** 

**Uses** First aid to help prevent infection in minor cuts, scrapes & burns

#### Warnings

For external use only.

Flammable keep away from fire or flame

**Do not use** ■ near eyes or mucous membranes ■ on deep or puncture wounds, animal bites, or serious burns ■ over large areas of the body ■ more than one week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ clean affected area & spray 1 to 3 times daily ■ may be covered with a sterile bandage ■ not to be used on children under 12 years of age

Inactive Ingredients ethyl alcohol, purified

**Questions** 704.295.0299



Designed in Charlotte, NC by Lightning X Products, Inc Manufactured In China

www.GearBags.com



# FIRST AID NTISEPTIC SPRAY

Benzalkonium Chloride 0.13% First Aid Antiseptic Treats minor cuts, scrapes and abrasions

2 FL OZ (59.1 ml)

### **Drug Facts**

**Active Ingredient** Benzalkonium Chloride 0.13%.....First aid antiseptic

Purpose

**Uses** First aid to help prevent infection in minor cuts, scrapes & burns

Warnings For external use only. Flammable keep away from fire or flame

**Do not use** ■ near eyes or mucous membranes ■ on deep or puncture wounds, animal bites, or serious burns ■ over large areas of the body ■ more than one week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ clean affected area & spray 1 to 3 times daily ■ may be covered with a sterile bandage ■ not to be used on children under 12 years of age

**Inactive Ingredients** ethyl alcohol, purified

**Questions** 704.295.0299



Designed in Charlotte, NC by Lightning X Products, Inc Manufactured In China

www.GearBags.com

# FIRST AID NTISEPTIC SPRAY

Benzalkonium Chloride 0.13% First Aid Antiseptic Treats minor cuts, scrapes and abrasions

2 FL OZ (59.1 ml)

### **Drug Facts**

Active Ingredient

**Purpose** Benzalkonium Chloride 0.13%.....First aid antiseptic

**Uses** First aid to help prevent infection in minor cuts, scrapes & burns

**Warnings** For external use only. Flammable keep away from fire or flame

**Do not use** ■ near eyes or mucous membranes ■ on deep or puncture wounds, animal bites, or serious burns ■ over large areas of the body ■ more than one week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ clean affected area & spray 1 to 3 times daily ■ may be covered with a sterile bandage ■ not to be used on children under 12 years of age

Inactive Ingredients ethyl alcohol, purified water

**Questions** 704.295.0299



Designed in Charlotte, NC by Lightning X Products, Inc Manufactured In China

www.GearBags.com



# FIRST AID NTISEPTIC SPRAY

Benzalkonium Chloride 0.13% First Aid Antiseptic Treats minor cuts, scrapes and abrasions

2 FL OZ (59.1 ml)

# **Drug Facts**

**Active Ingredient** Benzalkonium Chloride 0.13%..... Purpose

....First aid antiseptic

**Uses** First aid to help prevent infection in minor cuts, scrapes & burns

Warnings For external use only. Flammable keep away from fire or flame

**Do not use** ■ near eyes or mucous membranes ■ on deep or puncture wounds, animal bites, or serious burns ■ over large areas of the body ■ more than one week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ clean affected area & spray 1 to 3 times daily ■ may be covered with a sterile bandage ■ not to be used on children under 12 years of age

Inactive Ingredients ethyl alcohol, purified

**Questions** 704.295.0299



Designed in Charlotte, NC by Lightning X Products, Inc Manufactured In China

www.GearBags.com



# FIRST AID NTISEPTIC SPRAY

Benzalkonium Chloride 0.13% First Aid Antiseptic Treats minor cuts, scrapes and abrasions

2 FL OZ (59.1 ml)

## Drug Facts

**Active Ingredient** Benzalkonium Chloride 0.13%..... **Purpose** 

....First aid antiseptic

**Uses** First aid to help prevent infection in minor cuts, scrapes & burns

Warnings For external use only. Flammable keep away from fire or flame

**Do not use** ■ near eyes or mucous membranes ■ on deep or puncture wounds, animal bites, or serious burns ■ over large areas of the body ■ more than one week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ clean affected area & spray 1 to 3 times daily ■ may be covered with a sterile bandage ■ not to be used on children under 12 years of age

Inactive Ingredients ethyl alcohol, purified

**Questions** 704.295.0299



Designed in Charlotte, NC by Lightning X Products, Inc www.GearBags.com Manufactured In China



# FIRST AID ANTISEPTIC SPRAY

Benzalkonium Chloride 0.13% First Aid Antiseptic Treats minor cuts, scrapes and abrasions

2 FL OZ (59.1 ml)

# **Drug Facts**

#### **Active Ingredient** Benzalkonium Chloride 0.13%......First aid antiseptic

**Uses** First aid to help prevent infection in minor cuts, scrapes & burns

*Warnings*For external use only.
Flammable keep away from fire or flame

**Do not use** ■ near eyes or mucous membranes ■ on deep or puncture wounds, animal bites, or serious burns ■ over large areas of the body ■ more than one week unless directed by a doctor

**Stop use and ask a doctor** if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ clean affected area & spray 1 to 3 times daily ■ may be covered with a sterile bandage ■ not to be used on children under 12 years of age

Inactive Ingredients ethyl alcohol, purified

**Questions** 704.295.0299



Purpose

Designed in Charlotte, NC by Lightning X Products, Inc www.GearBags.com Manufactured In China

### LIGHTNING X ANTISEPTIC

benzalkonium chloride spray

#### **Product Information**

**Product Type HUMAN OTC DRUG** Item Code (Source) NDC:43473-303

**TOPICAL Route of Administration** 

### **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 100 mL

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
ALCOHOL (UNII: 3K9958V90M)			

Product Characteristics			
Color	Score		
Shape	Size		
Flavor	Imprint Code	2oz	

#### **Contains**

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:43473- 303-01	59.1 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/08/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	01/08/2024	

Labeler - Nantong Health & Beyond Hygienic Products Inc. (421280161)

Registrant - Nantong Health & Beyond Hygienic Products Inc. (421280161)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Nantong Health & Beyond Hygienic Products Inc.		421280161	manufacture(43473-303)	

Revised: 1/2024 Nantong Health & Beyond Hygienic Products Inc.