

**LANEIGE HYDRO UV DEFENSE EX BROAD SPECTRUM SPF 50- octocrylene,  
homosalate, octisalate, avobenzone cream  
AMOREPACIFIC CORPORATION**

-----  
**LANEIGE HYDRO UV DEFENSE EX BROAD SPECTRUM SPF 50**

***Drug Facts***

***Active ingredients***

Avobenzone 2.5%

Homosalate 7%

Octisalate 4.5%

Octocrylene 9%

***Purpose***

Sunscreen

***Uses***

Helps prevent sunburn.

If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

***Warnings***

***For external use only***

***Do not use*** on damaged or broken skin

***When using this product*** keep out of eyes. Rinse with water to remove.

***Stop use and ask a doctor*** if rash occurs.

***Keep out of reach of children.*** If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

Apply liberally 15 minutes before sun exposure.

Children under 6 months of age: Ask a doctor.

Reapply at least every 2 hours.

Use a water-resistant sunscreen if swimming or sweating.

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.-2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

### ***Other information***

Protect the product in this container from excessive heat and direct sun.

### ***Inactive ingredients***

WATER, PROPANEDIOL, BUTYLOCTYL SALICYLATE, GLYCERIN, DIPHENYLSILOXY PHENYL TRIMETHICONE, SILICA, PHENYL TRIMETHICONE, CAPRYLYL METHICONE, BEHENYL ALCOHOL, VP/EICOSENE COPOLYMER, TRIMETHYLSILOXYSILICATE, C14-22 ALCOHOLS, GLYCERYL STEARATE, PEG-100 STEARATE, 1,2-HEXANEDIOL, CETYL ALCOHOL, POTASSIUM CETYL PHOSPHATE, POLYACRYLATE-13, POLYISOBUTENE, C12-20 ALKYL GLUCOSIDE, ETHYLHEXYLGLYCERIN, FRAGRANCE / PARFUM, DISODIUM EDTA, POLYSORBATE 20, SORBITAN ISOSTEARATE, LAVANDULA ANGUSTIFOLIA (LAVENDER) FLOWER WATER, BUTYLENE GLYCOL, ALOE BARBADENSIS LEAF EXTRACT, PENTYLENE GLYCOL, CENTELLA ASIATICA FLOWER/LEAF/STEM EXTRACT, BRASSICA OLERACEA ITALICA (BROCCOLI) EXTRACT, HIBISCUS ABELMOSCHUS EXTRACT, TOCOPHEROL, MAGNESIUM SULFATE, CALCIUM CHLORIDE, XANTHAN GUM, CITRIC ACID, SODIUM BENZOATE, POTASSIUM SORBATE, MANGANESE SULFATE, CHENOPODIUM QUINOA SEED EXTRACT, ZINC SULFATE, ASCORBYL GLUCOSIDE

### ***Questions?***

support@us.amorepacific.com

## **LANEIGE HYDRO UV DEFENSE EX**


LANEIGE

HYDRO UV DEFENSE EX

SUNSCREEN

BROAD SPECTRUM SPF 50+

50 mL / 1.6 fl. oz.



Powerful Protection.  
Invisible Finish.

LANEIGE  
HYDRO UV DEFENSE EX

**LANEIGE**

HYDRO UV DEFENSE EX

SUNSCREEN  
BROAD SPECTRUM

**SPF 50+**

Protect & Hydrate

50 mL / 1.6 fl. oz.

**Drug Facts**

**Active ingredients Purpose**  
 Avobenzone 2.5% ----- Sunscreen  
 Homosalate 7% ----- Sunscreen  
 Octisalate 4.5% ----- Sunscreen  
 Octocrylene 9% ----- Sunscreen

**Uses**  
 \*Helps prevent sunburn. \*If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
 For external use only  
 Do not use on damaged or broken skin  
 When using this product keep out of eyes. Rinse with water to remove.  
 Stop use and ask a doctor if rash occurs.  
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 \*Apply liberally 15 minutes before sun exposure. \*Children under 6 months of age: Ask a doctor. \*Reapply at least every 2 hours. \*Use a water-resistant sunscreen if swimming or sweating. \*Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: \*Limit time in the sun, especially from 10 a.m. - 2 p.m. \*Wear long-sleeved shirts, pants, hats, and sunglasses.

**Other information**  
 \*Protect the product in this container from excessive heat and direct sun. ▶

**Drug Facts**  
(continued)

**Inactive ingredients**  
 WATER / AQUA / EAU, PROPANEDIOL, BUTYLOCTYL SALICYLATE, GLYCERIN, DIPHENYLSILOXY PHENYL TRIMETHICONE, SILICA, PHENYL TRIMETHICONE, CAPRYLYL METHICONE, BEHENYL ALCOHOL, VP/ EICOSENE COPOLYMER, TRIMETHYLSILOXY SILICATE, C14-22 ALCOHOLS, GLYCERYL STEARATE, PEG -100 STEARATE, 1,2-HEXANEDIOL, CETYL ALCOHOL, POTASSIUM CETYL PHOSPHATE, POLYACRYLATE-13, POLYISOBUTENE, C12-20 ALKYL GLUCOSIDE, ETHYLHEXYLGLYCERIN, FRAGRANCE / PARFUM, DISODIUM EDTA, POLYSORBATE 20, SORBITAN ISOSTEARATE, LAVANDULA ANGIUSTIFOLIA (LAVENDER) FLOWER WATER, BUTYLENE GLYCOL, ALOE BARBADENSIS LEAF EXTRACT, PENTYLENEGLYCOL, CENTELLA ASIATICA FLOWERLEAF/STEM EXTRACT, BRASSICA OLERACEA ITALICA (BROCCOLI) EXTRACT, HIBISCUS ABELMOSCHUS EXTRACT, TOCOPHEROL, MAGNESIUM SULFATE, CALCIUM CHLORIDE, XANTHAN GUM, CITRIC ACID, SODIUM BENZOATE, POTASSIUM SORBATE, MANGANESE SULFATE, CHENOPODIUM QUINOA SEED EXTRACT, ZINC SULFATE, ASCORBYL GLUCOSIDE

**Questions?**  
[support.us.amorepacific.com](http://support.us.amorepacific.com)

**Benefits**  
 Protect + Hydrate

**Main Ingredients**  
 + Centella Asiatica  
 + Hydro Ionized Mineral Water

**DIRECTIONS:** Use as the last step of your routine, before makeup. Take a dime-size amount and spread evenly onto face. Reapply every two hours.

AMOREPACIFIC CORPORATION  
 Distributed by Amorepacific US Inc. New York, NY 10018  
 Made in Korea (3471)



090226

**LANEIGE HYDRO UV DEFENSE EX BROAD SPECTRUM SPF 50**  
 octocrylene, homosalate, octisalate, avobenzone cream

| Product Information     |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:43419-791 |
| Route of Administration | TOPICAL        |                    |               |

**Active Ingredient/Active Moiety**

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b> |
|---|--------------------------|-----------------|
| <b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)   | HOMOSALATE               | 3.5 g in 50 mL  |
| <b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)   | AVOBENZONE               | 1.25 g in 50 mL |
| <b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE              | 4.5 g in 50 mL  |
| <b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)   | OCTISALATE               | 2.25 g in 50 mL |

**Inactive Ingredients**

| <b>Ingredient Name</b>  | <b>Strength</b> |
|---|-----------------|
| <b>CHENOPODIUM QUINOA SEED</b> (UNII: OO4K72NZ2X)               |                 |
| <b>ABELMOSCHUS MOSCHATUS FLOWER</b> (UNII: 599O6K8K81)          |                 |
| <b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)                 |                 |
| <b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)                     |                 |
| <b>DOCOSANOL</b> (UNII: 9G1OE216XY)                             |                 |
| <b>POTASSIUM CETYL PHOSPHATE</b> (UNII: 03KCY6P7UT)             |                 |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)                       |                 |
| <b>CENTELLA ASIATICA FLOWERING TOP</b> (UNII: J02K2IV2PB)       |                 |
| <b>.ALPHA.-TOCOPHEROL, DL-</b> (UNII: 7QWA1RIO01)               |                 |
| <b>MAGNESIUM SULFATE ANHYDROUS</b> (UNII: ML30MJ2U7I)           |                 |
| <b>CALCIUM CHLORIDE</b> (UNII: M4I0D6VV5M)                      |                 |
| <b>XANTHAN GUM</b> (UNII: TTV12P4NEE)                           |                 |
| <b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)                       |                 |
| <b>ZINC SULFATE MONOHYDRATE</b> (UNII: PTX099XS F1)             |                 |
| <b>ASCORBYL GLUCOSIDE</b> (UNII: 2V52R0NHXW)                    |                 |
| <b>C14-22 ALCOHOLS</b> (UNII: B1K89384RJ)                       |                 |
| <b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)                 |                 |
| <b>PEG-100 STEARATE</b> (UNII: YD01N1999R)                      |                 |
| <b>C12-20 ALKYL GLUCOSIDE</b> (UNII: K67N5Z1RUA)                |                 |
| <b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)                    |                 |
| <b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)                        |                 |
| <b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)                  |                 |
| <b>MANGANESE SULFATE</b> (UNII: W00LYS4T26)                     |                 |
| <b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)                         |                 |
| <b>POLYACRYLATE-13</b> (UNII: FS2D4T67EA)                       |                 |
| <b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)                        |                 |
| <b>WATER</b> (UNII: 059QF0KO0R)                                 |                 |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)                           |                 |
| <b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)                 |                 |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                              |                 |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                       |                 |
| <b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)                  |                 |
| <b>VINYLPYRROLIDONE/EICOSENE COPOLYMER</b> (UNII: 035MV9S1C3)   |                 |
| <b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)                   |                 |
| <b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN) |                 |
| <b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)            |                 |
| <b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)                        |                 |

**PENTYLENE GLYCOL** (UNII: 50C1307PZG)

**POLYISOBUTYLENE (1000 MW)** (UNII: 5XB3A63Y52)

**DIPHENYLSILOXY PHENYL TRIMETHICONE** (UNII: I445L28B12)

**LAVENDER OIL** (UNII: ZBP1YXW0H8)

### Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:43419-791-08 | 1 in 1 BOX   | 05/01/2024           |                    |
| 1 |                  | 50 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 05/01/2024           |                    |

**Labeler** - AMOREPACIFIC CORPORATION (631035289)

Revised: 1/2024

AMOREPACIFIC CORPORATION