

PAIN GOODBYE AQUEOUS PATCH- methyl salicylate patch
Austin Biotechnology Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

PAIN GOODBYE AQUEOUS BALM PATCH

ACTIVE INGREDIENTS

Methyl Salicylate 50 mg

L-Methenol 80 mg

PURPOSE

Methyl Salicylate External Analgesic

L-Methenol External Analgesic

USES

Uses for the temporary relief of minor aches, and points of muscles and joints associated with simple backache, arthritis, strains, bruises and sprains.

WARNINGS

For External Use Only. Do not use on wounds, on infected or damaged skin.

Stop use and ask a doctor if

Keep out of reach of children to avoid accidental poisoning. If swallowed, get medical help or consult a poison control center right away.

Stop use and ask a doctor if

Condition worsens.

Symptom clears up and occurs again within a few days.

Symptom persists for more than 7 days.

Nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs.

Excessive irritation of the skin develops.

Stop use and ask a doctor if

Avoid contact with eyes or mucous membranes.

Do not bandage tightly.

When using for pain of arthritis:

In conditions affecting children under 12 years of age

If red nose is present

If pain persists for more than 10 days

WARNINGS

For children under 12 years of age, do not use, consult a doctor.

Directions

Adult and children 12 years of age and older; Remove the clear film backing and apply to the sore area of skin. Use not than 3 times daily.

Bandage will remain effective after 24 hours and will be even more effective when using after a bath.

Do not apply to extremely hairy skin. Highly adhesive bandage may hurt skin upon removal.

Other Information:

Keep container tightly closed. Once opened, fold the opening and keep pressed. Close with a clip.

Store at room temperature.

INACTIVE INGREDIENTS

Gelatin, Myrrhm, Sesame Oil, Water and Zinc Oxide

For External Use

The Newest Effective **PAIN** Relief Patch

Immediate Long-Lasting Pain Relief

PAIN GOODBYE
Aqueous Balm

• Breathable Adhesive Pad • Flexes As You Move

“貼爽” 水性药贴布

For temporary relieve of minor aches or pain associated with:

- Strains
- Bruises
- Arthritis
- Muscles
- Joints of the neck, back, knees, shoulders and arms

風濕痛 / 關節痛 / 扭挫傷 / 跌打損傷 / 腰背痛 / 肌肉痛 / 肩頸腕痛

BACK SHOULDER NECK

LEG ARM

1 Patch 3.9" x 4.7"

DRUG FACTS (Per sheet)	
Active Ingredients:	Purpose
Methyl Salicylate - 50mg	External Analgesic
L-Methenol - 80mg	External Analgesic
Inactive Ingredient - Gelatin, Myrrhm, Sesame Oil, Water and Zinc Oxide	
Uses - For the temporary relief of minor aches and pains of muscles and joints associated with simple backaches, arthritis, strains, bruises and sprains.	
Warning - For external use only.	
Do not use - • On wounds • On infected or damaged skin	
When using this product - • Avoid contact with eyes or mucous membranes. • Do not bandage tightly.	
Stop use and ask a doctor if - • Condition worsens • Symptoms clear up and occur again within a few days. • Symptoms persist for more than 7 days. • Nausea, vomiting, abdominal discomfort, dizziness, or skin rash occurs. • Excessive irritation of the skin develops. • When using for pain of arthritis: • In conditions affecting children under 12 years of age • If red nose is present • If pain persists for more than 10 days	
• Keep out of reach of children to avoid accidental poisoning. If swallowed, get medical help or consult a poison control center right away.	
Directions - • Adult & Children 12 years of age and older: Remove the clear film backing and apply to the sore area of skin. Use not more than 3 times daily. • Bandage will remain effective after 24 hours and will be even more effective when using after a bath. • Do not apply to extremely hairy skin. Highly adhesive bandage may hurt skin upon removal. • For children under 12 years of age, do not use, consult a doctor.	
Other Information - • Keep container tightly closed, once opened, fold the opening and keep pressed closed with a clip. • Store at room temperature.	

NDC# 15667-7396-3

0 39736 62280 4

Distributed By:
MediLent USA Incorporation
Flushing, NY 11354 U.S.A.

Lot: See Reverse Side
Exp.:

PAIN GOODBYE AQUEOUS PATCH

methyl salicylate patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:15667-7396
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	50 mg in 1000 mg
2-(L-MENTHOXY)ETHANOL (UNII: 5ZWW23169H) (2-(L-MENTHOXY)ETHANOL - UNII:5ZWW23169H)	2-(L-MENTHOXY)ETHANOL	80 mg in 1000 mg

Inactive Ingredients

Ingredient Name	Strength
GELATIN (UNII: 2G86QN327L)	
MYRRH (UNII: JC71GJ1F3L)	
SESAME OIL (UNII: QX10HYY4QV)	
WATER (UNII: 059QF0K00R)	
ZINC OXIDE (UNII: SOI2LOH54Z)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:15667-7396-5	5 in 1 BAG		
1	NDC:15667-7396-3	1000 mg in 1 BAG		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	10/26/2011	

Labeler - Austin Biotechnology Inc (656001949)

Registrant - Austin Biotechnology Inc (656001949)

Establishment

Name	Address	ID/FEI	Business Operations
Austin Biotechnology Inc		656001949	manufacture(15667-7396)