MYMEDIC CALENDULA GEL- calendula officinalis flower gel Nantong Health & Beyond Hygienic Products Inc.


MY MEDIC **Drug Facts** Active ingredients Calendula Officinalis Purpose Calendula Gel Relieves muscle pain & stiffness, swelling from injuries, discoloration flower extract (4%) ... from bruises Anti-inflammatory ointment Uses temporarily relieves muscle pain and which reduces swelling & pain stiffness due to: minor injuries overexertion reduces symptoms of bruising such as: discoloration pain Topical Warnings For external use only. Do not use if you are allergic to Calendula or any of this product's inactive ingredients. When using this product avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin dryness or irritation may occur use only as directed do not tightly wrap or bandage the treated area
 do not apply heat or ice to the treated area immediately before or after use. Stop use and ask a doctor if conditions persist for more than 3 days or worsens symptoms clear up and occur again within a few days. Keep out of reach of children If swallowed, get medical help or contact a Poison Control Center right away. **Directions** Apply a thin layer of gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying ointment. Other information do not use if the sachet Inactive ingredients White Petroleum, Water MFG: 20220330 SCAN ME 3.5gFOR MORE KNOWLEDGE EXP: 20250329 SKILLS, & REFILLS Designed with 📦 in Salt Lake City 📗 (.125 fl oz) MADE IN CHINA www.mymedic.com DISTRIBUTED BY: SLED DISTRIBUTION LLC DBA MYMEDIC 120 North Redwood Rd, Ste, A, North Salt Lake , UT 84054 EXPERIENCE ELEVATED FIRST AID

EAR HERE

Calendula Gel

Anti-inflammatory ointment which reduces swelling & pain

Topical



3.5 g (.125 fl oz)



EXPERIENCE ELEVATED FIRST AID

Drug Facts

Active ingredients

Calendula Officinalis flower extract (4%)

Purpose

Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

Uses ■ temporarily relieves muscle pain and stiffness due to:

- minor injuries overexertion fr
- reduces symptoms of bruising such as:
 discoloration
 pain
 swelling

Warnings For external use only.

Do not use if you are allergic to Calendula or any of this product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or initated skin
 dryness or initation may occur
- use only as directed
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

 conditions persist for more than 3 days or worsens
 symptoms clear up and occur again within a few days.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying ointment.

Other information do not use if the sachet seal is broken.

Inactive ingredients

White Petroleum, Water

MFG: 20220330 EXP: 20250329 SCAN ME

FOR MORE KNOWLEDGE, SKILLS, & REFILLS




EAR HERE

Calendula Gel

Anti-inflammatory ointment which reduces swelling & pain

Topical



3.5 g (.125 fl oz)



EXPERIENCE ELEVATED FIRST AID

Drug Facts

Active ingredients

Calendula Officinalis flower extract (4%)

Purpose

Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

Uses ■ temporarily relieves muscle pain and stiffness due to:

- minor injuries overexertion fr
- reduces symptoms of bruising such as:
 discoloration
 pain
 swelling

Warnings For external use only.

Do not use if you are allergic to Calendula or any of this product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or initated skin
 dryness or initation may occur
- use only as directed
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

 conditions persist for more than 3 days or worsens
 symptoms clear up and occur again within a few days.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying ointment.

Other information do not use if the sachet seal is broken.

Inactive ingredients

White Petroleum, Water

MFG: 20220330 EXP: 20250329 SCAN ME

FOR MORE KNOWLEDGE, SKILLS, & REFILLS




EAR HERE

Calendula Gel

Anti-inflammatory ointment which reduces swelling & pain

Topical



3.5 g (.125 fl oz)



EXPERIENCE ELEVATED FIRST AID

Drug Facts

Active ingredients

Calendula Officinalis flower extract (4%)

Purpose

Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

Uses ■ temporarily relieves muscle pain and stiffness due to:

- minor injuries overexertion fr
- reduces symptoms of bruising such as:
 discoloration
 pain
 swelling

Warnings For external use only.

Do not use if you are allergic to Calendula or any of this product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or initated skin
 dryness or initation may occur
- use only as directed
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

 conditions persist for more than 3 days or worsens
 symptoms clear up and occur again within a few days.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying ointment.

Other information do not use if the sachet seal is broken.

Inactive ingredients

White Petroleum, Water

MFG: 20220330 EXP: 20250329 SCAN ME

FOR MORE KNOWLEDGE, SKILLS, & REFILLS




EAR HERE

Calendula Gel

Anti-inflammatory ointment which reduces swelling & pain

Topical



3.5 g (.125 fl oz)



EXPERIENCE ELEVATED FIRST AID

Drug Facts

Active ingredients

Calendula Officinalis flower extract (4%)

Purpose

Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

Uses ■ temporarily relieves muscle pain and stiffness due to:

- minor injuries overexertion fr
- reduces symptoms of bruising such as:
 discoloration
 pain
 swelling

Warnings For external use only.

Do not use if you are allergic to Calendula or any of this product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or initated skin
 dryness or initation may occur
- use only as directed
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

 conditions persist for more than 3 days or worsens
 symptoms clear up and occur again within a few days.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying ointment.

Other information do not use if the sachet seal is broken.

Inactive ingredients

White Petroleum, Water

MFG: 20220330 EXP: 20250329 SCAN ME

FOR MORE KNOWLEDGE, SKILLS, & REFILLS




EAR HERE

Calendula Gel

Anti-inflammatory ointment which reduces swelling & pain

Topical



3.5 g (.125 fl oz)



EXPERIENCE ELEVATED FIRST AID

Drug Facts

Active ingredients

Calendula Officinalis flower extract (4%)

Purpose

Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

Uses ■ temporarily relieves muscle pain and stiffness due to:

- minor injuries overexertion fr
- reduces symptoms of bruising such as:
 discoloration
 pain
 swelling

Warnings For external use only.

Do not use if you are allergic to Calendula or any of this product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or initated skin
 dryness or initation may occur
- use only as directed
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

 conditions persist for more than 3 days or worsens
 symptoms clear up and occur again within a few days.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying ointment.

Other information do not use if the sachet seal is broken.

Inactive ingredients

White Petroleum, Water

MFG: 20220330 EXP: 20250329 SCAN ME

FOR MORE KNOWLEDGE, SKILLS, & REFILLS




TEAR HERE

Calendula Gel

Anti-inflammatory ointment which reduces swelling & pain

Topical



3.5 g (.125 fl oz)



Drug Facts

Active ingredients

Calendula Officinalis flower extract (4%)

Purpose

Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

Uses temporarily relieves muscle pain and stiffness due to:

- minor injuries overexertion fall:
 reduces symptoms of bruising such as:
- reduces symptoms of bruising such as:
 discoloration
 pain
 swelling

Warnings For external use only.

Do not use if you are allergic to Calendula or any of this product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- dryness or irritation may occur
 use only as directed
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

 conditions persist for more than 3 days or worsens
 symptoms clear up and occur again within a few days.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Directions Apply a thin layer of gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying ointment.

Other information do not use if the sachet seal is broken.

Inactive ingredients

White Petroleum, Water

MFG: 20220330 EXP: 20250329 SCAN ME

FOR MORE KNOWLEDGE, SKILLS, & REFILLS

OFFICINALIS FLOWER in 1 a

Designed with in Salt Lake City MADE IN CHINA www.mymedic.com
DISTRIBUTED BY: SLED DISTRIBUTION
LIC DBA MYMEDIC 120 North Rechwood
Rd. Ste. A, North Salt Lake, UT 84054



MYMEDIC CALENDULA GEL

calendula officinalis flower gel

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:43473-305

Route of Administration TOPICAL

Active Ingredient/Active Moiety

OFFICINALIS FLOWER - UNII:P0M7O4Y7YD)

7.00.170 mg. 00.101.47.101.170 mg.				
	Ingredient Name	Basis of Strength	Strength	
	CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD) (CALENDULA	CALENDULA	1 [hp X]	

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
LIQUID PETROLEUM (UNII: 6ZAE7X688J)			

Product Characteristics			
Color	Score		
Shape	Size	80mm	
Flavor	Imprint Code		
Contains			

ı	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:43473-305- 01	3.5 g in 1 POUCH; Type 0: Not a Combination Product	01/16/2024	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M003	01/16/2024		

Labeler - Nantong Health & Beyond Hygienic Products Inc. (421280161)

Registrant - Nantong Health & Beyond Hygienic Products Inc. (421280161)

Establishment				
Name	Address	ID/FEI	Business Operations	
Nantong Health & Beyond Hygienic Products Inc.		421280161	manufacture(43473-305)	

Revised: 1/2024 Nantong Health & Beyond Hygienic Products Inc.