




MYMEDIC TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment
Nantong Health & Beyond Hygienic Products Inc.

MY MEDIC™ 


TEAR HERE 

TRIPLE ANTIBIOTIC
 Antibiotic to treat cuts and scrapes and promote healing

Topical



EXPERIENCE ELEVATED FIRST AID

NET WT 0.9 g 

Drug Facts	
Active Ingredients (in each gram)	Purpose
Bacitracin zinc (bacitracin 400 units)	
Neomycin sulfate (neomycin 3.5 mg)	
Polymyxin B sulfate (polymyxin B 5,000 units)	first aid antibiotic
Uses First aid to help prevent infection in minor cuts, scrapes, and burns	
Warnings For external use only	
Do not use ■ in eyes ■ over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor.	
Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns	
Stop use and ask a doctor if the condition persists or gets worse ■ a rash or other allergic reaction develops. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ Clean the affected area ■ Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ May be covered with a sterile bandage.	
Other Information Store at room temperature	
Inactive Ingredients Mineral oil, petrolatum, purified water	

Designed with ♥ in Salt Lake City 
www.mymedic.com

MADE IN CHINA
 DISTRIBUTED BY:
 SLED DISTRIBUTION LLC DBA MYMEDIC
 120 North Redwood Rd.
 Ste. A, North Salt Lake, UT 84054




MY MEDIC™




TEAR HERE

TRIPLE ANTIBIOTIC

Antibiotic to treat cuts and scrapes and promote healing

Topical



EXPERIENCE ELEVATED FIRST AID

NET WT 0.9 g



Drug Facts

Active Ingredients (in each gram)	Purpose
Bacitracin zinc (bacitracin 400 units)	
Neomycin sulfate (neomycin 3.5 mg)	
Polymyxin B sulfate (polymyxin B 5,000 units)	first aid antibiotic

Uses First aid to help prevent infection in minor cuts, scrapes, and burns

Warnings For external use only

Do not use ■ in eyes ■ over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns

Stop use and ask a doctor if the condition persists or gets worse ■ a rash or other allergic reaction develops. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Clean the affected area ■ Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ May be covered with a sterile bandage.

Other Information

Store at room temperature

Inactive Ingredients

Mineral oil, petrolatum, purified water

Designed with ♥ in Salt Lake City

www.mymedic.com

MADE IN CHINA

DISTRIBUTED BY:

SLED DISTRIBUTION LLC DBA MYMEDIC

120 North Redwood Rd.

Ste. A, North Salt Lake, UT 84054



MY MEDIC™




TEAR HERE

TRIPLE ANTIBIOTIC

Antibiotic to treat cuts and scrapes and promote healing

Topical



EXPERIENCE ELEVATED FIRST AID

NET WT 0.9 g



Drug Facts

Active Ingredients (in each gram)	Purpose
Bacitracin zinc (bacitracin 400 units)	
Neomycin sulfate (neomycin 3.5 mg)	
Polymyxin B sulfate (polymyxin B 5,000 units)	first aid antibiotic

Uses First aid to help prevent infection in minor cuts, scrapes, and burns

Warnings For external use only

Do not use ■ in eyes ■ over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns

Stop use and ask a doctor if the condition persists or gets worse ■ a rash or other allergic reaction develops. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Clean the affected area ■ Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ May be covered with a sterile bandage.

Other Information

Store at room temperature

Inactive Ingredients

Mineral oil, petrolatum, purified water

Designed with ♥ in Salt Lake City

www.mymedic.com

MADE IN CHINA

DISTRIBUTED BY:

SLED DISTRIBUTION LLC DBA MYMEDIC

120 North Redwood Rd.

Ste. A, North Salt Lake, UT 84054



MY MEDIC™




TEAR HERE

TRIPLE ANTIBIOTIC

Antibiotic to treat cuts and scrapes and promote healing

Topical



EXPERIENCE ELEVATED FIRST AID

NET WT 0.9 g



Drug Facts

Active Ingredients (in each gram)	Purpose
Bacitracin zinc (bacitracin 400 units)	
Neomycin sulfate (neomycin 3.5 mg)	
Polymyxin B sulfate (polymyxin B 5,000 units)	first aid antibiotic

Uses First aid to help prevent infection in minor cuts, scrapes, and burns

Warnings For external use only

Do not use ■ in eyes ■ over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns

Stop use and ask a doctor if the condition persists or gets worse ■ a rash or other allergic reaction develops. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Clean the affected area ■ Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ May be covered with a sterile bandage.

Other Information

Store at room temperature

Inactive Ingredients

Mineral oil, petrolatum, purified water

Designed with ♥ in Salt Lake City

www.mymedic.com

MADE IN CHINA

DISTRIBUTED BY:

SLED DISTRIBUTION LLC DBA MYMEDIC

120 North Redwood Rd.

Ste. A, North Salt Lake, UT 84054



MY MEDIC™




TEAR HERE

TRIPLE ANTIBIOTIC

Antibiotic to treat cuts and scrapes and promote healing

Topical



EXPERIENCE ELEVATED FIRST AID

NET WT 0.9 g



Drug Facts

Active Ingredients (in each gram)	Purpose
Bacitracin zinc (bacitracin 400 units)	
Neomycin sulfate (neomycin 3.5 mg)	
Polymyxin B sulfate (polymyxin B 5,000 units)	first aid antibiotic

Uses First aid to help prevent infection in minor cuts, scrapes, and burns

Warnings For external use only

Do not use ■ in eyes ■ over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns

Stop use and ask a doctor if the condition persists or gets worse ■ a rash or other allergic reaction develops. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Clean the affected area ■ Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ May be covered with a sterile bandage.

Other Information

Store at room temperature

Inactive Ingredients

Mineral oil, petrolatum, purified water

Designed with ♥ in Salt Lake City

www.mymedic.com

MADE IN CHINA

DISTRIBUTED BY:

SLED DISTRIBUTION LLC DBA MYMEDIC

120 North Redwood Rd.

Ste. A, North Salt Lake, UT 84054



MY MEDIC™




TEAR HERE

TRIPLE ANTIBIOTIC

Antibiotic to treat cuts and scrapes and promote healing

Topical



EXPERIENCE ELEVATED FIRST AID

NET WT 0.9 g



Drug Facts

Active Ingredients (in each gram)	Purpose
Bacitracin zinc (bacitracin 400 units)	
Neomycin sulfate (neomycin 3.5 mg)	
Polymyxin B sulfate (polymyxin B 5,000 units)	first aid antibiotic

Uses First aid to help prevent infection in minor cuts, scrapes, and burns

Warnings For external use only

Do not use ■ in eyes ■ over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns

Stop use and ask a doctor if the condition persists or gets worse ■ a rash or other allergic reaction develops. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Clean the affected area ■ Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ May be covered with a sterile bandage.

Other Information

Store at room temperature

Inactive Ingredients

Mineral oil, petrolatum, purified water

Designed with ♥ in Salt Lake City

www.mymedic.com

MADE IN CHINA

DISTRIBUTED BY:

SLED DISTRIBUTION LLC DBA MYMEDIC

120 North Redwood Rd.

Ste. A, North Salt Lake, UT 84054



MY MEDIC™




TEAR HERE

TRIPLE ANTIBIOTIC

Antibiotic to treat cuts and scrapes and promote healing

Topical



EXPERIENCE ELEVATED FIRST AID

NET WT 0.9 g



Drug Facts

Active Ingredients (in each gram)	Purpose
Bacitracin zinc (bacitracin 400 units)	
Neomycin sulfate (neomycin 3.5 mg)	
Polymyxin B sulfate (polymyxin B 5,000 units)	first aid antibiotic

Uses First aid to help prevent infection in minor cuts, scrapes, and burns

Warnings For external use only

Do not use ■ in eyes ■ over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns

Stop use and ask a doctor if the condition persists or gets worse ■ a rash or other allergic reaction develops. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Clean the affected area ■ Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ May be covered with a sterile bandage.

Other Information
Store at room temperature

Inactive Ingredients
Mineral oil, petrolatum, purified water

Designed with ♥ in Salt Lake City
www.mymedic.com

MADE IN CHINA
DISTRIBUTED BY:
SLED DISTRIBUTION LLC DBA MYMEDIC
120 North Redwood Rd.
Ste. A, North Salt Lake, UT 84054



MYMEDIC TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43473-310
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN ZINC	400 [USP ^U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [USP ^U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
WATER (UNII: 059QF0KO0R)	
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43473-310-01	0.9 g in 1 POUCH; Type 0: Not a Combination Product	01/16/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	01/16/2024	

Labeler - Nantong Health & Beyond Hygienic Products Inc. (421280161)

Registrant - Nantong Health & Beyond Hygienic Products Inc. (421280161)

Establishment

Name	Address	ID/FEI	Business Operations
Nantong Health & Beyond Hygienic Products Inc.		421280161	manufacture(43473-310)

Revised: 1/2024

Nantong Health & Beyond Hygienic Products Inc.