COLIRIO OCUSAN- tetrahydrozoline hydrochloride, polyethylene glycol 400, povidone, unspecified, and dextran 70 liquid DLC Laboratories, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Colirio Ocusan ®

Drug Facts

Active ingredients	Purposes
Dextran 70 0.1%	Lubricant
Polyethylene Glycol 400 1%	Lubricant
Povidone 1%	Lubricant
Tetrahydrozoline HCl 0.05%	Redness
red arryur 020mie nci 0.05%	reliever

Use

- for the relief of redness of the eye due to minor eye irritations
- for use as a protectant against further irritation or to relieve dryness of the eye

Warnings

For external use only

Ask a doctor before use if you have narrow angle glaucoma.

When using this product

- pupils may become enlarged temporarily
- overuse may cause more eye redness
- remove contact lenses before using
- do not use if this solution changes color or becomes cloudy
- do not touch tip of container to any surface to avoid contamination
- replace cap after each use

Stop use and ask a doctor if

- you feel eye pain
- changes in vision occur
- redness or irritation of the eye lasts
- condition worsens or lasts more than 72 hours

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- put 1 to 2 drops in the affected eye(s) up to 4 times daily
- children under 6 years of age: ask a doctor

Other information

• store at 15° to 25°C (59° to 77°F)

Inactive ingredients

benzalkonium chloride, boric acid, disodium edetate hydrate, sodium borate, sodium chloride, water for injection

Questions

1-800-858-3889

Distributed by: DLC LABORATORIES, INC. PARAMOUNT, CA 90723 USA

PRINCIPAL DISPLAY PANEL - 15 mL Bottle Box

Improved Formula!

Now

with

3

Moisturizers

Maximum

Strength

Colirio

Ocusan ®

Fast Redness Relief Soothes & Lubricates

Redness Reliever / Lubricant Eye Drops

STERILE

1/2 FL OZ (15 mL)



Please Recycle



Colirio Ocusan

Maximum strength Colirio Ocusanº works quickly to relieve redness and soothe tired, irritated eyes. Our moisturizing formula lubricates the eyes and helps protect against further dryness and irritation.



Distributed by: DLC LABORATORIES, INC. PARAMOUNT, CA 90723 USA Questions/Preguntas 1-800-858-3889 © 2019 DLC Laboratories, Inc.

DO NOT USE IF CARTON IS OPEN OR NECK BAND ON THE BOTTLE IS BROKEN OR MISSING

Drug Facts

Active ingredients **Purposes** Dextran 70 0.1%.... ..Lubricant Polyethylene Glycol 400 1%.....Lubricant .Lubricant Povidone 1% Tetrahydrozoline HCl 0.05%.Redness reliever

- for the relief of redness of the eye due to minor eye irritations
- for use as a protectant against further irritation or to relieve dryness of the eye

Warnings

For external use only

Ask a doctor before use if you have narrow angle glaucoma.

When using this product

- pupils may become enlarged temporarily
- overuse may cause more eye redness
- remove contact lenses before using
- do not use if this solution changes color or becomes cloudy
- do not touch tip of container to any surface to avoid contamination

replace cap after each use Stop use and ask a doctor if

- vou feel eve pain
- changes in vision occur
- redness or irritation of the eye lasts

RETAIN CARTON FOR COMPLETE DRUG FACTS

Drug Facts (continued)

condition worsens or lasts more than 72 hours

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions


- put 1 to 2 drops in the affected eye(s) up to 4 times daily
- children under 6 years of age: ask a doctor

Other information

store at 15° to 25°C (59° to 77°F)

Inactive ingredients

benzalkonium chloride, boric acid, disodium edetate hydrate, sodium borate. sodium chloride, water for injection



LOT:

EXP:



COLIRIO OCUSAN

tetrahydrozoline hydrochloride, polyethylene glycol 400, povidone, unspecified, and dextran 70 liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:24286-1575

OPHTHALMIC Route of Administration

Active Ingredient/Active Moiety

Basis of Ingredient Name Strength Strength

TETRAHYDROZOLINE HYDROCHLORIDE (UNII: 0YZT43HS7D) (TETRAHYDROZOLINE - UNII:S9U025Y077)	TETRAHYDROZOLINE HYDROCHLORIDE	0.5 mg in 1 mL
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) (POLYETHYLENE GLYCOL 400 - UNII: B697894SGQ, POLYETHYLENE GLYCOL, UNSPECIFIED - UNII: 3MJQ0SDW1A)	POLYETHYLENE GLYCOL 400	10 mg in 1 mL
POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E) (POVIDONE, UNSPECIFIED - UNII: FZ 989GH94E)	POVIDONE, UNSPECIFIED	10 mg in 1 mL
DEXTRAN 70 (UNII: 7SA290YK68) (DEXTRAN 70 - UNII:7SA290YK68)	DEXTRAN 70	1 mg in 1 mL

Inactive Ingredients		
Ingredient Name	Strength	
BORIC ACID (UNII: R57ZHV85D4)		
SODIUM BORATE (UNII: 91MBZ8H3QO)		
EDETATE DISODIUM (UNII: 7FLD91C86K)		
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
WATER (UNII: 059QF0KO0R)		

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:24286- 1575-1	1 in 1 BOX	12/16/2019			
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product				

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/16/2019	

Labeler - DLC Laboratories, Inc. (093351930)

Revised: 1/2023 DLC Laboratories, Inc.