

COPPERTONE TANNING SUNSCREEN SPF 8- avobenzene 2%, homosalate 5%, octisalate 4.5%, octocrylene 3% lotion
Beiersdorf Inc

Coppertone Tanning Lotion SPF 8

Drug Facts

Active ingredients

Avobenzene 2%, Homosalate 5%, Octisalate 4.5%, Octocrylene 3%

Purpose

Sunscreen

Use

- helps prevent sunburn

Warnings

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics or surfaces

Inactive ingredients

water, aluminum starch octenylsuccinate, glycerin, silica, phenoxyethanol, isododecane, polyester-27, styrene/acrylates copolymer, ethylhexylglycerin, acrylates/C10-30 alkyl acrylate crosspolymer, arachidyl alcohol, neopentyl glycol diheptanoate, glyceryl stearate, PEG-100 stearate, beeswax, fragrance, behenyl alcohol, arachidyl glucoside, potassium hydroxide, disodium EDTA

Questions?

1-866-288-3330

Coppertone Sunscreen Lotion

Tanning 8

Moisturizes Skin for a Radiant Tan

Lightweight, non-greasy

Free of Oxybenzone, Octinoxate, Dyes & PABA

Water Resistant (80 Minutes)

Broad Spectrum SPF 8

Drug Facts**Active ingredients**

Avobenzone 2%, Homosalate 5%,
Octisalate 4.5%, Octocrylene 3%Sunscreen

Purpose**Use**

■ helps prevent sunburn

Warnings

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ apply liberally 15 minutes before sun exposure

■ reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months: Ask a doctor

Other information ■ protect this product from excessive heat and direct sun ■ may stain or damage some fabrics or surfaces

Inactive ingredients

water, aluminum starch octenylsuccinate, glycerin, silica, phenoxethanol, isododecane, polyester-27, styrene/acrylates copolymer, ethylhexylglycerin, acrylates/C10-30 alkyl acrylate crosspolymer, arachidyl alcohol, neopentyl glycol diheptanoate, glyceryl stearate, PEG-100 stearate, beeswax, fragrance, behenyl alcohol, arachidyl glucoside, potassium hydroxide, disodium EDTA

Questions? 1-866-288-3330

www.coppertone.com

48201.790.SA.98

**Beiersdorf**

Made in Mexico/Distributed by:
Beiersdorf Inc. Stamford, CT 06901
©=reg. TM. of Beiersdorf AG,
Germany



Coppertone
SUNSCREEN LOTION



TANNING

8

**MOISTURIZES SKIN
FOR A RADIANT TAN**

Lightweight, non-greasy

Free of Oxybenzone,
Octinoxate, Dyes & PABA

Water Resistant (80 Minutes)
Broad Spectrum SPF 8

8 FL OZ (237 mL)

COPPERTONE TANNING SUNSCREEN SPF 8

avobenzone 2%, homosalate 5%, octisalate 4.5%, octocrylene 3% lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66800-7034
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	3 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

WATER (UNII: 059QF0KO0R)
STYRENE/ACRYLAMIDE COPOLYMER (500000 MW) (UNII: 5Z4DPO246A)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)
ARACHIDYL GLUCOSIDE (UNII: 6JVV35J00J)
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)
FRAGRANCE FLORAL ORC0902236 (UNII: R66Z4YW3X0)
DISODIUM EDTA-COPPER (UNII: 6V475AX06U)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
POLYESTER-7 (UNII: 0841698D2F)
PEG-100 STEARATE (UNII: YD01N1999R)
SYNTHETIC BEESWAX (UNII: 08MNR5YE2R)
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)
GLYCERIN (UNII: PDC6A3C0OX)
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
ISODODECANE (UNII: A8289P68Y2)
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)
ARACHIDYL ALCOHOL (UNII: 1QR1QRA9BU)
DOCOSANOL (UNII: 9G1OE216XY)

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-7034-8	237 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/31/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/31/2024	

Labeler - Beiersdorf Inc (001177906)