

FERROUS SULFATE ENTERIC COATED- ferrous sulfate tablet, coated
Westminster Pharmaceuticals, LLC

Ferrous Sulfate
Enteric Coated

DIRECTIONS

Adults and children 12 years of age and over: Take one tablet daily, preferably after a meal, or as directed by a physician. Children under 12 years of age: Consult a physician. Do not chew or crush tablet.

Tablets are enteric-coated to help protect your stomach.

Supplement Facts	
Serving Size: 1 Tablet	
Amount Per Serving	% Daily Value *
Iron (as dried ferrous sulfate) 65 mg	361%

* Percent Daily Values (DV) are based on a 2,000 calorie diet

Other Ingredients: Microcrystalline Cellulose, Calcium Carbonate, Stearic Acid, Silicon Dioxide, Sodium Starch Glycolate, Magnesium Stearate, Hydroxypropyl Methylcellulose, Methacrylic Acid Copolymer, Polyethylene Glycol, Titanium Dioxide, FD&C Red #40, FD&C Yellow #6, FD&C Blue #1.

WARNINGS

Do not take within 2 hours of taking oral tetracycline antibiotics, since oral iron products tend to interfere with absorption of tetracycline. May cause gastrointestinal discomfort, nausea, constipation or diarrhea. If you are pregnant or nursing a baby, seek advice of a health professional before using this product. U.S. Consumer Product Safety Commission requires that iron-containing medicine and vitamins with iron be packaged in child-resistant closures. Parents should always use properly re-secure safety closures.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

Storage

Store at 20° - 25°C (68° - 77°F)[see USP Controlled Room Temperature]

You may report side effects by calling 1-844-221-7294.

Manufactured for:
Westminster Pharmaceuticals, LLC
Nashville, TN 37217

Rev. 05/22

PRINCIPAL DISPLAY PANEL - 325 mg Table Bottle Label

69367-166-04

Ferrous Sulfate
Enteric-Coated Tablets

Iron Supplement

325 mg

(5 Grains)

100 Tablets

Westminster
Pharmaceuticals

69367-166-04

**Ferrous Sulfate
Enteric-Coated Tablets
Iron Supplement**

**325 mg
(5 Grains)
100 Tablets**

**WP Westminister
Pharmaceuticals**

DIRECTIONS: Adults and children 12 years of age and over: Take one tablet daily, preferably after a meal, or as directed by a physician. Children under 12 years of age: Consult a physician. Do not chew or crush tablet.
Tablets are enteric-coated to help protect your stomach.

Supplement Facts	
Amount Per Serving	% Daily Value †
Iron (as dried ferrous sulfate) 65 mg	361%

† Percent Daily Values (DV) are based on a 2,000 calorie diet.

Other Ingredients: Microcrystalline Cellulose, Calcium Carbonate, Stearic Acid, Silicon Dioxide, Sodium Starch Glycolate, Magnesium Stearate, Hydroxypropyl Methylcellulose, Methylacrylic Acid Copolymer, Polyethylene Glycol, Titanium Dioxide, FD&C Red #40, FD&C Yellow #6, FD&C Blue #1.

WARNINGS: Do not take within 2 hours of taking oral tetracycline antibiotics, since oral iron products tend to interfere with absorption of tetracycline. May cause gastrointestinal discomfort, nausea, constipation or diarrhea. If you are pregnant or nursing a baby, seek advice of a health professional before using this product. U.S. Consumer Product Safety Commission requires that iron-containing medicine and vitamins with iron be packaged in child-resistant closures. Parents should always use properly re-secure safety closures.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

Storage: Store at 20° - 25°C (68° - 77°F)[see USP Controlled Room Temperature]
You may report side effects by calling 1-844-221-7294.

Manufactured for:
Westminister Pharmaceuticals, LLC
Nashville, TN 37217
Rev. 05/22

No-Varnish Area

Lot. _____
Exp. _____

69367 16604 1

FERROUS SULFATE ENTERIC COATED

ferrous sulfate tablet, coated

Product Information

Product Type	DIETARY SUPPLEMENT	Item Code (Source)	NHRIC:69367-166
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

FERROUS SULFATE (UNII: 39R4TAN1VT) (FERROUS CATION - UNII:GW89581OWR)		FERROUS CATION	65 mg	
Inactive Ingredients				
Ingredient Name			Strength	
CALCIUM CARBONATE (UNII: H0G9379FGK)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:69367-166-04	100 in 1 BOTTLE, PLASTIC		
2	NHRIC:69367-166-07	1000 in 1 BOTTLE, PLASTIC		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
DIETARY SUPPLEMENT		08/24/2017		

Supplement Facts		
Serving Size :	Serving per Container :	
	Amount Per Serving	% Daily Value
color		
scoring	1	
shape		
size (solid drugs)	11 mm	
imprint		

Labeler - Westminster Pharmaceuticals, LLC (079516651)