

SECONDARY NUMB LIDOCAINE PHENYLEPHRINE GEL- lidocaine, phenylephrine hydrochloride gel

LALANI Rx Consulting, Inc.

SECONDARY NUMB Lidocaine/Phenylephrine Gel

Drug Facts

Active ingredients (w/w)

Lidocaine 5% Phenylephrine HCL 0.25%

Purpose

Local Anesthetic

Vaso Constrictor

Uses

• Temporary relief of pain • Temporarily shrinks hemorrhoidal tissue • For the temporary relief of anorectal discomfort associated with hemorrhoids

Warnings

For external use only

Do not use

if you have ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ difficulty in urination

Ask a doctor before use if you are

• presently taking medicine for high blood pressure or depression

When using this product

• do not put it into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

• bleeding occurs • condition worsens or does not improve within 7 days • redness, irritation, swelling, pain or other symptoms occur. If allergic reaction to product occurs.

Keep out of reach of children.

If swallowed, call poison control centre or get medical help right away

Directions

Adults and children 12 years and over: • Children under 12 consult a doctor • Cleanse the affected area with mild soap and warm water. Rinse well or pat with an appropriate cleansing pad. Gently dry by patting or blotting with toilet tissue or a soft cloth before applying this product • Apply to the affected area up to 3 times daily • Do not use more often than directed

Inactive ingredients

Aminomethylpropanol, Aqua, Benzyl Alcohol, Caprylyl Glycol, Carbomer, Phenoxyethanol, Propylene Glycol

Questions?

1-844-782-2387

Package Labeling:



1.1 oz/31.18 g

1.1 oz/31.18 g

SECONDARY NUMB

LIDOCAINE/PHENYLEPHRINE GEL

SECONDARY NUMB

LIDOCAINE/PHENYLEPHRINE GEL

Anorectal (hemorrhoidal)

Drug Facts

Active ingredients (w/w)	Purpose
Lidocaine 5%	Local Anesthetic
Phenylephrine HCL 0.25%	Vaso Constrictor

Uses

- Temporary relief of pain
- Temporarily shrinks hemorrhoidal tissue
- For the temporary relief of anorectal discomfort associated with hemorrhoids

Warnings

For external use only
Do not use if you have
 •heart disease •high blood pressure •thyroid disease •diabetes •difficulty in urination
Ask a doctor before use if you are
 •presently taking medicine for high blood pressure or depression
When using this product •do not put it into the rectum by using fingers or any mechanical device or applicator
Stop use and ask a doctor if
 •bleeding occurs •condition worsens or does not improve within 7 days
 •redness, irritation, swelling, pain or other symptoms occur. If allergic reaction to product occurs.
Keep out of reach of children. If swallowed, call poison control centre or get medical help right away

Directions

Adults and children 12 years and over:
 •Children under 12 consult a doctor
 •Cleanse the affected area with mild soap and warm water. Rinse well or pat with an appropriate cleansing pad. Gently dry by patting or blotting with toilet tissue or a soft cloth before applying this product
 •Apply to the affected area up to 3 times daily
 •Do not use more often than directed


Inactive ingredients

Aminomethylpropanol, Aqua, Benzyl Alcohol, Caprylyl Glycol, Carbomer, Phenoxyethanol, Propylene Glycol

Questions? 1-844-782-2387



Manufactured For:
 Lalani Rx Consulting Inc.
 105-618 E Kent Ave South
 Vancouver, BC V5X0B1
 1-844-782-2387



How to
 Apply



SECONDARY NUMB LIDOCAINE PHENYLEPHRINE GEL

lidocaine, phenylephrine hydrochloride gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83120-378
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	50 mg in 1 g
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE	2.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
WATER (UNII: 059QF0KO0R)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83120-378-00	1 in 1 BOX	10/10/2022	
1		31.18 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	10/10/2022	

Labeler - LALANI Rx Consulting, Inc. (243276725)