

**DIZOP 5% MINOXIDIL TOPICAL GEL- minoxidil gel**  
**Shenzhen Joyulsh Technology Co.,Ltd.**

-----  
**DIZOP 5% Minoxidil Topical Gel**

DIZOP 5% Minoxidil Topical Gel

Minoxidil 5%

Hair regrowth treatment

Apply 3-4 drops of Minoxidil Gel directly to the scalp in the area to be treated.

Massage into the scalp with your fingers then wash hands thoroughly.

Using more or using more often will not improve results; continued use is necessary to promote and maintain hair regrowth.

For external use only.

Your amount of hair loss is different than that shown the side of this carton or your hair loss is on the front of the scalp. 5% Minoxidil Gel is not intended for frontal baldness or receding hairline.

you have no family history of hair loss.

your hair loss is sudden and/or patch.

you do not know the reason for your hair loss.

you are under 18 years of age. Do not use on babies and children.

your scalp is red, inflamed, infected, irritated, or painful.

you use other medicines on the scalp.

Do not apply on other parts of the body. Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes time to regrow hair. You may need to use this product 1 times a day for at least 3 months before you see results, The amount of hair regrowth is different for each person.The product will not work for everyone.

If scalp irritation or redness occurs. If you get unwanted facial hair growth. If you do not see hair regrowth in 4 months.If sudden, unexplained weight gain occurs.

If swallowed, get medical help or contact a Poison Control Center immediately at 1-800-222-1222

Apply 3-4 drops of Minoxidil Gel directly to the scalp in the area to be treated.

Massage into the scalp with your fingers then wash hands thoroughly.

Using more or using more often will not improve results; continued use is necessary to promote and maintain hair regrowth.

Before use, read all information on the carton.

Keep the carton. It contains important information.

Store at a controlled room temperature of 5 to 30 C (41 to 86°F).

Kindly ensure the lid remains closed. Do not store at temperatures above 40C(104°F).

Minoxidil

ALCOHOL

GLYCERIN

CETYL ALCOHOL  
 MYRISTYL LACTATE  
 POLYSORBATE 60  
 SODIUM THIOSULFATE  
 CARBOMER HOMOPOLYMER  
 TROLAMINE  
 WATER

DIZOP®

DIZOP®

MINOXIDIL TOPICAL GEL

5% FOR MEN  
 Hair Regrowth Treatment



DIZOP MINOXIDIL TOPICAL GEL, 5% (FOR MEN), is a lightweight gel formulation that leverages advanced technology to maintain open hair follicles. Enhanced scalp circulation facilitates the delivery of essential oxygen and nutrients to the follicles, promoting growth. This innovative minoxidil gel is user-friendly, with a low-ethanol formula and no Propylene glycol, is safe and gentle on the scalp, suitable for all hair types.



If you have more hair loss or hair loss in a place different than shown above, this product may not work.



- EASY-TO-USE GEL
- Effective Hair Growth
- Fast & Non-Irritating

4-MONTH SUPPLY  
 TWO 60g (2.11 Fl Oz) CANS  
 TOTAL 120g (4.22 Fl Oz)

7 62715 74879 9  
 MFD: 2024-01-12  
 EXP: 2026-01-12

**Drug Facts**

**Active Ingredients**  
 Minoxidil 5% w/w

**Use** to regrow hair on the scalp.

**Purpose**  
 Hair regrowth treatment.

**Warnings**

For external use only.

**Do not use if:**

- Your amount of hair loss is different than that shown the side of this carton or your hair loss is on the front of the scalp. 5% Minoxidil Gel is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss.
- your hair loss is sudden and/or patchy.
- you do not know the reason for your hair loss.
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful.
- you use other medicines on the scalp.

**When using**

Do not apply on other parts of the body. Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes time to regrow hair. You may need to use this product 3 times a day for at least 3 months before you see results. The amount of hair regrowth is different for each person. The product will not work for everyone.

**Stop Use**

If scalp irritation or redness occurs. If you get unwanted facial hair growth. If you do not see hair regrowth in 4 months. If sudden, unexplained weight gain occurs.

**Ask Doctor**

If you have chest pain, rapid heart beat, faintness, or dizziness occurs. If you have heart disease.

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center immediately at 1-800-222-1222.

**Directions**

- Apply 3-4 drops of Minoxidil Gel directly to the scalp in the area to be treated.
- Massage into the scalp with your fingers then wash hands thoroughly. Using more or using more often will not improve results; continued use is necessary to promote and maintain hair regrowth.

**Other information**

Before use, read all information on the carton.

Keep the carton. It contains important information.

Store at a controlled room temperature of 5 to 30°C (41 to 86°F).

Kindly ensure the lid remains closed. Do not store at temperatures above 40°C (104°F).

**Inactive Ingredients**

Alcohol, Glycerin, Cetyl alcohol, Myristyl lactate, Carbomer homopolymer, Trolamine, Polysorbate 60, Sodium thiosulfate, Water.

**THIS PACKAGE CONTAINS**  
 TWO 60g (2.11 Fl Oz) CANS  
 5% Minoxidil Gel For Men  
 4-Month Supply

**DIRECTIONS FOR USE**

Used once daily, consistently.

To ensure effectiveness, apply the product directly to your scalp, not your hair, so it reaches your hair follicles and aids in regrowing your hair. We suggest leaving it on the scalp for approximately 4 hours.



1. Open the bottle by either twisting or lifting the cap to remove it.



2. Apply 3-4 drops of Minoxidil Gel directly to the scalp in the area to be treated.



3. Massage into the scalp with your fingers.



4. Wash hands thoroughly.

Using more or using more often will not improve results; continued use is necessary to promote and maintain hair regrowth. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Distributed by JOYFULSH INC  
 1312 17th Street Ste 210 Denver CO 80202 USA  
 support@dizoplab.com  
 www.dizoplab.com  
 MADE IN PRC



## DIZOP 5% MINOXIDIL TOPICAL GEL

minoxidil gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83766-102
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MINOXIDIL</b> (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength

<b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)
<b>SODIUM THIOSULFATE</b> (UNII: HX1032V43M)
<b>MYRISTYL LACTATE</b> (UNII: 1D822OC34X)
<b>ALCOHOL</b> (UNII: 3K9958V90M)
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83766-102-01	2 in 1 PACKAGE	01/17/2024	
1		60 g in 1 CANISTER; Type 1: Convenience Kit of Co-Package		
2	NDC:83766-102-02	3 in 1 PACKAGE	01/17/2024	
2		60 g in 1 CANISTER; Type 1: Convenience Kit of Co-Package		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M032	01/17/2024	

**Labeler** - Shenzhen Joyufish Technology Co.,Ltd. (603012375)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Shenzhen Joyufish Technology Co.,Ltd.		603012375	manufacture(83766-102)

Revised: 4/2024

Shenzhen Joyufish Technology Co.,Ltd.