

**TUSSIN COUGH AND CHEST CONGESTION DM- dextromethorphan hbr,  
guaifenesin liquid  
Best Choice (Valu Merchandisers Company)**

-----

**Drug Facts**

**Active ingredients (in each 10 mL)**

Dextromethorphan HBr 20 mg

Guaifenesin 200 mg

**Purposes**

Cough suppressant

Expectorant

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

**Warnings**

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

**Stop use and ask a doctor if**

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-

1222) right away.

### **Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with the dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL= milliliter
- this adult product is not intended for use in children under 12 years of age
- adults and children 12 years and over: 10 mL every 4 hours
- children under 12 years: do not use

### **Other information**

- store between 20-25°C(68-77°F). Do not refrigerate

### **Inactive ingredients**

anhydrous citric acid, FD&C red 40, flavor, glucose, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate

### **Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

### **Principal Display Panel**

\*Compare to the active ingredients in Robitussin® Cough + Chest Congestion DM

ADULT

### **Tussin Cough + Chest Congestion DM**

DEXTROMETHORPHAN HBr 20 mg

COUGH SUPPRESSANT

GUAIFENESIN 200 mg

EXPECTORANT

For relief of:

- Cough
- Mucus

Alcohol free

FOR AGES 12 YEARS & OVER

NON-DROWSY

FL OZ (mL)

Dosing Cup Included

\*This product is not manufactured or distributed by Haleon group of companies, distributors of Robitussin® Cough + Chest Congestion DM.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**

PROUDLY DISTRIBUTED BY:

ASSOCIATED WHOLESALE GROCERS, INC.

KANSAS CITY, KANSAS 66106

## Package Label

**Drug Facts (continued)**

**Other information**  
■ store between 20-25°C (68-77°F). Do not refrigerate.


**Inactive ingredients** citric acid, FD&C red #40, flavor, glucose, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate

**Questions or comments?**  
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

\*This product is not manufactured or distributed by Haleon group of companies, distributor of Robitussin® Cough+ Chest Congestion DM.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**

**PARENTS:**  
Learn about best medicine advice  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

  
Dosing Cup Included

PROUDLY DISTRIBUTED BY:  
ASSOCIATED WHOLESALE GROCERS, INC.  
KANSAS CITY, KANSAS 66106

**Best Choice,  
100% Guaranteed**  
[www.bestchoicebrand.com](http://www.bestchoicebrand.com)

Scan here for more product information.  
Call 1-844-292-1112 for more product information.

**Best Choice®**

\*Compare to the active ingredients in Robitussin® Cough+ Chest Congestion DM

**ADULT**

**Tussin Cough & Chest Congestion DM**

DEXTROMETHORPHAN HBr 20 mg  
COUGH SUPPRESSANT  
GUAIFENESIN 200 mg  
EXPECTORANT

**For relief of:**

- Cough
- Mucus

**Alcohol free**

**FOR AGES 12 & OVER**

**NON-DROWSY**

**4 FL OZ (118 mL)**

**Best Choice®**

\*Compare to the active ingredients in Robitussin® Cough+ Chest Congestion DM

**ADULT**

**Tussin Cough & Chest Congestion DM**

DEXTROMETHORPHAN HBr 20 mg  
COUGH SUPPRESSANT  
GUAIFENESIN 200 mg  
EXPECTORANT

**For relief of:**

- Cough
- Mucus

**Alcohol free**

**FOR AGES 12 & OVER**

**NON-DROWSY**

**4 FL OZ (118 mL)**

**Drug Facts**

Active ingredients (in each 10 mL)	Purposes
Dextromethorphan HBr 20 mg.....	Cough suppressant
Guaifenesin 200 mg.....	Expectorant

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

**Warnings**

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if** cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.


**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**  
In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age
- adults and children 12 years and over: 10 mL every 4 hours
- children under 12 years: do not use

BEST CHOICE 20121-0124- PLD



0 70038 20121 2

PLD-I325C FC008402

Lot No.:

Exp. Date:

**BEST CHOICE Adult Tussin Cough & Chest Congestion DM**

**TUSSIN COUGH AND CHEST CONGESTION DM**

dextromethorphan hbr, guaifenesin liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63941-385
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>DEXTROSE</b> (UNII: IY9XDZ35W2)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB6S)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:63941-385-08	1 in 1 BOX	03/31/2015	
1		237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:63941-385-04	1 in 1 BOX	03/31/2015	
2		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M012	03/31/2015	

**Labeler** - Best Choice (Valu Merchandisers Company) (868703513)

