

YOUR SKIN BUT BETTER CC COLOR CORRECTING FULL COVERAGE SPF 50 LIGHT-titanium dioxide and zinc oxide cream
IT COSMETICS, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

IT COSMETICS®
YOUR SKIN BUT BETTER CC+ COLOR CORRECTING FULL COVERAGE CREAM
SPF50+ (LIGHT)

Net Wt. 4 ml / 0.135 fl.oz
Net Wt. 12 ml / 0.406 fl.oz
Net Wt. 32 ml / 1.08 fl.oz
Net Wt. 75 ml / 2.53 fl.oz

Drug Facts

| <i>Active ingredient</i> | <i>Purpose</i> |
|---------------------------------|-----------------------|
| Titanium dioxide 9.0% | Sunscreen |
| Zinc oxide 6.3% | Sunscreen |

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children.
If swallowed, get medical help or contact Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hour.
- Use a water resistant sunscreen if swimming or sweating.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Children under 6 months of age: Ask a doctor.

Other information

Protect the product in this container from excessive heat and direct sun.
Questions? Call 800.620.3950

Inactive Ingredients

Butylene Glycol, Phenyl Trimethicone, Dimethicone, Snail Secretion Filtrate, Butylene Glycol Dicaprylate/Dicaprate, Orbignya Oleifera Seed Oil, Butyloctyl Salicylate, Cetyl PEG/PPG-10/1 Dimethicone, Cyclopentasiloxane, Cyclohexasiloxane, Magnesium Sulfate, Polyglyceryl-4 Isostearate,

Dimethicone/Vinyl Dimethicone Crosspolymer, Aluminum Hydroxide, Hexyl Laurate, Stearic Acid, Calcium Stearate, Caprylyl Glycol, Triethoxycaprylylsilane, Ethylhexylglycerin, Phenoxyethanol, Citrus Medica Limonum (Lemon) Peel Oil, Tocopheryl Acetate, Sorbitan Isostearate, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, 1,2-Hexanediol, Water, Disodium EDTA, Citrus aurantium dulcis (orange) peel essential oil, Citrus Aurantifolia (Lime) Essential Oil, Vitis Vinifera (Grape) Seed Oil, Punica Granatum Seed Oil, Pinus Sylvestris Leaf Essential Oil, Persea Gratissima (Avocado) Oil, Niacinamide, Citrus Grandis (Grapefruit) Peel Oil, Anthemis Nobilis Flower Water, Lactobacillus/Honeysuckle Flower/Licorice Root/Morus Alba Root/Pueraria Lobata Root/Schizandra Chinensis Fruit/Scutellaria Baicalensis Root/Sophora Japonica Flower Extract Ferment Filtrate, Perfluorohexane, Olea Europaea (Olive) Leaf Extract, Glycerin, Eucalyptus Essential Oil, Cholesterol, Camellia Sinensis Leaf Extract, Chrysanthemum Indicum flower Extract, Pueraria Lobata Root Extract, Perfluorodecalin, Morus Alba Fruit Extract, Magnolia Kobus Bark Extract, Glycine Soja (Soybean) Sprout Extract, Diospyros Kaki Leaf Extract, Cinnamomum Cassia Bark Extract, Artemisia Princeps Leaf Extract, Pentafluoropropane, Curcuma Longa (Turmeric) Root Extract, Steareth-20, Hydrolyzed Hyaluronic Acid, Colloidal Oatmeal, Hydrolyzed Silk, Citric Acid, Sodium Benzoate, Potassium sorbate, Aloe Barbadensis Leaf Extract, N-Hydroxysuccinimide, Hydrolyzed Collagen, Caprylhydroxamic Acid, Tocopherol, Thiamine HCl, Riboflavin, Retinyl Palmitate, Pantothenic Acid, Palmitoyl Oligopeptide, Niacin, Folic Acid, Chrysin, Carnitine HCl, Biotin, Ascorbic Acid, Palmitoyl Tetrapeptide-7, Chlorhexidine Digluconate, Iron Oxides (CI 77492, CI 77491, CI 77499).

4 mL Pack size



Drug Facts

| Active ingredients | Purpose |
|--|-----------|
| TITANIUM DIOXIDE 0.70% ZINC OXIDE 0.70% | Sunscreen |

Uses

- For external use only.
- Use as directed on skin prior to sun exposure. Use liberally and reapply every 2 hours.

Warnings

- For external use only. Do not use on damaged or irritated skin.
- Use as directed. Stop use if irritation occurs.
- Keep out of eyes. If contact occurs, flush with water.
- Keep out of reach of children.
- Use only as directed. See the back panel for additional information.
- For medical use only. See the back panel for additional information.

Directions

- Apply liberally to clean, dry skin before sun exposure.
- Reapply at least every 2 hours.
- Use as directed. Stop use if irritation occurs.
- For external use only. See the back panel for additional information.
- Use only as directed. See the back panel for additional information.
- For medical use only. See the back panel for additional information.

Other Information

- © 2015 It Cosmetics, LLC. All rights reserved. See the back panel for additional information.
- Contains 0.135 US fl. oz. (4 mL).

Contains 0.135 US fl. oz. (4 mL)

Active ingredients

Water, Dimethicone/Vinyl Dimethicone Crosspolymer, Aluminum Hydroxide, Hexyl Laurate, Stearic Acid, Calcium Stearate, Caprylyl Glycol, Triethoxycaprylylsilane, Ethylhexylglycerin, Phenoxyethanol, Citrus Medica Limonum (Lemon) Peel Oil, Tocopheryl Acetate, Sorbitan Isostearate, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, 1,2-Hexanediol, Water, Disodium EDTA, Citrus aurantium dulcis (orange) peel essential oil, Citrus Aurantifolia (Lime) Essential Oil, Vitis Vinifera (Grape) Seed Oil, Punica Granatum Seed Oil, Pinus Sylvestris Leaf Essential Oil, Persea Gratissima (Avocado) Oil, Niacinamide, Citrus Grandis (Grapefruit) Peel Oil, Anthemis Nobilis Flower Water, Lactobacillus/Honeysuckle Flower/Licorice Root/Morus Alba Root/Pueraria Lobata Root/Schizandra Chinensis Fruit/Scutellaria Baicalensis Root/Sophora Japonica Flower Extract Ferment Filtrate, Perfluorohexane, Olea Europaea (Olive) Leaf Extract, Glycerin, Eucalyptus Essential Oil, Cholesterol, Camellia Sinensis Leaf Extract, Chrysanthemum Indicum flower Extract, Pueraria Lobata Root Extract, Perfluorodecalin, Morus Alba Fruit Extract, Magnolia Kobus Bark Extract, Glycine Soja (Soybean) Sprout Extract, Diospyros Kaki Leaf Extract, Cinnamomum Cassia Bark Extract, Artemisia Princeps Leaf Extract, Pentafluoropropane, Curcuma Longa (Turmeric) Root Extract, Steareth-20, Hydrolyzed Hyaluronic Acid, Colloidal Oatmeal, Hydrolyzed Silk, Citric Acid, Sodium Benzoate, Potassium sorbate, Aloe Barbadensis Leaf Extract, N-Hydroxysuccinimide, Hydrolyzed Collagen, Caprylhydroxamic Acid, Tocopherol, Thiamine HCl, Riboflavin, Retinyl Palmitate, Pantothenic Acid, Palmitoyl Oligopeptide, Niacin, Folic Acid, Chrysin, Carnitine HCl, Biotin, Ascorbic Acid, Palmitoyl Tetrapeptide-7, Chlorhexidine Digluconate, Iron Oxides (CI 77492, CI 77491, CI 77499).

© 2015 It Cosmetics, LLC. All rights reserved. See the back panel for additional information.

0.135 US fl. oz. (4 mL)

itcosmetics.com

Drug Facts

| Active ingredients | Purpose |
|--|-----------|
| TITANIUM DIOXIDE 0.70% ZINC OXIDE 0.70% | Sunscreen |

Uses

- For external use only. Do not use on damaged or irritated skin.
- Use as directed. Stop use if irritation occurs.
- Keep out of eyes. If contact occurs, flush with water.
- Keep out of reach of children.
- Use only as directed. See the back panel for additional information.
- For medical use only. See the back panel for additional information.

Directions

- Apply liberally to clean, dry skin before sun exposure.
- Reapply at least every 2 hours.
- Use as directed. Stop use if irritation occurs.
- For external use only. See the back panel for additional information.
- Use only as directed. See the back panel for additional information.
- For medical use only. See the back panel for additional information.

Other Information

- © 2015 It Cosmetics, LLC. All rights reserved. See the back panel for additional information.
- Contains 0.135 US fl. oz. (4 mL).

Contains 0.135 US fl. oz. (4 mL)

Active ingredients

Water, Dimethicone/Vinyl Dimethicone Crosspolymer, Aluminum Hydroxide, Hexyl Laurate, Stearic Acid, Calcium Stearate, Caprylyl Glycol, Triethoxycaprylylsilane, Ethylhexylglycerin, Phenoxyethanol, Citrus Medica Limonum (Lemon) Peel Oil, Tocopheryl Acetate, Sorbitan Isostearate, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, 1,2-Hexanediol, Water, Disodium EDTA, Citrus aurantium dulcis (orange) peel essential oil, Citrus Aurantifolia (Lime) Essential Oil, Vitis Vinifera (Grape) Seed Oil, Punica Granatum Seed Oil, Pinus Sylvestris Leaf Essential Oil, Persea Gratissima (Avocado) Oil, Niacinamide, Citrus Grandis (Grapefruit) Peel Oil, Anthemis Nobilis Flower Water, Lactobacillus/Honeysuckle Flower/Licorice Root/Morus Alba Root/Pueraria Lobata Root/Schizandra Chinensis Fruit/Scutellaria Baicalensis Root/Sophora Japonica Flower Extract Ferment Filtrate, Perfluorohexane, Olea Europaea (Olive) Leaf Extract, Glycerin, Eucalyptus Essential Oil, Cholesterol, Camellia Sinensis Leaf Extract, Chrysanthemum Indicum flower Extract, Pueraria Lobata Root Extract, Perfluorodecalin, Morus Alba Fruit Extract, Magnolia Kobus Bark Extract, Glycine Soja (Soybean) Sprout Extract, Diospyros Kaki Leaf Extract, Cinnamomum Cassia Bark Extract, Artemisia Princeps Leaf Extract, Pentafluoropropane, Curcuma Longa (Turmeric) Root Extract, Steareth-20, Hydrolyzed Hyaluronic Acid, Colloidal Oatmeal, Hydrolyzed Silk, Citric Acid, Sodium Benzoate, Potassium sorbate, Aloe Barbadensis Leaf Extract, N-Hydroxysuccinimide, Hydrolyzed Collagen, Caprylhydroxamic Acid, Tocopherol, Thiamine HCl, Riboflavin, Retinyl Palmitate, Pantothenic Acid, Palmitoyl Oligopeptide, Niacin, Folic Acid, Chrysin, Carnitine HCl, Biotin, Ascorbic Acid, Palmitoyl Tetrapeptide-7, Chlorhexidine Digluconate, Iron Oxides (CI 77492, CI 77491, CI 77499).

© 2015 It Cosmetics, LLC. All rights reserved. See the back panel for additional information.

0.135 US fl. oz. (4 mL)

itcosmetics.com

12 mL Pack size

YOUR SKIN BUT BETTER™

CC+

REAL RESULTS

IT'S YOUR ONLY STEP!

CLINICALLY SHOWN RESULTS!

- 179%** of skin hydration*
- 96%** skin softer, smoother skin*
- 85%** skin on improvement in the appearance of wrinkles*
- 77%** red pores appeared smaller*

*Based on 12-week in-clinic study.

Drug Facts

| Active Ingredients | Purpose |
|----------------------|-----------|
| TINNIBI-DIOXIDE 6.0% | Sunscreen |
| ZINC OXIDE 8.3% | Sunscreen |

Other Information

Keep out of reach of children.

Use only on face.

For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water if needed.

Stop use and ask a doctor if redness occurs.

Keep out of reach of children.

If redness, get medical help or contact Poison Control Center right away.

Directions

Apply liberally. It includes water or spray.

Reapply at least every 2 hours.

Use a water resistant sunscreen if swimming or sweating.

Use immediately after use. Rinse off with water. Do not use on damaged or broken skin. Do not use on children's faces, including lips. Do not use on children's faces, including lips. Do not use on children's faces, including lips.

Use immediately after use. Rinse off with water.

Use immediately after use. Rinse off with water.

YOUR SKIN BUT BETTER™

CC+

Color Correcting Full Coverage Cream

+

Anti-Aging Hydrating Serum

+

SPF 50+

Broad Spectrum Physical Sunscreen

Light

0.406 US fl. oz. e 12 mL

DEVELOPED WITH PLASTIC SURGEONS AND DERMATOLOGISTS. CLINICALLY TESTED. PARABEN FREE. CRUELTY FREE.

it

YOUR SKIN BUT BETTER™

CC+

Color Correcting Full Coverage Cream

+

Anti-Aging Hydrating Serum

+

SPF 50+


Broad Spectrum Physical Sunscreen

0.406 US fl. oz. e 12 mL


itcosmetics.com

©2014 it Cosmetics, LLC, Jersey City, NJ 07310 USA
 181 LJS, 7th Ave., Mahwah, NJ 07430, PO Box 10000, Wayne, NJ 07090
 Made in the USA or Korea. ©2014 it Cosmetics, LLC. 10/14/14

32 mL Pack size



75 mL Pack size



YOUR SKIN BUT BETTER CC+ COLOR CORRECTING FULL COVERAGE SPF 50 LIGHT

titanium dioxide and zinc oxide cream

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:69259-1603

| | |
|--------------------------------|---------|
| Route of Administration | TOPICAL |
|--------------------------------|---------|

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|-----------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 9.0 g in 100 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 6.3 g in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| WATER (UNII: 059QF0KO0R) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R) | |
| Butylene Glycol Dicaprylate/Dicaprate (UNII: 75D21FL1PI) | |
| Butyloctyl Salicylate (UNII: 2EH13UN8D3) | |
| MAGNESIUM SULFATE ANHYDROUS (UNII: ML30MJ2U7I) | |
| Polyglyceryl-4 Isostearate (UNII: 820DPX33S7) | |
| Aluminum Hydroxide (UNII: 5QB0T2IUN0) | |
| Hexyl Laurate (UNII: 4CG9F9W01Q) | |
| Stearic Acid (UNII: 4ELV7Z65AP) | |
| Calcium Stearate (UNII: 776XM7047L) | |
| Caprylyl Glycol (UNII: 00YIU5438U) | |
| Triethoxycaprylylsilane (UNII: LDC331P08E) | |
| Ethylhexylglycerin (UNII: 147D247K3P) | |
| Sorbitan Isostearate (UNII: 01S2G2C1E4) | |
| Phenoxyethanol (UNII: HIE492ZZ3T) | |
| 1,2-Hexanediol (UNII: TR046Y3K1G) | |
| MAGNESIUM DISODIUM EDTA (UNII: NDT563S5VZ) | |
| LIME OIL (UNII: UZH29XGA8G) | |
| GRAPE SEED OIL (UNII: 930MLC8XGG) | |
| Punica Granatum Seed Oil (UNII: 0UI45XV0T6) | |
| AVOCADO OIL (UNII: 6VNO72PFC1) | |
| Niacinamide (UNII: 25X51I8RD4) | |
| WHITE PINE OIL (UNII: HA5CX6676U) | |
| GRAPEFRUIT OIL (UNII: YR377U58W9) | |
| Cholesterol (UNII: 97C5T2UQ7J) | |
| Glycerin (UNII: PDC6A3C0OX) | |
| EUCALYPTUS OIL (UNII: 2R04ONI662) | |
| GREEN TEA LEAF (UNII: W2ZU1RY8B0) | |
| SOYBEAN OIL (UNII: 241ATL177A) | |
| Pentafluoropropane (UNII: TA9UOF49CY) | |
| TURMERIC (UNII: 856YO1Z64F) | |
| Steareth-20 (UNII: L0Q8IK9E08) | |
| SILK, BASE HYDROLYZED (1000 MW) (UNII: UMQ31C11AY) | |
| HYALURONIC ACID (UNII: S270N0TRQY) | |
| OATMEAL (UNII: 8PI54V663Y) | |
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | |
| Sodium Benzoate (UNII: OJ245FE5EU) | |

| |
|---|
| Potassium Sorbate (UNII: 1VPU26JZZ4) |
| ALOE VERA LEAF (UNII: ZY81Z83H0X) |
| N-Hydroxysuccinimide (UNII: MJE3791M4T) |
| HYDROLYSED MARINE COLLAGEN (ENZYMATIC; 2000 MW) (UNII: 2WID9OCG7P) |
| Caprylhydroxamic Acid (UNII: UPY805K99W) |
| Tocopherol (UNII: R0ZB2556P8) |
| THIAMINE HYDROCHLORIDE (UNII: M572600E5P) |
| Riboflavin (UNII: TLM2976OFR) |
| RETINOL (UNII: G2SH0XKK91) |
| Pantothenic Acid (UNII: 19F5HK2737) |
| Palmitoyl Oligopeptide (UNII: HO4ZT5S86C) |
| Niacin (UNII: 2679MF687A) |
| Folic Acid (UNII: 935E97BOY8) |
| Chrysin (UNII: 3CN01F5ZJ5) |
| CARNITINE HYDROCHLORIDE, (+)- (UNII: 11X758JML9) |
| Biotin (UNII: 6SO6U10H04) |
| Ascorbic Acid (UNII: PQ6CK8PD0R) |
| Palmitoyl Tetrapeptide-7 (UNII: Q41S464P1R) |
| CHLORHEXIDINE (UNII: R4KO0DY52L) |
| BROWN IRON OXIDE (UNII: 1N032N7MFO) |

| Product Characteristics | | | |
|-------------------------|---------------|---------------------|--|
| Color | brown (LIGHT) | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

| Packaging | | | | |
|-----------|------------------|---|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:69259-1603-1 | 4 mL in 1 TUBE; Type 0: Not a Combination Product | 07/27/2017 | |

| Marketing Information | | | |
|-------------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC monograph not final | part352 | 07/27/2017 | |

YOUR SKIN BUT BETTER CC COLOR CORRECTING FULL COVERAGE SPF 50 LIGHT

titanium dioxide and zinc oxide cream

| Product Information | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:69259-1566 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 9.0 g in 100 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 6.3 g in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|-----------------|
| WATER (UNII: 059QF0KO0R) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R) | |
| Butylene Glycol Dicaprylate/Dicaprate (UNII: 75D21FL1PI) | |
| Butyloctyl Salicylate (UNII: 2EH13UN8D3) | |
| MAGNESIUM SULFATE ANHYDROUS (UNII: ML30MJ2U7I) | |
| Polyglyceryl-4 Isostearate (UNII: 820DPX33S7) | |
| Aluminum Hydroxide (UNII: 5QB0T2IUN0) | |
| Hexyl Laurate (UNII: 4CG9F9W01Q) | |
| Stearic Acid (UNII: 4ELV7Z65AP) | |
| Calcium Stearate (UNII: 776XM7047L) | |
| Caprylyl Glycol (UNII: 00YIU5438U) | |
| Triethoxycaprylylsilane (UNII: LDC331P08E) | |
| Ethylhexylglycerin (UNII: 147D247K3P) | |
| Sorbitan Isostearate (UNII: 01S2G2C1E4) | |
| Phenoxyethanol (UNII: HIE492ZZ3T) | |
| 1,2-Hexanediol (UNII: TR046Y3K1G) | |
| MAGNESIUM DISODIUM EDTA (UNII: NDT563S5VZ) | |
| LIME OIL (UNII: UZH29XGA8G) | |
| GRAPE SEED OIL (UNII: 930MLC8XGG) | |
| Punica Granatum Seed Oil (UNII: 0UI45XV0T6) | |
| AVOCADO OIL (UNII: 6VNO72PFC1) | |
| Niacinamide (UNII: 25X51I8RD4) | |
| WHITE PINE OIL (UNII: HA5CX6676U) | |
| GRAPEFRUIT OIL (UNII: YR377U58W9) | |
| Cholesterol (UNII: 97C5T2UQ7J) | |
| Glycerin (UNII: PDC6A3C0OX) | |
| EUCALYPTUS OIL (UNII: 2R04ONI662) | |
| GREEN TEA LEAF (UNII: W2ZU1RY8B0) | |
| SOYBEAN OIL (UNII: 241ATL177A) | |
| Pentafluoropropane (UNII: TA9UOF49CY) | |
| TURMERIC (UNII: 856YO1Z64F) | |
| Steareth-20 (UNII: L0Q8IK9E08) | |
| SILK, BASE HYDROLYZED (1000 MW) (UNII: UMQ31C11AY) | |
| HYALURONIC ACID (UNII: S270N0TRQY) | |
| OATMEAL (UNII: 8PI54V663Y) | |
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | |
| Sodium Benzoate (UNII: OJ245FE5EU) | |
| Potassium Sorbate (UNII: 1VPU26JZZ4) | |
| ALOE VERA LEAF (UNII: ZY81Z83H0X) | |
| N-Hydroxysuccinimide (UNII: MJE3791M4T) | |

| |
|---|
| HYDROLYSED MARINE COLLAGEN (ENZYMATIC; 2000 MW) (UNII: 2WID9OCG7P) |
| Caprylhydroxamic Acid (UNII: UPY805K99W) |
| Tocopherol (UNII: R0ZB2556P8) |
| THIAMINE HYDROCHLORIDE (UNII: M572600E5P) |
| Riboflavin (UNII: TLM2976OFR) |
| RETINOL (UNII: G2SH0XKK91) |
| Pantothenic Acid (UNII: 19F5HK2737) |
| Palmitoyl Oligopeptide (UNII: HO4ZT5S86C) |
| Niacin (UNII: 2679MF687A) |
| Folic Acid (UNII: 935E97BOY8) |
| Chrysin (UNII: 3CN01F5ZJ5) |
| CARNITINE HYDROCHLORIDE, (+)- (UNII: 11X758JML9) |
| Biotin (UNII: 6SO6U10H04) |
| Ascorbic Acid (UNII: PQ6CK8PD0R) |
| Palmitoyl Tetrapeptide-7 (UNII: Q41S464P1R) |
| CHLORHEXIDINE (UNII: R4KO0DY52L) |
| BROWN IRON OXIDE (UNII: 1N032N7MFO) |

Product Characteristics

| | | | |
|-----------------|---------------|---------------------|--|
| Color | brown (LIGHT) | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:69259-1566-1 | 12 mL in 1 TUBE; Type 0: Not a Combination Product | 07/27/2017 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part352 | 07/27/2017 | |

YOUR SKIN BUT BETTER CC COLOR CORRECTING FULL COVERAGE SPF 50 LIGHT

titanium dioxide and zinc oxide cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:69259-0651 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-----------------|-------------------|----------|
|-----------------|-------------------|----------|

| | | |
|---|------------------|-----------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 9.0 g in 100 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 6.3 g in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| WATER (UNII: 059QF0KO0R) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R) | |
| Butylene Glycol Dicaprylate/Dicaprate (UNII: 75D21FL1PI) | |
| Butyloctyl Salicylate (UNII: 2EH13UN8D3) | |
| MAGNESIUM SULFATE ANHYDROUS (UNII: ML30MJ2U7I) | |
| Polyglyceryl-4 Isostearate (UNII: 820DPX33S7) | |
| Aluminum Hydroxide (UNII: 5QB0T2IUN0) | |
| Hexyl Laurate (UNII: 4CG9F9W01Q) | |
| Stearic Acid (UNII: 4ELV7Z65AP) | |
| Calcium Stearate (UNII: 776XM7047L) | |
| Caprylyl Glycol (UNII: 00YIU5438U) | |
| Triethoxycaprylylsilane (UNII: LDC331P08E) | |
| Ethylhexylglycerin (UNII: 147D247K3P) | |
| Sorbitan Isostearate (UNII: 01S2G2C1E4) | |
| Phenoxyethanol (UNII: HIE492ZZ3T) | |
| 1,2-Hexanediol (UNII: TR046Y3K1G) | |
| MAGNESIUM DISODIUM EDTA (UNII: NDT563S5VZ) | |
| LIME OIL (UNII: UZH29XGA8G) | |
| GRAPE SEED OIL (UNII: 930MLC8XGG) | |
| Punica Granatum Seed Oil (UNII: 0UI45XV0T6) | |
| AVOCADO OIL (UNII: 6VNO72PFC1) | |
| Niacinamide (UNII: 25X51I8RD4) | |
| WHITE PINE OIL (UNII: HA5CX6676U) | |
| GRAPEFRUIT OIL (UNII: YR377U58W9) | |
| Cholesterol (UNII: 97C5T2UQ7J) | |
| Glycerin (UNII: PDC6A3C0OX) | |
| EUCALYPTUS OIL (UNII: 2R04ONI662) | |
| GREEN TEA LEAF (UNII: W2ZU1RY8B0) | |
| SOYBEAN OIL (UNII: 241ATL177A) | |
| Pentafluoropropane (UNII: TA9UOF49CY) | |
| TURMERIC (UNII: 856YO1Z64F) | |
| Steareth-20 (UNII: L0Q8IK9E08) | |
| SILK, BASE HYDROLYZED (1000 MW) (UNII: UMQ31C11AY) | |
| HYALURONIC ACID (UNII: S270N0TRQY) | |
| OATMEAL (UNII: 8PI54V663Y) | |
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | |
| Sodium Benzoate (UNII: OJ245FE5EU) | |
| Potassium Sorbate (UNII: 1VPU26JZZ4) | |
| ALOE VERA LEAF (UNII: ZY81Z83H0X) | |
| N-Hydroxysuccinimide (UNII: MJE3791M4T) | |
| HYDROLYSED MARINE COLLAGEN (ENZYMATIC; 2000 MW) (UNII: 2WID9OCG7P) | |
| Caprylhydroxamic Acid (UNII: UPY805K99W) | |
| Tocopherol (UNII: R0ZB2556P8) | |

| |
|---|
| THIAMINE HYDROCHLORIDE (UNII: M572600E5P) |
| Riboflavin (UNII: TLM2976OFR) |
| RETINOL (UNII: G2SH0XKK91) |
| Pantothenic Acid (UNII: 19F5HK2737) |
| Palmitoyl Oligopeptide (UNII: HO4ZT5S86C) |
| Niacin (UNII: 2679MF687A) |
| Folic Acid (UNII: 935E97BOY8) |
| Chrysin (UNII: 3CN01F5ZJ5) |
| CARNITINE HYDROCHLORIDE, (+)- (UNII: 11X758JML9) |
| Biotin (UNII: 6SO6U10H04) |
| Ascorbic Acid (UNII: PQ6CK8PD0R) |
| Palmitoyl Tetrapeptide-7 (UNII: Q41S464P1R) |
| CHLORHEXIDINE (UNII: R4KO0DY52L) |
| BROWN IRON OXIDE (UNII: 1N032N7MFO) |

Product Characteristics

| | | | |
|-----------------|---------------|---------------------|--|
| Color | brown (LIGHT) | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:69259-0651-1 | 32 mL in 1 TUBE; Type 0: Not a Combination Product | 07/27/2017 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part352 | 07/27/2017 | |

YOUR SKIN BUT BETTER CC COLOR CORRECTING FULL COVERAGE SPF 50 LIGHT

titanium dioxide and zinc oxide cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:69259-2389 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|-----------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 9.0 g in 100 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 6.3 g in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| WATER (UNII: 059QF0KO0R) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R) | |
| Butylene Glycol Dicaprylate/Dicaprate (UNII: 75D21FL1PI) | |
| Butyloctyl Salicylate (UNII: 2EH13UN8D3) | |
| MAGNESIUM SULFATE ANHYDROUS (UNII: ML30MJ2U7I) | |
| Polyglyceryl-4 Isostearate (UNII: 820DPX33S7) | |
| Aluminum Hydroxide (UNII: 5QB0T2IUN0) | |
| Hexyl Laurate (UNII: 4CG9F9W01Q) | |
| Stearic Acid (UNII: 4ELV7Z65AP) | |
| Calcium Stearate (UNII: 776XM7047L) | |
| Caprylyl Glycol (UNII: 00YIU5438U) | |
| Triethoxycaprylylsilane (UNII: LDC331P08E) | |
| Ethylhexylglycerin (UNII: 147D247K3P) | |
| Sorbitan Isostearate (UNII: 01S2G2C1E4) | |
| Phenoxyethanol (UNII: HIE492ZZ3T) | |
| 1,2-Hexanediol (UNII: TR046Y3K1G) | |
| MAGNESIUM DISODIUM EDTA (UNII: NDT563S5VZ) | |
| LIME OIL (UNII: UZH29XGA8G) | |
| GRAPE SEED OIL (UNII: 930MLC8XGG) | |
| Punica Granatum Seed Oil (UNII: 0UI45XV0T6) | |
| AVOCADO OIL (UNII: 6VNO72PFC1) | |
| Niacinamide (UNII: 25X51I8RD4) | |
| WHITE PINE OIL (UNII: HA5CX6676U) | |
| GRAPEFRUIT OIL (UNII: YR377U58W9) | |
| Cholesterol (UNII: 97C5T2UQ7J) | |
| Glycerin (UNII: PDC6A3C0OX) | |
| EUCALYPTUS OIL (UNII: 2R04ONI662) | |
| GREEN TEA LEAF (UNII: W2ZU1RY8B0) | |
| SOYBEAN OIL (UNII: 241ATL177A) | |
| Pentafluoropropane (UNII: TA9UOF49CY) | |
| TURMERIC (UNII: 856YO1Z64F) | |
| Steareth-20 (UNII: L0Q8IK9E08) | |
| SILK, BASE HYDROLYZED (1000 MW) (UNII: UMQ31C11AY) | |
| HYALURONIC ACID (UNII: S270N0TRQY) | |
| OATMEAL (UNII: 8PI54V663Y) | |
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | |
| Sodium Benzoate (UNII: OJ245FE5EU) | |
| Potassium Sorbate (UNII: 1VPU26JZZ4) | |
| ALOE VERA LEAF (UNII: ZY81Z83H0X) | |
| N-Hydroxysuccinimide (UNII: MJE3791M4T) | |
| HYDROLYSED MARINE COLLAGEN (ENZYMATIC; 2000 MW) (UNII: 2WID9OCG7P) | |
| Caprylhydroxamic Acid (UNII: UPY805K99W) | |
| Tocopherol (UNII: R0ZB2556P8) | |
| THIAMINE HYDROCHLORIDE (UNII: M572600E5P) | |
| Riboflavin (UNII: TLM2976OFR) | |
| RETINOL (UNII: G2SH0XKK91) | |

| | |
|---|--|
| Pantothenic Acid (UNII: 19F5HK2737) | |
| Palmitoyl Oligopeptide (UNII: HO4ZT5S86C) | |
| Niacin (UNII: 2679MF687A) | |
| Folic Acid (UNII: 935E97BOY8) | |
| Chrysin (UNII: 3CN01F5ZJ5) | |
| CARNITINE HYDROCHLORIDE, (+)- (UNII: 11X758JML9) | |
| Biotin (UNII: 6SO6U10H04) | |
| Ascorbic Acid (UNII: PQ6CK8PD0R) | |
| Palmitoyl Tetrapeptide-7 (UNII: Q41S464P1R) | |
| CHLORHEXIDINE (UNII: R4KO0DY52L) | |
| BROWN IRON OXIDE (UNII: 1N032N7MFO) | |

Product Characteristics

| | | | |
|-----------------|---------------|---------------------|--|
| Color | brown (LIGHT) | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:69259-2389-1 | 75 mL in 1 TUBE; Type 0: Not a Combination Product | 07/27/2017 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part352 | 07/27/2017 | |

Labeler - IT COSMETICS, LLC (962591793)