

SHEFFIELD BACITRACIN ZINC- bacitracin zinc ointment
Sheffield Pharmaceuticals LLC

SHEFFIELD BACITRIACIN ZINC OINTMENT

Drug Facts

Active ingredients (In each gram)

Bacitracin 500

Purpose

First aid antibiotic

Uses

First aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only

Allergy alert:

- do not use if you are allergic to any of the ingredients

Do not use

- in or near the eyes
- on large areas of the body

Consult a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

When using this product

- do not use longer than 1 week

Stop use and consult a doctor if

- condition persists or gets worse
- symptoms last for more than 7 days or clear up and come back within a few days
- a rash or other allergic reaction develops

Keep out of the reach of children. If swallowed get medical help or contact a Poison

Control Center immediately.

Directions

- clean the affected area
- apply a small amount (equal to surface area of tip of finger) on the area 1 to 3 times daily.
- may be covered with a sterile bandage

Other information

- Store at a controlled room temperature 68°-77°F (20°-25°C)

Inactive ingredient

Petrolatum

Questions? 1-800-222-1087



Principal Display Panel – Carton Label

Sheffield NDC 11527-163-15

Bacitracin Zinc Ointment USP Bacitracin Zinc

First Aid Antibiotic Ointment

NET WT. 15g (0.52oz)




NDC 11527-163-15

Protection Against Infection
Bacitracin Zinc Ointment USP
FIRST AID ANTIBIOTIC OINTMENT

NET WT. 15g (0.52 OZ)



Active ingredient (in each gram)	Purpose
Bacitracin USP 500 units	First aid antibiotic

Uses: First aid to help prevent infection in minor: • cuts • scrapes • burns

Warnings: For external use only. **Allergy alert:** • do not use if you are allergic to any of the ingredients

Do not use • In or near the eyes • on large areas of the body

Consult a doctor before use if you have: • deep or puncture wounds • animal bites • serious burns.

When using this product: • do not use longer than 1 week

Stop use and consult a doctor if: • condition persists or gets worse • symptoms last for more than 7 days or clear up and come back within a few days • a rash or other allergic reaction develops.

Keep out of the reach of children. If swallowed get medical help or contact a Poison Control Center immediately.

Directions: • clean the affected area • apply a small amount (equal to surface area of tip of finger) on the area 1 to 3 times daily. • may be covered with a sterile bandage.

Other information • Store at a controlled room temperature 68°-77°F (20°-25°C). **Questions? 1-800-222-1087**

Distributed by: Sheffield Pharmaceuticals, 170 Broad Street New London, CT 06320 www.sheffieldpharma.com

Made in USA OF U.S. & Imported Ingredients and Components 2501193

Principal Display Panel – Tube Label
 Sheffield NDC 11527-163-15

Bacitracin Zinc Ointment Bacitracin Zinc

First Aid Antibiotic Ointment

NET WT. 15g (0.52oz)

First Aid Treatment for Minor Cuts, Scrapes and Burns

NDC 11527-163-15

Protection Against Infection
Bacitracin Zinc Ointment USP
FIRST AID ANTIBIOTIC OINTMENT

NET WT. 15g (0.52 OZ)



Active ingredient (in each gram)
Bacitracin USP 500 units **Purpose**
First aid antibiotic

Uses: First aid to help prevent infection in minor: • cuts • scrapes • burns

Warnings: For external use only. **Allergy alert:** • do not use if you are allergic to any of the ingredients

Do not use • In or near the eyes • on large areas of the body

Consult a doctor before use if you have: • deep or puncture wounds • animal bites • serious burns.

When using this product: • do not use longer than 1 week

Stop use and consult a doctor if: • condition persists or gets worse • symptoms last for more than 7 days or clear up and come back within a few days • a rash or other allergic reaction develops.

Keep out of the reach of children. If swallowed get medical help or contact a Poison Control Center immediately.

Directions: • clean the affected area • apply a small amount (equal to surface area of tip of finger) on the area 1 to 3 times daily. • may be covered with a sterile bandage.

Other information • Store at a controlled room temperature 68°-77°F (20°-25°C). **Questions? 1-800-222-1087**

Distributed by: Sheffield Pharmaceuticals, 170 Broad Street New London, CT 06320 www.sheffieldpharma.com

Made in USA OF U.S. & Imported Ingredients and Components 2501193

SHEFFIELD BACITRACIN ZINC

bacitracin zinc ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11527-163
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Bacitracin Zinc (UNII: 89Y4M234ES) (Bacitracin - UNII:58H6RWO52I)	Bacitracin	500 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
Petrolatum (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11527-163-51	1 in 1 CARTON	09/25/2012	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:11527-163-15	1 in 1 CARTON	12/22/2020	
2		15 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:11527-163-30	1 in 1 PACKAGE	12/22/2020	
3		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	09/25/2012	

Labeler - Sheffield Pharmaceuticals LLC (151177797)

Establishment

Name	Address	ID/FEI	Business Operations
Sheffield Pharmaceuticals LLC		151177797	MANUFACTURE(11527-163) , analysis(11527-163)

Revised: 11/2023

Sheffield Pharmaceuticals LLC